


# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Sion Circle, Sion (E)
E-mail: <a href="mailto:jdair@mpcb.gov.in">jdair@mpcb.gov.in</a>		Mumbai-400 022.

RED/LSI

Date: 28/10/2013

Consent No: Format 1.0/BO/JD (APC)/TB-4/EIC No. PN-16815-13/R/CAC- 9043

To,  
M/s. Piaggio Vehicles Pvt. Ltd.,  
E-2& F-1, MIDc Baramati, Tal. Baramati,  
Dist. Pune 413133

**Subject: Consent to renewal RED category.**

**Ref : 1. Earlier Consent granted vide no. BO/JD (APC)/EIC NO. PN-12983-12/O/CAC-392 dtd. 25/04/2012.**  
**2. Minutes of CAC meeting held on 12/09/2013.**

**Your application Dated: 03/02/2013.**

**For: Renewal of consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III,IV annexed to this order:**

1. The consent is granted for a period from 01/04/2013 to 30/09/2014.
2. The actual capital investment of the industry is Rs. 1022.61 Crs. (As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Three Wheeler with multi fuels	4,21,900	Vehicles /Y
2	Four wheeler commercial Vehicle with multi fuels	26,000	Vehicles /Y
3	Diesel Engine	4,200	No's/M
4	Petrol Engine	16,750	No's/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	623	As per Schedule -I	On land
2.	Domestic effluent	288	As per Schedule -I	On land

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Hot W/R(Pre-Treat)	1	As per Schedule -II
2.	Oven(Hood Exhaust)	1	As per Schedule -II
3.	Oven(Inside Exhaust)	1	As per Schedule -II
4.	Sand bed(Jig stripping)	1	As per Schedule -II
5.	E-coat exhaust(E-Coat)	1	As per Schedule -II
6.	Pre.Deg(Pre-Treat)	1	As per Schedule -II
7.	Hood exhaust(ED-Oven)	1	As per Schedule -II
8.	Heat Exch.Exh(ED Oven (Hold zone))	1	As per Schedule -II
9.	Inside Exhaust(ED-Oven)	1	As per Schedule -II
10.	Cooler supply(ED-Oven)	1	As per Schedule -II
11.	cooler Exhaust(ED-Oven)	1	As per Schedule -II
12.	Primer booth	1	As per Schedule -II
13.	3w Assly.Dynamometer-1	1	As per Schedule -II
14.	Sanding Exh(Work Area)	1	As per Schedule -II
15.	Cooler supply(Sealer Oven)	1	As per Schedule -II
16.	Boiler chimney(Hot water generator)	1	As per Schedule -II
17.	3w Assly.Dynamometer-2	1	As per Schedule -II
18.	3W Assly.Dynamometer 3	1	As per Schedule -II
19.	3W exhaust system rework area	1	As per Schedule -II
20.	4w Assly.Dynamometer	1	As per Schedule -II
21.	cooler Exhaust(T-coat Oven)	1	As per Schedule -II
22.	Hot Touch Exh.(Work Area)	1	As per Schedule -II
23.	Primer booth	1	As per Schedule -II
24.	4W exhaust system	1	As per Schedule -II
25.	4W exhaust system rework area	1	As per Schedule -II
26.	Engine Dynamometer	1	As per Schedule -II
27.	Chasis Dynamometer	1	As per Schedule -II
28.	Ex.Duct-Blower No.2(T/Coat booth-1)	1	As per Schedule -II
29.	Ex.Duct-Tack-O-Rag(T/Coat booth-2)	1	As per Schedule -II
30.	QAD Dynamometer	1	As per Schedule -II
31.	Cooler Exh(Sealer Oven)	1	As per Schedule -II
32.	D.G set(320KVA)	1	As per Schedule -II
33.	Heat Exch.Exh(ED Oven (Heat up))	1	As per Schedule -II
34.	Heat Exch.Exh(T/coat Oven (heat up))	1	As per Schedule -II
35.	D.G set(400KVA x 2)	2	As per Schedule -II
36.	Hot Touch Exh.(Work Area)	1	As per Schedule -II
37.	D.G set(500KVA x 2)	2	As per Schedule -II
38.	Heat Exch.Exh(TC Oven Exh)	1	As per Schedule -II

39.	Leader testing(Leader engine test bench)	1	As per Schedule -II
40.	Ex.Duct-Blower No.1(T/Coat booth-2)	1	As per Schedule -II
41.	Diesel testing(Diesel engine test bench)	1	As per Schedule -II
42.	Flash off	1	As per Schedule -II
43.	Utility room(D.G set for QA lab)	1	As per Schedule -II
44.	Leader testing(Leader engine quality test bench)	1	As per Schedule -II
45.	Heat Exch.Exh(T/coat Oven (hold zone))	1	As per Schedule -II
46.	Machine shop(Leader-I com Machine)	1	As per Schedule -II
47.	Inside Exh(T-coat Oven)	1	As per Schedule -II
48.	Machine shop(Diesel-I com Machine)	1	As per Schedule -II
49.	Phos(Pre-Treat)	1	As per Schedule -II
50.	QA-1	1	As per Schedule -II
51.	P/Kith Exh(Paint Kitchen)	1	As per Schedule -II
52.	Paxx testing	1	As per Schedule -II
53.	Inside Exh(Sealer Oven)	1	As per Schedule -II
54.	Hood exhaust(T-coat Oven)	1	As per Schedule -II
55.	Ex.Duct-Blower No.2(T/Coat booth-2)	1	As per Schedule -II
56.	Cooler supply(T-coat Oven)	1	As per Schedule -II
57.	Ex.Duct-Tack-O-Rag(T/Coat booth-1)	1	As per Schedule -II
58.	Heat Exch.Exh(Sealer Oven)	1	As per Schedule -II
59.	Ex.Duct-Blower No.1(T/Coat booth-1)	1	As per Schedule -II
60.	Deg(Pre-Treat)	1	As per Schedule -II
61.	Heat Exch.Exh(Dry off Oven)	1	As per Schedule -II
62.	Ex.Duct-yellow Patta(T/Coat booth-2)	1	As per Schedule -II
63.	U/B Exh(Work Area)	1	As per Schedule -II
64.	Paint kitchen exhaust	1	As per Schedule -II
65.	Boiler Exhaust(Hot water generator)	1	As per Schedule -II
66.	Cold Touch Exh.(Work Area)	1	As per Schedule -II
67.	Exhaust fan	1	As per Schedule -II
68.	Ex.Duct-Flash Off(T/Coat booth-1)	1	As per Schedule -II
69.	Hot touch up	1	As per Schedule -II
70.	Intermeadtie washing	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:


Sr. No.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	MS+ Steel Scrap	1268.00	MT/A	sent to authorized reprocessor
2	Wooden planks	980.00	MT/A	sent to authorized reprocessor
3	Cartons	2248.0	MT/A	sent to authorized reprocessor
4	Garbage	2024.00	MT/A	sent to authorized reprocessor
5	Toughened Glass	320.0	MT/A	sent to authorized reprocessor
6	Plastic Barrels 210	3152	Nos./A	sent to authorized reprocessor
7	Plastic barrels 1000	295	Nos./A	sent to authorized reprocessor
8	Plastic barrels 20/25/30/35	6166	Nos./A	sent to authorized reprocessor
9	MS Drums 200 ltrs	1428	Nos./A	sent to authorized reprocessor
10	MS Drums 20 ltrs	91072	Nos./A	sent to authorized reprocessor

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

S.No	Processes	Categor y	Qty	UOM	Treatme nt	Disposal
1	Used /spent oil	5.1	129.00	Kg/day	--	sent to authorized party
2	Wastes/residue containing oil	5.2	13.00	Kg/day	--	sent to authorized party
3	Phosphate sludge	12.5	713.00	Kg/day	--	CHWTSDF
4	Chemical sludge from waste water treatment	12.9	137.00	Kg/day	--	CHWTSDF
5	Spent solvents	20.2	8.00	Kg/day	--	sent to authorized
6	Paint Sludge	21.1	1420.0	Kg/day	--	CHWTSDF
7	Discarded containers / barrels / liners	33.3	102307	Kg/day	--	CHWTSDF
8	Chemical sludge from waste water treatment	34.3	400.00	kg/day	--	CHWTSDF
9	Ash from Chimney hazardous waste	36.2	4.00	kg/day	--	CHWTSDF

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the  
Maharashtra Pollution Control Board

  
(Rajeev Kumar Mital)  
Member Secretary

Received Consent fee of

S.No.	Bank Name	DD. No.	DD. Dt.	Amount
1	Axis Bank	058982	28/01/2013	2,34,875
2	Axis Bank	058973	23/01/2013	18,10,354
3	Axis Bank	058975	24/01/2013	100
4	Axis Bank	059143	22/02/2013	89,615
5	ICICI Bank	057820	10/10/2013	6,07,156

Copy to:

1. Regional Officer -Pune and Sub-Regional Officer-PC, MPCB, Pune they are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 623 CMD.  
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Limiting Concentration in mg/l, except for pH
	I. Compulsory Parameters	
01	pH	5.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Suspended Solid	100
05	COD	250
06	TDS	2100
07	Sulphates	1000
08	Chlorides	600
09	Copper	3
10	Nickel	3
11	Iron	3
12	Total Metals	10
13	Dissolved Phosphate	5.0

- C) The treated effluent shall be disposed  
i) on land for gardening/irrigation- 623 CMD
- 2) A.] As per your consent application, you have provided the sewage treatment system with design capacity of 288 CMD.  
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- (1) Suspended Solids. Not to exceed 100 mg/l.  
(2) BOD 3 days 27oC. Not to exceed 30 mg/l.
- C] The treated sewage effluent shall be disposed on land for gardening/irrigation- 288 CMD
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	336

2.	Domestic purpose	347
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	524
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity	UoM	S %	SO <sub>2</sub> Kg/Day
1.	Hot W/R(Pre-Treat)	NA	20.50	NA-	NA-	-NA	-NA	NA-
2.	Oven(Hood Exhaust)	NA	12.00	NA-	NA-	-NA	-NA	NA-
3.	Oven(Inside Exhaust)	NA	12.00	NA-	NA-	-NA	-NA	NA-
4.	Sand bed (Jig stripping)	Bag Filters	30.00	LPG	20	Lit/hr	--	--
5.	E-coat exhaust(E-Coat)	NA	20.50	NA-	NA-	-NA	-NA	NA-
6.	Pre.Deg(Pre-Treat)	NA	20.50	NA-	NA-	-NA	-NA	NA-
7.	Hood exhaust(ED-Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
8.	Heat Exch.Exh(ED Oven (Hold zone))	Auto air/Fuel ratio damper	21.50	LDO	577	Lit/hr		21
9.	Inside Exhaust(ED-Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
10.	Cooler supply(ED-Oven)	NA	19.50	NA-	NA-	-NA	-NA	NA-
11.	cooler Exhaust(ED-Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
12.	Primer booth	NA	12.00	NA-	NA-	-NA	-NA	NA-
13.	3w Assly.Dynamometer-1	NA	10.00	NA-	NA-	-NA	-NA	NA-
14.	Sanding Exh(Work Area)	NA	20.50	NA-	NA-	-NA	-NA	NA-

15.	Cooler supply(Sealer Oven)	NA	19.50	NA-	NA-	-NA	-NA	NA-
16.	Boiler chimney(Hot water generator)	Auto air/Fuel ratio dampers	30.00	LDO	--	--	--	--
17.	3w Assly.Dynamometer-2	NA	10.00	NA-	NA-	-NA	-NA	NA-
18.	3W Assly.Dynam 3	NA	10.00	NA-	NA-	-NA	-NA	NA-
19.	3W exhaust system rework area	NA	10.00	NA-	NA-	-NA	-NA	NA-
20.	4w Assly.Dynamometer	NA	12.00	NA-	NA-	-NA	-NA	NA-
21.	cooler Exhaust(T-coat Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
22.	Hot Touch Exh.(Work Area)	NA	20.50	NA-	NA-	-NA	-NA	NA-
23.	Primer booth	NA	12.00	NA-	NA-	-NA	-NA	NA-
24.	4W exhaust system	NA	12.00	NA-	NA-	-NA	-NA	NA-
25.	4W exhaust system rework area	NA	10.00	NA-	NA-	-NA	-NA	NA-
26.	Engine Dynamometer	NA	8.00	NA-	NA-	-NA	-NA	NA-
27.	Chasis Dynamometer	NA	8.00	NA-	NA-	-NA	-NA	NA-
28.	Ex.Duct-Blower No.2(T/Coat booth-1)	NA	15.00	NA-	NA-	-NA	-NA	NA-
29.	Ex.Duct-Tack-O-Rag(T/Coat booth-2)	NA	12.00	NA-	NA-	-NA	-NA	NA-
30.	QAD Dynamometer	NA	7.00	NA-	NA-	-NA	-NA	NA-
31.	Cooler Exh(Sealer Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
32.	D.G set(320KVA)	Governor	10.00	HSD (Total)	94.3	Lit/hr		2



		Provide d						
33.	Heat Exch.Exh(ED Oven (Heat up))	AUTO/ AIR FUEL DAMPE R	21.50	LDO	---	--	--	--
34.	Heat Exch.Exh(T/coat Oven (heat up))	AUTO/ AIR FUEL DAMPE R	21.50	LDO	--	--	--	--
35.	D.G set(400KVA X 2)	Governo r Provide d	10.00 (each)	HSD	---	---	--	--
36.	Hot Touch Exh.(Work Area)	NA	20.50	NA-	NA-	-NA	-NA	NA-
37.	D.G set(500KVA X 2)	Governo r Provide d	10.00 (each)	HSD	---	--	--	--
38.	Heat Exch.Exh(TC Oven Exh)	AUTO/ AIR FUEL DAMPE R	12.00	LDO	--	--	--	--
39.	Leader testing(Leader engine test bench)	Louver, muffler	0.00	Petrol	2.92	Lit/hr		
40.	Ex.Duct-Blower No.1(T/Coat booth-2)		15.00	NA-	NA-	-NA	-NA	NA-
41.	Diesel testing(Diesel engine test bench)		0.00	NA-	NA-	-NA	-NA	NA-
42.	Flash off		12.00	NA-	NA-	-NA	-NA	NA-
43.	Utility room(D.G set for QA lab)	LOUVE R,MUF FLE	13.5	HSD	--	--	--	--
44.	Leader testing(Leader engine quality test bench)	NA	0.00	NA	NA	NA	NA	NA
45.	Heat Exch.Exh(T/coat Oven (hold zone))	Auto air/fuel ratio damper	21.50	LDO	--	--	--	--

46.	Machine shop(Leader-I com Machine)	NA	0.00	NA	NA	NA	NA	NA
47.	Inside Exh(T-coat Oven)	NA	20.50	NA	NA	NA	NA	NA
48.	Machine shop(Diesel-I com Machine)	NA	0.00	NA	NA	NA	NA	NA
49.	Phos(Pre-Treat)	NA	20.50	NA-	NA-	-NA	-NA	NA-
50.	QA-1	Louver ,Muffler	0.00	petrol	--	--	--	--
51.	P/Kith Exh(Paint Kitchen)	NA	20.50	NA-	NA-	-NA	-NA	NA-
52.	Paxx testing	Louver ,Muffler	0.00	Petrol	--	--	--	--
53.	Inside Exh(Sealer Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
54.	Hood exhaust(T-coat Oven)	NA	20.50	NA-	NA-	-NA	-NA	NA-
55.	Ex.Duct-Blower No.2(T/Coat booth-2)	NA	15.00	NA-	NA-	-NA	-NA	NA-
56.	Cooler supply(T-coat Oven)	NA	19.50	NA-	NA-	-NA	-NA	NA-
57.	Ex.Duct-Tack-O-Rag(T/Coat booth-1)	NA	19.00	NA-	NA-	-NA	-NA	NA-
58.	Heat Exch.Exh(Sealer Oven)	Auto air/fuel ratio damper	21.50	LDO	---	---	---	--
59.	Ex.Duct-Blower No.1(T/Coat booth-1)	NA	19.00	NA-	NA-	-NA	-NA	NA-
60.	Deg(Pre-Treat)	NA	20.50	NA-	NA-	-NA	-NA	NA-
61.	Heat Exch.Exh(Dry off Oven)	Auto air/fuel ratio damper	12.00	LDO	----	---	---	--
62.	Ex.Duct-yellow Patta(T/Coat booth-2)	NA	12.00	NA-	NA-	-NA	-NA	NA-
63.	U/B Exh(Work Area)	NA	20.50	NA-	NA-	-NA	-NA	NA-

64.	Paint kitchen exhaust	NA	12.00	NA-	NA-	-NA	-NA	NA-
65.	Boiler Exhaust(Hot water generator)	Auto air/fuel ratio damper	30.00	LDO	--	--	--	--
66.	Cold Touch Exh.(Work Area)	NA	20.50	NA-	NA-	-NA	-NA	NA-
67.	Exhaust fan	NA	12.00	NA-	NA-	-NA	-NA	NA-
68.	Ex.Duct-Flash Off(T/Coat booth-1)	NA	15.00	NA-	NA-	-NA	-NA	NA-
69.	Hot touch up	NA	12.00	NA-	NA-	-NA	-NA	NA-
70.	Intermeadtie washing	NA	NA	NA	NA	NA	NA	NA
				CNG (Vehicle Testing)	24.12	Lit/hr		

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Renewal	5 Lakh	15 days	Towards operation & maintenance of pollution control system	—	31.01.2015

## Schedule-IV

### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.