# HARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701	MAHARASHTRA	Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: http://mpcb.gov.in		Near Sion Circle, Sion (E)
E-mail: mpcb@vsnl.net		Mumbai-400 022.

RED/LSI

Date: 06/11/2013

Consent No: BO/JD(APC)/TB-4/EIC No. PN-15714-12/O/CAC- 9302

To,

M/s. Godrej & Boyce Mfg. Co. Ltd., Gat No.600, 601, 605, A/p-Wing, Tal- Khandala, Dist-Satara 412 801

Subject: Consent to operate with amendment in existing consent in RED category.

Ref

- : 1. Earlier Consent granted vide no. BO/JD (APC)/EIC No. PN-15228-12/CC/CAC-1496, dated 18/02/2013.
- 2. Minutes of CAC meeting held on 22/10/2013.

Your application Dated: 23/10/2012.

For: Consent to operate with amendment in existing consent

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III,IV & V annexed to this order:

- 1. The consent is granted for a period upto 30/09/2014.
- 2. The actual capital investment of the industry is Rs. 137.78 Crs. (As per C.A. Certificate submitted by industry)
- 3. The Consent is valid for the manufacture of -

Sr. No	. Product Name	Maximum Quantity
1	Refrigerators (using non-ODS chemicals)	75000 Nos/M
2	Spares of Refrigerators	10000 Nos/M
3	Washing Machine	25000 Nos/M
4	Spares of washing machine	10000 Nos/M
5	Injection moulded components	100000 Nos/M
6	Air Conditioners	30000 Nos/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	65	As per Schedule -I	On land
2.	Domestic effluent	65	As per Schedule –I	On land

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be achieved
no.	source		
1.	Water Drying & Powder Curing Oven	01	As per Schedule -II
2.	Die Casting Machine	01	As per Schedule -II
3.	Fire Hydrant Machine	01	As per Schedule -II

SRO Satara/I/R/L/83871000

4.	Powder Curing Oven	01	As per Schedule -II
5.	Water Drying Oven	01	As per Schedule -II As per Schedule –II
6.	DG Set (500 KVA)	01	As per Schedule -II As per Schedule -II
7.	Washer Powder Curing Oven	01	As per Schedule -II
8.	Hot Water Generator	01	As per Schedule -II
9.	Pretreatment Tunnel (3 Nos)	01	As per Schedule -II
10.	DG Set (1010 KVA x 2 Nos)	01	As per Schedule -II

# 6. Conditions about Non Hazardous Wastes:

Sr. No.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Plastic Scrap	400 MT/A	Nil	Sale to Authorized Reprocessor
2	Wood	200 MT/A	Nil	By Sale
3	Scrapped Foamed Cabinets/Doors	15000 Nos/Y	Nil	Sale to Authorized Reprocessor
4	Drums	9 MT/A	Nil	Sale to Authorized
5	Sheet Metal	400 MT/A	Nil	Reprocessor .  Sale to Authorized
6	Other M.S.Scrap	300 MT/A	Nil	Reprocessor Sale to Authorized
7	Corrugated Boxes	300 MT/A	Nil	Reprocessor Sale to Authorized
8	Paper/polythene Bags	50 MT/A	Nil	Reprocessor Sale to Authorized
9	Other Packing Material	400 MT/A	Nil	Reprocessor Sale to Authorized Reprocessor
10	Cast Iron Scrap	50 MT/A	Nil	Sale to Authorized Reprocessor

# 7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr No		Category	Quantity	UOM	Treatmen	Disposal
1	Used /spent oil	5.1	9000	Lit/Year		By sale to Auth.reproces sor/recycles
2	Wastes/residue containing oil	5.2	1700	Kg/Year		By sale to Auth.reproces sor/recycles
3	Phosphate sludge	12.5	2500	Kg/Year		To CHWTSDF
4	Chemical-containing residue from decontamination and d	33.1	4000	Kg/Year		To CHWTSDF
5	Sludge from treatment of waste water	32.2	1500	Kg/Year		To CHWTSDF
6	Discarded containers /barrels / liners	33.3	7500	Kg/Year		By sale to Auth.reproces sor/recycles/C HWTSDF

7	Chemical sludge, oil And grease skimming residues	34.4	25000	Kg/Year		To CHWTSDF
9	Wastes and residues	21.1	20000	Kg/Year		By sale to Auth.reproces sor/recycles/
10	Ash from incineration of hazardous waste (Hanger Burning Ash)	36.2	1500	Kg/Year		CHWTSDF To CHWTSDF
11	Non ferrous Scrap		20000	Kg/Year		By sale to Auth.reproces
12	E –Waste	31.1	10000	Kg/Year	<del></del>	sor/recycles  By sale to Auth,reproces sor/recycles

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. Industry shall comply with Para no. 6 of RRZ Policy, 2009.
- 11. This consent is issued with the overriding effect on earlier consent issued by the Board vide consent No. BO/JD (APC)/EIC No. PN-15228-12/CC/CAC-1496, dated 18/02/2013.

For and on behalf of the Maharashtra Pollution Control Board

> (Rajeev Kumar Mi Member Secretary

Received Consent fee of

S.No.	Bank Name	DD. No.	DD. Dt.	Amount
	SBI	246942	25/10/2011	50,000/-

## Copy to:

- 1. Regional Officer -Pune and Sub-Regional Officer-Satara, MPCB, Satara they are directed to ensure the compliance of the consent conditions. 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

# Schedule-I Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 65 CMD

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringe

1		Limiting Concentration in mg/l, except pH	for
`	pН	5.5-9.0	
2	Oil & Grease	10	
3 B	OD (3 days 27oC)	30	Q.,
1	Suspended Solid	100	
j	COD	250	10 m
	TDS	2100	
	Sulphates	1000	
	Chlorides	600	
	Phosphate	5.0	<u></u>

C) The treated effluent shall be disposed

i) on land for gardening/irrigation-65 CMD The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory

premises.

2)

A] As per consent application you have provided STP with the designed capacity of 65

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Suspended Solids. (1)Not to exceed 100 mg/l. (2) BOD 3 days 27oC. Not to exceed 30

- C] The treated sewage effluent shall be disposed on land for gardening mg/l.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess

returns in Form-I and other provisions as contained in the said act.

no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	45
2	Domestic purpose	90
	Processing whereby water gets polluted & pollutants are easily biodegradable	80
l.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time

SRO Satara/I/R/L/83871000

#### Schedule-II

## Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr.	Stack Attached To	APC	Height	Type of	Quantit	UoM	S	$\mathrm{SO}_2$
No.		System	in Mtrs.	Fuel	У		%	Kg/Day
1.	Water Drying &	Wet	22.00	HSD	850	Lit/Day		52.58
	Powder Curing	Scrubber		LDO	105	Lit/Day		02.00
	Oven			Briquettes	4	MT/Day		
2	Die Casting	Exhaust	24.00	SKO	540	Lit/Day		
	Machine	system						
3.	Fire Hydrant	Exhaust	6.00	1				
	Machine	system						
4.	Powder Curing	Exhaust	30.00					
	Oven	system					<b>1</b>	
5.	Water Drying	Exhaust	30.00			( )	*	
	Oven	system						
6.	DG Set (500 KVA)	N.A.	24.00					
7	Washer Powder	Exhaust	24.00					
	Curing Oven	system					i	i
8	Hot Water	Exhaust	24.00					
	Generator	system		<b>S</b>	* * * * * * * * * * * * * * * * * * * *		[	l
9	Pretreatment	Exhaust	14.00	.373				İ
	Tunnel (3 Nos)	system					- 1	
10	DG Set (1010	N.A.	30.00			ŀ		
	KVA x 2 Nos)							

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter | Not to exceed | 150 mg/Nm³.

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacementalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III
Details of Bank Cuanantage

Sr. No.	Consent	Amt of BG Imposed	Submissio n Period	Purpose of BG	Compliance Period	Validity Date
1	(C to O)	5 Lakhs	15 days	Towards no increase in fuel consumption more than the existing consent and/or no increase in pollution load	-	30/01/2015
2	(C to R)	10 Lakh (Renew Existing B.G.)	15 days	Towards operation & maintenance of pollution control system	-	30/01/2015

#### Schedule-IV

## **General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every vear.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.