MAHARASHTRA POLLUTION CONTROL BOARD

Phone : Fax : Email : Visit At :

/4037124/4035273 24044532/4024068 /4023516 ast@mpcb.gov.in <u>http://mpcb.gov.in</u> Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022



5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack Standards to be
no.	source	achieved
1.	DG set (750 KVA)	2 As per Schedule +II
2.	DG Set (250 KVA)	- 1 As per Schedule -II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Dispos 1
1	Wastes & Resides (wastes formulations, paints, resins, emulsions, solvents etc.) Paint samples brought back from market for complaint investigation & testing.	21.1	58	MTY	MIWIMIL	
2	Discarded containers /barrels / liners	33.8	15.00	MTAY	MWML	
3	Chemical sludge form was water treatment	34.3	600,00	Res -	MWML	
4	Used / Spend Oil	5.1	400,00	334	MPCB/CPC aurthorised recyclers	States

- 7. The Board reserves the right to review anoth, suspend, revoke etc. this consent and the same shall be binding on the inductiv.
- 8. This consent should not be construct as exemption, from obtaining necessary. NOC/permission from any other Government authorities.

For and on behalf of the Mabarashtra Pollution Control Board (Rajee Member Secretar **Received Consen** fee of Amount(Rs.) DD. No. Date Sr. No. 725100/- 003457 08/04/2018 HDFC Bank 1 2 60,000/-128356 26/12/2013 **Axis Bank Ltd** Copy to:

- Regional Officer Navi Mumbai and Sub-Regional Officer- Navi Mumbai I, MPCB.- They are directed to ensure the compliance of the consent conditions.
 - 2. Chief Accounts Officer, MPCB, Mumbai.
 - 3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 60 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board			
	I. Compulsory Parameters	Limiting Concentration in mg/l, excent for pH			
01	pH	6.0-8.5			
02	Oil & Grease	10			
03	BOD (3 days 27oC)	100			
04	Total Dissolved Solids	2100			
	II Additional Parameters	- · · · ·			
06	Suspended Solids	100			
07	COD	250			
08	Chloride	600			
09	Sulphate	1000			
10	% Sodium	60 % or a			

- C) The treated effluent shall be recycled reused in the process to the maximum extent and remaining shall be disposed into CEFP.
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 30 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	all all and a	महरूद्र र जुस
11	Sucnandod Colida	No
(1)	Suspended Source	INU
6.00		<u></u>
(2)	BOD'S daws 27of.	No
λ − Γ	Suspended Solids. BOD 8 days 27oC.	

SRO Navi Mumbai I/I/R/L/34019000

t to exceed t to exceed

100 mg/l. 100 mg/l.

Paae.

- C] The treated sewage shall be dispose the effluent through ETP by way of mixing in such a quantity with trade effluent that the treated blend shall meet the specification.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

quantity (CMB) feed Domestic purpose Processing whereby water gets polluted & pollutants are easily biodegradable industrial Cooling, spraying in mine pits or boiler 91.00 Processing whereby water gets polluted & pollutants are easily biodegradable industrial cooling, spraying in mine pits or boiler 91.00 Processing whereby water gets polluted & pollutants are easily biodegradable industrial cooling, & other purposes industrial cooling, & other purpose industrial cooling, & other purpose <	n
 Processing whereby water gets polluted & 27.00 pollutants are easily biodegradable Processing whereby water gets polluted & Nil pollutants are not easily biodegradable and are toxic Gardening & other purposes 19.00 The Applicant shall provide Specific Water Pollution control system as onditions of EP Act, 1986 and rule made there under from time to time.	
 Processing whereby water gets polluted & 27.00 pollutants are easily biodegradable Processing whereby water gets polluted & Nil pollutants are not easily biodegradable and are toxic Gardening & other purposes 19.00 The Applicant shall provide Specific Water Pollution control system as onditions of EP Act, 1986 and rule made there under from time to time.	
 Processing whereby water gets polluted & Nil pollutants are not easily biodegradable and are toxic Gardening & other purposes 19.00 The Applicant shall provide Specific Water Pollution control system as onditions of EP Act, 1986 and rule made there under from time to time.	
The Applicant shall provide Specific Water Pollution control system as onditions of EP Act, 1986 and rule made there under from time to time.	
onditions of EP Act, 1986 and rule made there under from time to time.	
Ala and and a second and a second a sec	per (
Ala and and a second and a second a s	3
Ala and and a second and a second a s	
Ala and and a second and a second a s	
Ala and and a second and a second a s	
Ala and and a second and a second a s	ntan Saran ≠t
Alaisan Ann	
Ala and and a second and a second a s	
Ala and and a second and a second a s	
Ala and and a second and a second a sec	같은 소리가 성장 가지
ALALAS IN ANY	
	• 32 6 8 6 7
	·常期 注約
	《教子
	建林

Page 4

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

$\mathbf{Sr.}$		APC	lleight	Type	oſ	Quantity	S $^{\circ}_{2}$	SO_2
No.	Attached To	\mathbf{System}	in Mirs.			& UoM		Kg/Day
1	D G Set (750	Acaustic	9.50*		1.00			
	KVA) 2 nos.	Enclosure		HSD		9.24 KL/D	1	184.8
2	D. G Set (250	Acaustic	3.1* -					
	KVA)	Enclosure						

(*Above roof of the building in which it is installed.)

- 2. The Applicant shall provide Specific Air Pollution control equipments oper the conditions of EP Act, 1986 and rule made there under from time to time.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter | Not to exceed | 150 .

Standards for emission of VOC Pollutants

Sr. No.	Petrochemical Process / Compounds	Maximum emission limit (mg/Nm3), dry basis
01	MA, PA, Phenol	20
02	Ethyl benezene (EB), Styrene, Toluene, Xylene, Aromatics, EG, PG	100
03	Non-methane HC (Rarafin) Acetone, olefins	150

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- control equipment.
 5. The Board reserves its hights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	5 lakh	15 Days	0 & M of Pollution	31.07.2018	30.11.2018
2				Control System.		
3				4		



General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S le s 2 etc. and these shall be painted/ displayed to facilitate identification.
- whenever due to any accident or other unforeseen act or even, such amissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Birectorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped. 5) Whenever due to any accident or other unforeseen act or even, be stopped.
- be stopped.
 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
 7) The firm shall submit to this office, the softh day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provision of rule 14 of the Environment (Protection) (Second Amendment) Rules 1993.
- (Second Amendment) Rules, 1992
 8) The industry shall recycle/represe/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be (MH&TM) Rules the 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment. 9) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and
- submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M.H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 80th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 11) The applicant shall make an application for renewal of the consent at least 60 days
- before the date of the expiry of the consent.
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (<u>www.mpcb.gov.in</u>).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition, towards **Environment Protection**.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

Page 7

- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to De outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with re Endations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure h DG set should be set and followed in consultation with the DG manufact orer which would help to prevent noise levels of DG set from deteriorating with Nse
 - f) D.G. Set shall be operated only in case of power ta lure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the polification of MoEF dated 17.05.2002 regarding noise limit for generator set, run with diesel
 18) The industry should not cause any nuisance in surrounding area.
 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between the maintain and night time is reckoned in between the maintain and night time is reckoned. time is reckoned in between a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green The applicant shall submit a yearly statement by 30th coverage/ plantation. September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board,
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site),
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended. -----0000-

Page 8