

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24014701/24020781
Fax : 24024068/24023516
Website: <http://mpcb.gov.in>
E-Mail: jdair@mpcb.gov.in



KALPATARU POINT, 3rd Floor,
Sion-Matunga Scheme Rd. No.8,
Opp. Sion Circle, Sion (East),
Mumbai-400 022.

RED/SSI

Consent No. BO/JD(APC) EIC NO PN-17695 -13/R/CC-1446

Date: 14/02/2014

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management Handling & Transboundary Movement) Rules, 2008.

[To be referred as Water Act, Air Act and HW (MH & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Gokul Stone Crusher,
Gat .No. 39/2/2 B, A/p-Yewalewadi,
Tal: Haveli, Dist: Pune.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(MH&TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to - 30.06.2014.
2. The Consent is valid for the manufacture of -

Sr. No.	Product	Maximum Quantity
1.	Crushed Stone	400 Brass/Month
2.	Stone Dust	50 Brass/Month

3. **CONDITIONS UNDER WATER ACT:**

(i) The daily quantity of trade effluent from the factory shall be Nil.

(ii) The daily quantity of sewage effluent from the factory shall not exceed 0.22 M³

(iii) Trade effluent: Treatment: N.A.

(iv) Trade Effluent Disposal: N.A.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27o C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non Hazardous Solid Wastes:**

Sr. No.	Type of Waste	Quantity	Treatment	Disposal
---------	---------------	----------	-----------	----------

(viii) **Other Conditions:** The Industry shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amended Rules, 2003 there under.

The daily water consumption for the following categories is as under:

Domestic	0.28 CMD
Industrial processing generating Bio-Degradable waste water	--- CMD
Industrial processing generating Non-Bio-Degradable waste water	--- CMD
Industrial Boiler/Cooling etc.	--- CMD
Any other and gardening.	--- CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. CONDITIOS UNDER AIR ACT:

The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

A) Control Equipment:

Industry shall provide dust collector of sufficient capacity to control the emissions.

The suspended particulate matter contribution value at a distance of 40 meters from units shall be less than 600 mg/m^3 . These units must also adopt the following pollution control measures.

1. Dust containment cum suppression system for the equipment.
2. Construction of wind breaking walls.
3. Construction of the metal roads within the premises.
4. Regular cleaning and wetting of the ground within the premises.
5. Growing of a green belt along the periphery.
6. Water sprinkling arrangement shall be provided to crushing section.

B) Standards for Emissions of Air Pollutants:

- (i) SPM/TPM Not to exceed 150 mg/Nm^3 . Also the SPM measured. Between 3 to 10 Mtrs. from any process Equipment shall not exceed 100 ug/Nm^3

(C) The applicant shall observe the following fuel pattern:

<u>Sr.No</u>	<u>Type of fuel</u>	<u>Quantity</u>
---	---	---

(D) The applicant shall erect the chimney(S) of the following specifications:

<u>Sr. No.</u>	<u>Chimney attached to</u>	<u>Height in Mtrs</u>
----	----	----

- (E) The applicant shall provide ports in the chimney (s) and facilities such as ladder platform etc for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
- (F) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time is reckoned between 10 p.m. and 6 a.m.
- (G) **Other Conditions:**
- 1) The industry should not cause any nuisance in surrounding area.
 - 2) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HAZARDOUS WASTE (MH & TM) RULES, 2008:

(i) The applicant shall handle hazardous wastes as specified below:

Sr. No.	Item No. of Process generating HW as per schedule I/II	Type of Waste	Quantity	Disposal
The industry shall not generate any type of hazardous waste.				

(ii) Treatment:


(iii) The authorization is hereby granted to operate a facility for collection, storage, transport and disposal of hazardous waste.

(iv) The Industry should comply with the Hazardous Waste (M&H) (Management Handling & Transboundary Movement) Rules, 2008.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
8. **General Conditions:**
- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
 - (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels
 - (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
 - (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.
 - (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions Vis-a Vis actual power and chemical consumption along with Environmental statement.
 - (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
 - (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 - (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
9. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.

10. The consent should not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deem fit necessary.
11. In case of failure of any pollution control system, Industry shall voluntarily suspend the related stone crushing activity and report to Board office immediately.
12. This consent is issued for period up to 30.06.2014 to this unit, as per the affidavit submitted by industry dated 16.01.2014 stating that they will operate this unit up to 30.06.2014. Onward they will stop the manufacturing activity of this unit permanently and if they operate this unit after 30.06.2014, M.P.C. Board can initiate legal action against the industry.
13. Industry shall submit operational Bank Guarantee of Rs.50,000/- in favor of Regional Officer Pune within 15 days towards Operation and Maintenance of Pollution Control System and compliance of the consent conditions.
14. The Total Capital investment of industry is Rs. 60.0 Lakhs.

For and On Behalf of the
Maharashtra Pollution Control Board,


(V.M. Motghare) 6/2/14
Joint Director (Air Pollution Control)

To,
M/s. Gokul Stone Crusher,
Gat .No. 39/2/2 B, A/p-Yewalewadi,
Tal: Haveli, Dist: Pune.

Copy to:

- 1) Regional Officer, MPCB, Pune / Sub-Regional Officer, MPCB, Pune-II

--They are directed to submit the performance report along with monitoring results within one month period.

- 2) Chief Accounts Officer, MPCB, Mumbai

Received Consent fee of -

Amount	D.D.No.	Date	Drawn on
Rs.4,600/-	297898	25.03.2013	Janseva Co.Op. Bank
Rs.10,500/-	297920	10.04.2013	Janseva Co.Op. Bank

- 3] Cess Branch, MPCB.

- 4] Master file.