


MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400022

Consent order No :- BO/JD-WPC/RO-NK/R/CC- 1271

Date-06/02/2014

To,
M/s. Astoria Agro & Allied Industries Pvt. Ltd.,
At. Smasherpur, Tal. & Dist. Nandurbar.

Subject: Consent to Operate in RED category.

Ref : 1. Earlier Consent granted-vide No. MPCB/PCI-III/EIC-NK-1218/CC-93,
Dt. 09.04.2008.

2. Minutes of CC meeting held on 30/01/2014

Your application

Dated:12/12/2013.

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for the Period: - 31/07/2015.
2. The actual capital investment of the industry is Rs. 54.24/- Crs. (As per C. A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/M
1	Sugar	7500 MT/Month
2	Molasses	3000 MT/Month
3	Bagasse	24000 MT/Month
4	Press Mud	2400 MT/Month

(Sugar cane crushing capacity- 2500 MT/Day)

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	250	As per Schedule -I	On land for Irrigation.
2.	Domestic effluent	65.0	As per Schedule -I	On land for Irrigation.

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler (Nos. 2) (32 TPH each)	01	TPM 150 mg/Nm ³ SO ₂ 2832 Kg/D
2.	DG Set- 320 KVA	01	—

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & Uom	Treatment	Disposal
1.	Boiler Ash/Fly ash	1200 MT/Month	---	Sale to Brick mfg.

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Spent Lubricating Oil	5.2	300.0	lit/D	—	Used in Boiler
2	Chemical Sludge from WWT	34.3	4.25	MT/Month	—	Mixed with bagasse for boiler

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

10. This is issued pursuant to the decision of Consent Committee meeting of the Board dtd. 30.01.2014.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)
Member Secretary

Copy to:

1. Regional Officer -Nashik and Sub-Regional Officer- Jalgaon-II - They are directed to forfeit the existing BG and obtained fresh BG as per BG regime & ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 75,000/-	002885	22/10/2013	Axis Bank
2	Rs. 1,50,000/-	002900	30/10/2013	Axis Bank
3	Rs. 75,000/-	002985	30/12/2013	Axis Bank
4	Rs. 25,000/-	002984	30/12/2013	Axis Bank
5	Rs. 15,000/-	003009	09/01/2014	Axis Bank
6	Rs. 2,18,334/-	020782	28/01/2014	Axis Bank

Maharashtra Pollution Control Board



Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you shall be dispose the treated effluent within own premises.
- 2) B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except pH
01	pH	5.5 to 9.0
02	BOD	30
03	COD	250
04	SS	100
05	TDS	2100
06	O & G	10
07	Chloride	600
08	Sulphates	1000

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.

OR

The treated effluent shall be disposed

- i) on own land for gardening/irrigation - 250 CMD.

- 3) A.] As per your consent application, you have proposed to install/ provided the sewage treatment system with the design capacity of 09 CMD.

- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27oC. Not to exceed 100 mg/l.

- C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. The treated sewage shall be disposed on land for gardening/irrigation.

- 4) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.



- 5) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 6) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	279
2.	Domestic purpose	90
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	301
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	--

- 7) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC) system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler (2 Nos.) (32 TPH each)	ESP/Wet Scrubber	59 Mtrs.	Baggase	29.5 Ton/Hr	0.14	2832
2	D. G. Set (350 KVA)	--	3.5 Mtr.	Diesel	200 lit/Day	--	10

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
SO ₂	Not to exceed	2832 Kg/D

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III
Details of Bank Guarantees**

Sr. No	CODE	Consent conditions	BG amount	Time for compliance	Compliance report with remarks by SRO
1	SC1 a	The industry shall reduce waste water generation to 100 liters per ton of cane crushed.	complied	--	---
	SC 1 b	Industry to provide flow meter at Inlet of ETP of Sugar & Co-Gen Units.	One lakh	30.04.2014	31.05.2014
2	SC2 A&B	Upgrade your undersize units of the Effluent Treatment Plant to adequate capacity.	---	---	---
		Placing the order for upgradation	Ten lacs	30.04.2014	31.05.2014
	Completion and commissioning of upgraded ETP	31.07.2014		31.08.2014	
SC2 C	C. Separate Primary ETP to be provided for DM Plant effluent & cooling water	31.07.2014		31.08.2014	
3	SC 3	Make arrangements to cover the effluent collection and carrying system to avoid the ingress of Bagasse and other material	complied	---	---
4	SC 4	Adequate land to be made available (owned by self or with bilateral agreement with land owners) for disposal of treated effluent (20 Cubic Meter per acre of Land) to achieve zero discharge into in land surface water bodies (Sugar + Co-Gen).	complied	--	--
5		Industry shall upgrade existing Air pollution control system by	---	---	---
	SC5 A	Providing adequate stack height	Two lacs	31.07.2014	31.08.2014
	SC5 B	Providing ESP/Bag Filters/Wet Scrubber as per CREP condition	Eight lacs		
		i) Placing the order for upgradation		30.04.2014	31.05.2014
		ii) Completion and commissioning of upgraded APC for sugar unit		31.07.2014	31.08.2014
SC5 C	In case for separate Boiler for Co-Gen (for 2 nd Boiler)	NA	--	---	
6	SC 6	Plans to be submitted for Utilization of Fly ash & Bottom ash as per Fly ash Notification	10000/-	30.04.2014	31.05.2014
7	SC 7	O & M for achieving consented standards of Effluent	Five lacs	Monthly	Monthly
8	SC 8	O & M for achieving consented standards of Stack emission		Monthly	Monthly

Industry shall submit the Bank Guarantees as per Shedule-III within 15 days to Regional Office Nashik. All above bank guarantees shall be valid till 30.11.2015.



Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry (Product wise).

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).

- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 19) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 20) The industry should not cause any nuisance in surrounding area.
- 21) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 22) The applicant shall maintain good housekeeping.
- 23) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

- 24) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 25) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 26) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 27) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 28) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 29) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

Optional Condition as per applicability

- 1) The applicant shall not take any effective steps towards implementation of the project before obtaining Environmental Clearance as per EIA notification 2006 and/or CRZ Clearance as per CRZ notification 2011 and amendments thereto if applicable(in case of Consent to establish).
- 2) The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF/GoM vide No. Nil dtd. Nil and/or Coastal Regulation Zone clearance granted by MCZMA vide no. Nil dated Nil.(in case of first consent to operate).
- 3) The consent is granted as per the approval of RRZ committee/ distance certificate issued by Executive Engineer, Irrigation Dept.
- 4) The consent is granted as per the NOC issued in compliance of industrial location policy
- 5) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 6) The industry shall comply with the notification issued by MoEF for utilization of fly ash from coal or lignite based thermal power plants dated 14th September, 1999 and as amended on 3rd November, 2009.
- 7) Industry shall provide dry fly ash handling & collection system and utilize the fly ash as per the fly ash notification of the Govt. of India
- 8) Transportation of coal & fly ash shall be by closed system, Conveyor system wherever possible.

-----0000-----