


# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Red/L.S.I

Date: 14/02/2014

Consent No: BO/AST/RO(Pune)/EIC NO.PN-19408/13/O/CC-1439

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s Lupin Limited.  
1<sup>st</sup> & 2<sup>nd</sup> floor, Genesis Square Bldg.,  
Phase - II, International Biotech Park,  
Hinjewadi, Pune-57, Maharashtra

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to operate is granted for a period up to: 30.04.2016
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	R and D activity	25 (of final product)	Kg/M

### 3. CONDITIONS UNDER WATER ACT:

- (i) The daily quantity of trade effluent from the factory shall not exceed 22.00M<sup>3</sup>.
- (ii) The daily quantity of sewage effluent from the factory shall not exceed 10.00M<sup>3</sup>.
- (iii) **Trade Effluent & Disposal :**

**Treatment:** The industry should discharge the effluent to the facility provided by International Biotech Park Ltd (IBPL) for treatment & disposal.

- (iv) **Sewage Effluent & Disposal -Treatment:** The industry should discharge the effluent to the facility provided by International Biotech Park Ltd (IBPL) for treatment & disposal.

- (vi) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Waste	Quantity	UOM	Treatment	Disposal
NA	NA	NA	NA	NA	NA

- (viii) **Other Conditions:** Industry should monitor effluent quality regularly.

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

- |   |     |           |
|---|-----|-----------|
| (i) Domestic purpose  | ... | 11.00 CMD |
| (ii) Water gets Polluted & Pollutants are Biodegradable             | ... | 24.00 CMD |
| (iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic | ... | 0.00 CMD  |
| (iv) Industrial Cooling, spraying in mine pits or boiler feed       | ... | 0.00CMD   |

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

**a. Control Equipment:**

Scrubber of sufficient capacity should be provided to all sources of TPM/SPM so as to limit emission.

**b. Standards for Emissions of Air Pollutants:**

- |             |               |                          |
|-------------|---------------|--------------------------|
| (i) SPM/TPM | Not to exceed | 150.0 mg/Nm <sup>3</sup> |
| (ii) HCL    | Not to exceed | 50 ppm                   |

**Standards for Stack Emissions:**

- (i) **The applicant shall observe the following fuel pattern:-**

Sr. No.	Type Of Fuel	Quantity	UOM
1	HSD	74.00	Lit/Hrs

- (ii) **The applicant shall erect the chimney(s) of the following specifications:**


Sr. No.	Chimney Attached To	Height in Mtrs.
1	DC Set (320 KVA)	5.00
2	Scrubber	20.00

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**(vi) Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality Regularly.



- (vii) Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

#### 6. Conditions for D.G. Set :

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b. Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m
- d. Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- e. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- f. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- g. D.G. Set shall be operated only in case of power failure.
- h. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

#### 7. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSEBOUNDRY MOVEMENT) RULES, 2008:

- (i) The Industry shall handle hazardous wastes as specified below.

Sr. N	Type Of Waste	Quantity	UOM	Disposal
1	33.3 Discarded containers / barrels / liners contaminated with hazardous wastes/ chemicals	As & When generated	Nos.	By Sale to authorized recyclers after decontamination
2	36.4 Distillation residues	6.00	Kg/M	CHWTSDF
3	28.3 Off specification products	As & When generated	----	CHWTSDF
4	5.1 Used /spent oil	6.00	Ltrs/M	Sale to authorized recycler /CHWTSDF
5	28.1 Process Residues and wastes*	400.00	Kgs/M	CHWTSDF

6	35.3 Spent carbon*	6.00	Kgs/M	CHWTSDF
7	20.2 Spent solvents	10000.00	Ltrs/M	authorized recycler /CHWTSDF
8	35.3 Spent catalyst	6.00	Kgs/M	To manufacturers for reactivation or authorized Recyclers / CHWTSDF

(ii) Treatment: NIL

**8. Industry shall comply with following additional conditions:**

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

9. This consent shall not be construed as any exemption from obtaining necessary No Objection Certificate from other Government agencies as may deemed fit necessary.
10. The industry shall comply with industry specific standards notified under Environment protection Act .
11. This consent is issued as per the decision taken in the meeting of the Consent Committee of the Board held on 31.01.2014.
12. M/s Lupin Limited located at 1st & 2nd floor, Genesis Square Bldg.,PhaseII,International Biotech Park Pune & M/s International Biotech Park Ltd. located at Co-share facility Bldng Genesis Square, Plot no 15 A , IBPL Hinjewadi ,Dist-Pune are jointly & severally responsible for O & M of ETP so as to achieve standards laid down under the provision of EP act 1986 .In case of failure of ETP they will be liable for necessary legal action .
13. The industry shall submit the Bank Guarantee of Rs.5 lakh valid up to 30.09.2016 in favor of Regional Officer Pune within 15 days towards O & M of Pollution control system .
14. The total capital investment of the industry is Rs. 42.05 Cr.  
(Previous CI Rs. 20.6 Cr + increased CI Rs. 21.45 Cr)

For and on behalf of the  
Maharashtra Pollution Control Board

(Rajeev Kumar Mital ,IAS)  
Member Secretary

To,  
M/s Lupin Limited.  
1st & 2nd floor, Genesis Square Bldg.,  
Phase - II, International Biotech Park,  
Hinjewadi, Pune-57, Maharashtra

Copy to  
RO, Pune/SRO, PuneII  
-- They are directed to ensure the compliance of consent conditions.  
CAO/Cess Branch/Master file.  
Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	350100/-	040042	25.09.2013	Citi Bank

\*(Balance fees of Rs. 18850/- remains with Board & will be consider during next renewal)