MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email :

enquiry@mpcb.gov.in

Visit At :

Fax

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/RO (Nashik)/18th CAC/CC/(Ac-1720 Date-2 4/02/2014

To,

M/s. KSB Pump Limited.,

Plot No. E-3/4 MIDC Malegaon Sinnar,

Tal. Sinnar, Dist. Nashik 422403

Subject: Consent to 1st Operate for expansion with amalgamation of Existing consent under RED category

Ref

: 1. Earlier Consent granted vide no. BO/PCI-II/EIC No. Nk 4785-09/CC-149 dtd. 25/3/2010 Valid up to - 31/10/2013.

2. Earlier Consent to establish granted vide no. BO/JD (ARC)/EIC. No. NK-12632-12/O/CC-1863 dtd. 1/3/2013.

2. Minutes of CAC meeting held on 15.02.2014

Your application: CO1311000029

Dated: 26/9/2013

For: Consent to 1st Operate for expansion with amalgamation of Existing consent. under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- 1. The consent is granted for a period from 01/11/2013 to 30/06/2018
- 2. The actual capital investment of the industry is Rs.85.37. (As per C.A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

No. Product / By-Product Name Maximum	
1. Power Driven Pumps 213600.00 Nos./Ye	ear

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	2.00	As per Schedule –I	On land for Gardening
2.	Domestic effluent	58.00	As per Schedule -I	On land for Gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (500 KVA)	1	As per Schedule -II

KSB Pumps Ltd, SRO Nashik/I/R/L/72845000

Page 1

D.G. Set (50 KVA)	11	
D.G. Set (750 KVA)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	As per Schedule –II
	<u> </u>	As per Schedule -II
Wet Paint Booth Scrubber (5 Nos.)	5	As per Schedule -II
Dry Paint Booth Scrubber	1	As per Schedule -II
Oven 1	1	As per Schedule -II
Oven 2	1	As per Schedule -II As per Schedule -II
	D.G. Set (750 KVA) Wet Paint Booth Scrubber (5 Nos.) Dry Paint Booth Scrubber Oven 1	Wet Paint Booth Scrubber 5 (5 Nos.) Dry Paint Booth Scrubber 1 Oven 1 1

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Paper/Plastic /dry Dust	288 MT/Y		Authorized Scrap Dealer
2	MS/CI Boring	40.0 MT/Y		Authorized Scrap
3	Empty Cans/ Bottles	3300.0 No./Y		Authorized Scrap Dealer
4	Used grinding wheel/inserts	264.0 Nos./Y	N'I'	Authorized Scrap Dealer
5	Grinding sludge	4560.0 Kg/Y		Authorized Scrap Dealer
6	Canteen Waste	2.0 MT/Y	0.1.	Authorized Scrap Dealer

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	Type Of Waste		Quantity	UOM	Treatmer	Disposal
1	ETP Sludge	34.30	3600.0	Kg/A	••••	CHWTSDF M/s. MEPL Pune
2	Grinding Sludge	5.2	9120	Kg/A		CHWTSDF M/s. MEPL Pune
3	Oil soaked Cotton Waste	5.2	11400	Kg/A		CHWTSDF
4	Spent oil	5.1	9600	Lit/A		Authorized recycler
5	Discarded Containers	33.3	14616	Nos./A		Authorized recycler
6	Used Insert		8400.0	Nos./A		Authorized recycler
7	Non Ferrous Scrap		6120	Kg/A		Authorized recycler
8	Used Grinding Wheels		300.0	Nos./A		Authorized recycler
9	Paint Sludge	21.1	12072.0	Kg/A		CHWTSDF
10	Dry Varnish	21.1	7008.0	Kg/A		CHWTSDF
11	Waste Batteries	B4	71.0	Nos./A		Authorized recycler
12	E – Waste		2.0	MT/A		Authorized recycler

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

- 9. TAC has reported that the HRT of aeration tank & settling tank is oversized. Industry is therefore advised to reconsider the STP design and its performance based on TAC report.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Rajeev Kurnar Mital, IAS Member Secretary

Received Consent fee of-

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 750100/-	239631	30/8/2013	SBI

The balance fees four months, with the Board will be considered at the time of next renewal of consent.

Copy to:

- 1. Regional Officer -M.P.C. B. Nashik
- 2. Sub-Regional Officer- M.P.C. B. Nashik
 They are directed to ensure the compliance of the consent conditions.
 SRO shall carry out monthly monitoring of the industry regarding JVS and submit to CAC.
- 3. Chief Accounts Officer, MPCB, Mumbai.

4. CC/CAC desk- for record & website undation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have to provided the Effluent Treatment Plant (ETP) with the design capacity not mentioned.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards as per EP Act,1986	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH	Limiting Concentration in mg/l, except for pH
01	рН	5.5 to 9.0	7/10.
02	Oil & Grease	10	~0
03	BOD (3 days 27oC)	100	
04	Total Dissolved Solids	2100	
05	Suspended Solids	100	
06	COD	250	
07	Chloride	600	
08	Sulphate	1000	

- C) The treated effluent shall be disposed on land of 17:03 acres for gardening/irrigation
- 2) A.] As per your consent application, you have provided the sewage treatment system.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

100 mg/l.

(2) BOD 3 days 270C.

Not to exceed

100 mg/l.

- C] The treated sewage shall be disposed on land of 19.03 acres for gardening/irrigation.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	7.00
2.	Domestic purpose	70.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc	127.5.00

6) The Applicant shall provide Specific Water Pollution control system as Maragrashtra Politina conditions of EP Act, 1986 and rule made there under from time to time Environmental Clearance / CREP guidelines.

Page 5

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.		APC System	Height in Mtrs.	Type of Fuel	f Quantit y & UoM	S %	SO ₂ Kg/Day
1	Oven 1		8.5				
2.	Oven 2		8.5	1		 	
3	Wet Paint Booth	Scrubber provided	8.5 (above the roof)			A	
4	Wet Paint Booth	Scrubber provided	8.5 (above the roof)		00		k
5	Wet Paint Booth	Scrubber provided	8.5 (above the roof)	7.4	9/0		
6	Wet Paint Booth	Scrubber provided	8.5 (above the roof)	colli			
7	Wet Paint Booth	Scrubber provided	8.5 (above the-				
8	Dry paint booth	Scrubber provided	8.5 above the	, ,			
9	D.G. Set (500 KVA)	Acoustic Enclosure	8.5 (above the roof)	HSD LDO	HSD- 2020 lit/Day	1%	40.4
10	D.G. Set (50 KVA)	Acoustic Enclosure	8.5 (above the roof)		LDO- 1520 lit/Day	1.8%	55
11	D.G. Set (750 KVA)	Acoustic Enclosure	8.5 (above the roof)				

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	mg/Nm ³ .
SPM/TPM	Not to exceed	150 mg/Nm3
Acid Mist	Not to exceed	35.0mg/NM3

Page 6

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of

any control equipment, other in whole or in part is necessary).

Maharashtra Polition Control Board

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Vali	•
1	C to R	10/- Lakhs	15 Days	O & M of Pollution Control Systems. It was noted that as per the design data submitted by the industry existing STP unit i.e., HRT of aeration tank & settling tank is oversized. The STP is inadequately designed for it to achieve desired levels of standards. The industry is advised to upgrade & make the STP operational with improvement to meet the standards.	30.06.2018	Da 31.1 018	

operational with improvement to the standards.

Age 8

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker, if applicable.

 Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled

9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Jage 9

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be
- 18) Conditions for D.G. Set

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Industry should make efforts to bring down noise level due to DG set, outside industrial c) premises, within ambient noise requirements by proper sitting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG Set

A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure. f)

- The applicant should not cause any nuisance in the surrounding area due to operation of
- The applicant shall comply with the notification of MoFF dated 17.05.2002 regarding h) noise limit for generator sets run with diesel

19) The industry should not cause any nuisance in surrounding area.

20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and

21) The applicant shall maintain good housekeeping.

22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 81 st March of the year and number of trees planted by September end, with the Environment Statement.

23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be

disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----