	4010437/4020781	A POLLUTIO	alnataru Point 3rd	& 4th floor, Sion- i
hone :	4010437/4020781	S	cheme Road No. 8, C	pp. Cine Planet Cinen
ax :	24044532/4024068 /4023516	MAHARASHTRA S	ion Circle, Sion (E),	
mail :	enquiry@mpcb.gov.in		lumbai - 400 022	
icit At :	httn://mncb.gov.in			
Cons	ent order No BO/CAC-CEI	L/EIC No. NG-98	84-13/CAC- 2190	Date-07/03/2014.
То,				
	Morarjee Textiles Ltd.,	÷		
Plot	No. G-1, G-2, MIDC Butib	ori, 🐛		
	Nagpur.			
a 1 ·	ect: Consent to Establish	for Expansion	in RED category	•
	ect: Consent to Establish : 1. Earlier Consent gr	anted vide no-	BO/RO(PAMS)/EI	C NoNG-3281-10/
Ref	CC-160 dtd.29/6/201			<u></u>
0	Minutes of CC/CAC meet	ing held on 01.0	02.2014.	$\sim \sim \sim$
2.	Minutes of CC/CAC meet	ing neid on on.		
X7	application: CE1309000	036.		- 60°
	d: 26/08/2013.			αN
17	Concept to Establish for	• Expansion in	RED category. 🔪	
TT J	- Castion 25 of the Wate	r (Prevention d	& Control of Point	ition) Act, 1974 &
		Inavantion & C	ontrol of Pollutio	n Act, 1901 and
	· · · · · · · · · · · · · · · · · · ·	of the Hazarde	ms wastes rm. n	(X I M) M U = 20
	· I I I the concept	ic horohy gran	ted sublect to the	e lonowing terms
cons	litions and as detailed in	the schedule I	. II .III & IV anne	xed to this order:
1 TI	o consent is granted for a p	eriod up to: Con	nmissioning of the	e Unit or 5 years
	ne consent is granted for a p	6 X	A A	
	1 : Therean is contion	6 X	A A	
v 2. T	vhichever is earlier. he proposed and/or actua	al capital inves	tment of the indu	
2. T C	hichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. + 1	al capital inves proposed 260.0	tment of the indu 1 cr.)	
2. TI C	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su	al capital inves proposed 260.0 bmitted by ind	tment of the indu l cr.) ustry) e of –	stry is Rs.481.19
2. T 2. T C (4 3. T	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th	al capital inves proposed 260.0 bmitted by ind	tment of the indu l cr.) ustry)	stry is Rs.481.19
2. TI C	whichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name	al capital inves proposed 260.0 bmitted by ind ne manufacture roduct	tment of the indu l cr.) ustry) e of – Maximum Qu	stry is Rs.481.19 antity
2. T C (4 3. T Sr.	whichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name	al capital inves proposed 260.0 bmitted by ind ne manufacture roduct	tment of the indu l cr.) ustry) e of – <u>Maximum Qu</u> 140 MT/Mo	stry is Rs.481.19 nantity onth
w 2. T) C (4 3. T) Sr. No.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr	al capital inves proposed 260.0 bmitted by ind ne manufacture roduct	tment of the indu l cr.) ustry) e of – Maximum Qu	stry is Rs.481.19 nantity onth
w 2. T) C (4 3. T) Sr. No. 1. 2.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn	al capital inves proposed 260.0 bmitted by ind ac manufacture roduct	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo	antity
w 2. T) C (4 3. T) Sr. No. 1. 2.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab	al capital inves proposed 260.0 bmitted by ind ac manufacture roduct	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo	antity
4. C	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (1990)	al capital inves proposed 260.0 bmitted by ind remanufacture roduct rics P&CP), 1974 Ac	tment of the indu l cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of	antity onth onth f effluent:
w 2. T) C (4 3. T) Sr. No. 1. 2.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn	al capital inves proposed 260.0 bmitted by ind re-manufacture oduct rics P&CP), 1974 Ac Permitted	tment of the indu 1 cr.) ustry) a of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> at for discharge of Standards to	antity
4. C	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (1990)	al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of	tment of the indu l cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of	antity onth onth f effluent:
w 2. T) C (4 3. T) Sr. No. 1. 2. 4. C Sr.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (1990)	al capital inves proposed 260.0 bmitted by ind remanufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge	tment of the indu 1 cr.) ustry) a of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> at for discharge of Standards to	antity onth onth f effluent:
w 2. T) C (4 3. T) Sr. No. 1. 2. 4. C Sr.	hichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for the Product / By-Pring Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (19) Description	al capital inves proposed 260.0 bmitted by ind remanufacture oduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD)	tment of the indu l cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved	antity onth onth f effluent: Disposal
w 2. T) C (4 3. T) Sr. No. 1. 2. 4. C Sr.	vhichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for th Product / By-Pr Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (1990)	al capital inves proposed 260.0 bmitted by ind remanufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge	tment of the indu 1 cr.) ustry) a of – <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo at for discharge of Standards to be achieved As per	antity onth onth f effluent: Disposal
4. C	vhichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate sum he Consent is valid for the Product / By-Provide actual Processed Cotton Fab Grey Cotton Yarn onditions under Water (Interview) Trade effluent	al capital inves proposed 260.0 bmitted by ind a manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule –I</u>	antity onth onth f effluent: Disposal Recycle/ CETP
4. C	hichever is earlier. he proposed and/or actua rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for the Product / By-Pring Name Processed Cotton Fab Grey Cotton Yarn onditions under Water (19) Description	al capital inves proposed 260.0 bmitted by ind remanufacture oduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD)	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule –I</u> <u>As per</u>	Istry is Rs.481.19 Inth Inth Inth Inth Inth Inth Inth Inth
w 2. T) C (4 3. T) Sr. No. 1. 2. 4. C Sr. no. 1.	vhichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate sum he Consent is valid for the Product / By-Provide actual Processed Cotton Fab Grey Cotton Yarn onditions under Water (Interview) Trade effluent	al capital inves proposed 260.0 bmitted by ind a manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule –I</u>	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for
w 2. T) C (4 3. T) Sr. No. 1. 2. 4. C Sr. no. 1.	vhichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate sum he Consent is valid for the Product / By-Provide actual Processed Cotton Fab Grey Cotton Yarn onditions under Water (Interview) Trade effluent	al capital inves proposed 260.0 bmitted by ind a manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303	tment of the indu I cr.) ustry) e of – <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule –I</u> <u>As per</u>	Istry is Rs.481.19 Inth Inth Inth Inth Inth Inth Inth Inth
w 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2.	whichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for the Product / By-Product / By-Processed Cotton Fab Grey Cotton Yarn onditions under Water (Example of the Product of the Processed Cotton Fab Grey Cotton Yarn Trade effluent Domestic effluent	Al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90	tment of the indu I cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo et for discharge of Standards to be achieved As per <u>Schedule -I</u> As per <u>Schedule -I</u>	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for gardening.
w 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2.	vhichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate sum he Consent is valid for the Product / By-Provide actual Processed Cotton Fab Grey Cotton Yarn onditions under Water (Interview) Trade effluent	Al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90	tment of the indu I cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo et for discharge of Standards to be achieved As per <u>Schedule -I</u> As per <u>Schedule -I</u>	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for gardening.
x 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2. 5. C	 whichever is earlier. he proposed and/or actuars. (Existing 221.18 cr. +) he consent is valid for the Product / By-Product / By-Processed Cotton Fab Brey Cotton Yarn onditions under Water (Example of the product of the product of the processed Cotton Fab Description Trade effluent Domestic effluent 	al capital inves proposed 260.0 bmitted by ind ac manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90	tment of the indu f cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule -I</u> <u>As per</u> <u>Schedule -I</u> for air emissions:	Istry is Rs.481.19
w 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2.	whichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate such the Consent is valid for the Product / By-Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Varn Description of stack / Description of stack / Description of stack / Interpretent of the Processed Cotton Varn	Al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90 CP) Act, 1981	tment of the indu f cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule -I</u> <u>As per</u> <u>Schedule -I</u> for air emissions:	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for gardening.
x 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2. 5. C	whichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate su he Consent is valid for the Product / By-Product / By-Processed Cotton Fab Grey Cotton Varial Onditions under Water (1) Description Trade effluent Domestic effluent Conditions under Air (P& Description of stack / source	Al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90 cCP) Act, 1981 f Number of Stack	tment of the indu f cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> 246 MT/Mo et for discharge of Standards to be achieved As per <u>Schedule -I</u> As per <u>Schedule -I</u> for air emissions: Standards to	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for gardening.
x 2. TT C (4 3. T Sr. No. 1. 2. 4. C Sr. no. 1. 2. 5. C Sr.	whichever is earlier. he proposed and/or actual rs. (Existing 221.18 cr. +) As per C.A. Certificate such the Consent is valid for the Product / By-Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Fab Grey Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Varn Onditions under Water (Interpretent of the Product of the Processed Cotton Varn Description of stack / Description of stack / Description of stack / Interpretent of the Processed Cotton Varn	Al capital inves proposed 260.0 bmitted by ind re-manufacture roduct rics P&CP), 1974 Ac Permitted quantity of discharge (CMD) 303 90 CP) Act, 1981	tment of the indu f cr.) ustry) e of - <u>Maximum Qu</u> <u>140 MT/Mo</u> <u>246 MT/Mo</u> et for discharge of Standards to be achieved <u>As per</u> <u>Schedule -I</u> <u>As per</u> <u>Schedule -I</u> for air emissions:	antity onth onth f effluent: Disposal Recycle/ CETP On land irrigation for gardening.

Industry name, consent no & date

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Disposal
1	Boiler Ash	10 MT/Day	 By Sale to Brick manufacturer.

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

	Type Of Waste	Category	Quantity	UOM	Treatment	Disposa11
No 1	Chemical sludge	34.3	25.0	Ton/d		CHWTSDF, Butibori.
2	from WWP Used / Spent Oil	5.1	0.1	KL/M		Sale authorized recycler/ processor.

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J=1103/41/2006-IA.II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
- Double amount of BG shall be obtained as per the matrix for achieving the standards to be obtained while granting C to 1st Operate, in case, the ETP units are not right sized.
- 12. Consent to Operate shall be granted if the CETP has capacity to handle the additional load of generated effluent.

	Nolo.		Mah	For and on behalf of the arashtra Pollution Control Boar (Rajeev Kumar Mital, IAS.) Member Secretary	ď
Rec	eived Consent fee	of –			
Sr.	Amount(Rs.)	DD. No.	Date	Drawn On	
No					
1	520020	800087	23/08/2013	Allahabad Bank	
Cop	y to:			or NUMBOR They	
1.	Regional Office are directed to	ensure the co	mpliance of	Officer- Nagpur II, MPCB. They the consent conditions.	
2.	Chief Accounts	Officer, MPC	B, Mumbai.		
3.	CC/CAC desk- f	or record & w	rebsite updat	tion purposes.	
Indus	try name, consent no & date			Pag	ge 2

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to provide the Effluent Treatment Plant (ETP) for industrial and domestic effluent with the design capacity of 500 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)		
SI NO.	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH		
01	pH	6.5-9.0		
02	Oil & Grease	10		
03	BOD (3 days 27oC)	100		
04	Total Dissolved Solids	2100		
05	Bioassay Test			
14	Suspended Solids	100		
15	COD	250		
16	Chloride	600		
17	Sulphate	1000		
18	TAN	50		
19	Detergent	1		
20	Residual Chlorine	1		

C) The total treated effluent 393 CMD shall be recycled for maximum extent and remaining shall be send to CETP.

- 2) A.] As per your consent application, you have proposed to provide the sewage treatment system for the generated sewage 90 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 - (1) Suspended Solids. Not to exceed 100 mg/l.
 - (2) BOD 3 days 270C. Not to exceed 100 mg/l.
 - C) The treated sewage shall be disposed on 40 acres land for gardening.
- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess

Sr. no.	ns in Form ⁻¹ and other provisions as contained in the Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler	250
	feed	100
2.	Domestic purpose	450
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are	
	toxic	

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM		SO2 Kg/Day
1	Boiler & Thermopack	Bağ Filter & Dust collector	30.5	Coal	10 TPD	0.5%	100
4	D.G. Set 1 No (Capacity 1000 KVA)	Acoustic enclosur es.	4	Diesel	Lits. /day	1%	0.08

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

e	the level of pond	talles to the long thang		
1	Particulate	Not to exceed	150 mg/Nm ³ .	
	matter			
		â		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications, and operation thereof or alteration or replacement and alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Alghos,

Schedule-III Details of Bank Guarantees

Sr.	Consent	Amt of BG	Submission	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period		Period	Date
1	Establish	10/- Lakhs	1 Month	Compliance of EC condition to not to take any effective steps for implementation of the project prior to obtaining EC	Obtaining EC	5 years,

Watareshing Polition Control board

<u>Schedule-IV</u> <u>General Conditions</u>:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 12) Industry shall sprittly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents.14) Separate drainage system shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Page 6

17) Conditions for D.G. Set

Industry name, consent no & date

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 28) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 29) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

-----0000-----

Page 7

Industry name, consent no & date