

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701  
Fax: 24023516/24024068/24044531  
Website: <http://mpcb.gov.in>  
E-mail: [enquiry@mpcb.gov.in](mailto:enquiry@mpcb.gov.in)



Kalpataru Point, 2<sup>nd</sup>, 3<sup>rd</sup> & 4<sup>th</sup> Floor  
Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E)  
Mumbai- 400 022.

No.BO/CAC-Cell/TB/B/CAC-1479

Date : 11/3/2014.

To,  
Mr. Rajendra Chandorkar,  
M/s. Oberoi Construction,  
3<sup>rd</sup> floor, International Business Park,  
Oberoi Garden City, Goregaon(E),  
Mumbai-63

Sub : Refusal of Consent u/s 27 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

Ref .

1. Environmental Clearance accorded by MoEF vide no. J-12011/57/2006-IA(CIE) dtd 16.11.2006.
2. Consent to Establish granted vide no. BO/RO(P&P)/ 153 dtd 17.1.2006.
3. Your application for grant of consent to operate (part) received through SRO-Mumbai-II vide no.130723ft0234 on 17.9.2013 (App.No. CO1308000346 & EICno.- MU-5349-13).
4. SCN issued vide no. BO/CAC-Cell/TB/B-5741 dated 24.12.2013.
5. Letter of PP dated 4.1.2014 received on 9.1.2014.
6. Minutes of 22<sup>nd</sup> CAC meeting held on 15.2.2014.

WHEREAS, Maharashtra Pollution Control Board is in receipt of your application for grant of Consent to Operate (part) for the construction of building project at CTS no. 1, Vill-Majas, Jogeshwari(E), Mumbai under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981 and the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 vide ref. no.3.

ANDWHEREAS, Board has issued SCN vide ref. no. 4 towards applying for Consent to Operate without valid EC and C to E and non-provision of MSW facility, thereby violating C to E conditions.

ANDWHEREAS, Board is in receipt of your reply to the SCN vide ref. no. 5. Accordingly the case was placed and discussed in the 22<sup>nd</sup> CAC meeting held on 15.2.2014 alongwith your reply. During the discussion it was decided to refuse the 1<sup>st</sup> Consent to Operate (part) as EC is not valid and it was also decided that PP shall apply for fresh C to E in the light of revised EC which is under consideration at SEIAA level. (Copy of minutes is also available on Board's website).

: 2 :

THEREFORE, your application for grant of Consent to Operate (part) is hereby refused under Section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981.

You may prefer Appeal against the Refusal Order passed by the Maharashtra Pollution Control Board, in case aggrieved by the refusal order, within a period of 30 days from the date of receipt of the Refusal order.

You are also directed to apply for fresh C to E in light of revised EC which is under consideration at SEIAA level.

  
(Rajeev Kumar Mital, IAS)  
Member Secretary

Copy to:

- i) Regional Officer, MPC Board, Mumbai.
- ii) Sub – Regional Officer, Mumbai -II, MPC Board, Mumbai. - For information and follow-up action.