

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437 / 4014701 / 4020781  
Fax : 4024068 / 4023516  
Website : <http://mpcb.gov.in>  
E-Mail : [ta@mpcb.gov.in](mailto:ta@mpcb.gov.in)



KALPATARU POINT, 3rd Floor,  
Sion-Matunga Scheme Road No.8,  
Opp. Sion Circle, Sion (East)  
Mumbai-400 022.

No.BO/CAC-Cell/TB/B/CAC-1480

Date : 11 / 3 / 2014.

To,  
Mr. Abhay Patil,  
M/s. Kolte-Patil I-Ven Townships (Pune) Ltd.,  
2<sup>nd</sup> floor, City Point, Dhole Patil Road, Pune-411001.

Sub : Refusal of Consent u/s 27 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

Ref :

1. Environmental Clearance accorded by MoEF vide no. 21-111/2007-IA.III dtd 6.9.2007.
2. Consent to Establish granted vide no. BO/RO(P&P)/EIC no. PN-2954-09/E/CC-518 dtd 22.12.2009.
3. Your application for grant of consent to operate (part) received through SRO-Pune-II vide no.130703ft0184 on 5.9.2013 (App.No.CO1307000138 &EICno.-PN-19390-13).
4. SCN issued vide no. BO/CAC-Cell/TB/B-5740 dated 24.12.2013.
5. Letter of PP dated 16.1.2014 received on 31.1.2014.
6. Minutes of 22<sup>nd</sup> CAC meeting held on 15.2.2014.

WHEREAS, Maharashtra Pollution Control Board is in receipt of your application for grant of Consent to Operate (part) for the construction of township project at Vill Jambhe, Marunji, Nere, Tal-Mulshi, Dist- Pune under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981 and the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 vide ref. no.3.

ANDWHEREAS, Board has issued SCN for refusal vide ref. no. 4 as STP is under construction, EC is not valid and also area details mismatch between C to E, EC.

ANDWHEREAS, Board is in receipt of your letter vide ref. no. 5 wherein you have only requested to correct the total Built-up area in C to E as per EC. Accordingly the case was placed and discussed in the 22<sup>nd</sup> CAC meeting held on 15.2.2014 alongwith your letter. During the discussion it was decided to refuse the 1<sup>st</sup> Consent to Operate (part) as EC is not valid and project proponent (PP) has not submitted reply to the SCN in terms of status of STP and revalidation of EC. (Copy of minutes is also available on Board's website).

: 2 :

THEREFORE, your application for grant of Consent to Operate (part) is hereby refused under Section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 21 of the Air (Prevention and Control of Pollution) Act, 1981 and the Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008.

You may prefer Appeal against the Refusal Order passed by the Maharashtra Pollution Control Board, in case aggrieved by the refusal order, within a period of 30 days from the date of receipt of the Refusal order to Appellate Authority.

  
(Rajeev Kumar Mital, IAS)  
Member Secretary

Copy to:

- i) Regional Officer, MPC Board, Pune.
- ii) Sub – Regional Officer, Pune -II, MPC Board, Pune. - For information and follow-up action.