MAHARASHTRA POLLUTION CONTROL BOARD

Phone: 4010437 / 4014701 /

4020781

Fax : 4024068 / 4023516 Website : http://mpcb.mah.nic.in.

E-Mail: ast@mpcb.gov.in.



KALPATARU POINT, 3rd Floor, Sion-Matunga Scheme Road No.8, Opp. Sion Circle, Sion (East) Mumbai-400 022.

Red/SSI

Consent No. BO/AS(T)/EIC No. TN-4893-14/O/GEN-2/1/

Date: 86 103/2014.

Consent to Operate under Section 26 of the Water(Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s Omega Colours Pvt. Ltd., Plot No. D-21/2/3, MIDC Tarapur, Tal. Palghar, Dist.-Thane-401 506

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

The Consent to Operate is granted for period upto 31/12/2014.

The Consent is valid for the manufacturing of –

Sr.No.	Product	Qty.
1	CPC Green Powder Crude	45 MT/M
2	Pigment Beta Blue	45 MT/M
	By products	
3	Hydrochloric Acid	30 MT/M
4	Poly Aluminium Chloride	30 MT/M
5	Sodium Hypo Chlorite	15 MT/M

- CONDITIONS UNDER WATER (Prevention & Control of Pollution) ACT, 1974:
- (i) The quantity of trade effluent from the factory shall not exceed 62.0 m³/day.
- (ii) The quantity of sewage effluent from the premise shall not exceed 4.8 m³/day.
- (iii) Trade Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards-

(1)	PH	Between	5.5	to 9.0.
(2)	Suspended Solids	Not to exceed	100	mg/l.
(3)	BOD 3 days 27 Deg. C.	Not to exceed	100	mg/l.
(4)	COD	Not to exceed	250	mg/l.
(5)	Oil & Grease	Not to exceed	10	mg/l.
(6)	TDS	Not to exceed	2,100	mg/l.
(7)	Chlorides	Not to exceed	600	mg/l.
(8)	Sulphate	Not to exceed	1,000	mg/l.

- Trade Effluent Disposal: The treated effluent shall be recycled to the maximum extent (iv) and remaining, if any, shall be discharged into CETP.
- Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the (V) same continuously so as to achieve the quality of treated effluent to the following standards-
 - 100 mg/l. Not to exceed Suspended Solids (1)100 mg/l. Not to exceed BOD 3 days 27 Deg. C. (2)
- Sewage Effluent Disposal: The treated sewage shall be soaked into soak pit which shall be got cleaned periodically. Overflow if any shall be disposed into CETP. (vi)
- Non-Hazardous Solid Wastes: (vi)

NOTIFICAL	araoao	Olla Tractic		Dianagal
Type of v	waste	Quantity	Treatment	Disposal
		N		ality rogularly

- Other Conditions: The firm shall monitor effluent quality regularly. (vii)
- The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Amendment Rules 2003 4. thereunder:

The daily water consumption for the following categories is as under:

The daily water consumption for the following	g outogoner .
The daily water consumption for the following	6.0 CMD
(i) Domestic	
	134.0 CMD
(ii) Industrial	30.0 CMD
(iii) Industrial Cooling/Boiler	
	10.0 CMD
(iv) Gardening	

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the CESS as specified under Section 3 of the said Act.

CONDITIONS UNDER AIR (Prevention & Control of Pollution) ACT, 1981: 5.

The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment:

- a) The applicant shall provide dust collector of sufficient capacity to coal fired Boiler and operate the same round the clock to control air pollution.
- b) The firm shall provide scrubbers of sufficient capacity to reactors to control the air emissions.
- c) There shall not be any fugitive emission.

Conditions for D.G. Set:

- (1) Noise from D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- (2) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB(A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A)should also be provided. The measurement of insertion loss will be done at different points at 0.5 metres from acoustic enclosure/room and then average.
- (3) The industry should take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A)during the night time Day time is reckoned between 6 a.m. to 10 p.m. and night time is reckoned between 10 p.m. to 6 a.m.
- (4) Industry should make efforts to bring down requirements by proper siting and control
- (5) Installation of D.G. set much be strictly in compliance with recommendations of D.G. set manufacturer.

- (6) A proper routine and preventive maintenance procedure for D.G. set should be set and followed in consultation with the D.G. manufacturer which would help to prevent noise levels of D.G. set from deteriorating with use.
- (7) D.G. set should be operated only in case of power failure.
- (8) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set
- (ii) Standards for Emissions of Air Pollutants:

(i)	SPM/TPM	Not to exceed	150 mg/Nm ³
(ii)	SO ₂	Not to exceed	28 Kg/day
(iii)	Acid Mist/HCI	Not to exceed	35 mg/Nm ³
(iv)	Cl ₂	Not to exceed	3 ppm

(iii) The applicant shall observe the following fuel pattern:-

Sr.No.	Type of Fuel	Quantity
1.	Coal	1,800 Kg/day.
2.	HSD	50 Ltrs/M

(iv) The applicant shall erect the chimney(s) of the following specifications:

Sr.No.	Chimney attached to	APCS Provided	Height in Mtrs.
1,	Boiler	}Multi-cyclone	25 mtrs.
2.	Thermopack(2 Nos.)	}Dust Collector	15 mtrs.
3.	Reactor	3 Stage Scrubber	8 mtrs.
4.	D.G. Set	1	4.5 mtrs. above roof

- (v) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (vi) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vii) Other Conditions:
 - (i) The firm shall not cause any nuisance in surrounding area.
 - (ii) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HW (M&H) RULES, 1989 & AMENDMENT RULES, 2008:

(i) The applicant shall handle hazardous wastes as specified below:

	Item No. Of process substance generating HW as per Schedule-I/II	Type of waste	Quantity	Disposal
1	5.1	Used/ Spent Oil	10 Kg/M	Sale to Authorized Recycler
2	34.3	ETP Sludge	20 MT/M	CHWTSDF
3	36.4	Process Residues	70 Kg/M	CHWTSDF

- (ii) The unit has to display and maintain the data online outside the factory main gate in Marathi & English both in a 6'x4' display board in the manner and the report of compliance alongwith photograph shall be submitted to this office & concerned Regional Office/Sub-Regional Office.
- (iii) It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

- 7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ 8. General conditions: plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution level.
- (iii) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written
- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption alongwith Environmental
- (vi) Separate drainage system shall be provided for collection of sewage effluents. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from
- (vii) The applicant shall provide facility for collection of environmental samples and samples of sewage effluents and air emissions wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their
- (viii) The firm shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the industry premises.
- (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- 9. This Board reserves the right to amend, revoke or add any conditions in this consent and same shall be binding on the applicant.
- 10. This consent should not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deemed fit necessary.
- 11. The applicant shall not carry out expansion of the industry without prior permission
- 12. If CETP cannot operate efficiently and problem of pollution occurs, industry should voluntarily stop the production or total effluent should be reused.

- 13. This Consent is issued with the overriding effect over earlier Consent granted by the Board vide Consent No. BO/ZO-PAMS/EIC No. TN-2705-11/R/CC-42 dtd. 22/03/11 and vide Consent No. BO/RO-Thane/RO(P&P)/EIC No. TN-2580-10/E/CC-91 dtd. 30/05/11.
- 14. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEAC 2011/CR-189/TC-2 dtd. 16/03/2013.
- 15. The applicant shall furnish an irrevocable bank guarantee of Rs. 2.0 Lakh with the validity upto 30/04/2015 within 15 days time from the date of issue of the Consent in favour of Regional Officer, MPCB, Thane towards O&M of pollution control systems and towards compliance of Consent conditions.
- 16. The capital investment of the industry is Rs. 9.35 Crores.

(P.K. Mirashe)
Assistant Secretary (Tech.)

To, M/s Omega Colours Pvt. Ltd., Plot No. D-21/2/3, MIDC Tarapur, Tal. Palghar, Dist.-Thane-401 506.

Copy to:

1) Regional Officer, MPCB, Thane;

- 2) Sub-Regional Officer (Tarapur-I), MPCB, Thane;
- 3) Chief Accounts Officer, MPCB, Mumbai;
- 4) Cess Branch, MPCB;
- 5) Master file.

Received Consent fee of Amount DD No. Date Drawn on Rs. 25,100/- 087171 20/11/2013 Union Bank of India.