N	IAHARASHTRA	POLLUTIO	N CON	TROL	& 4th floor.	, Sion- Matunga
hone · 401043	7/4020781	Sc.	heme Ro	ad No. 8, 9	Opp. Cine Pla	net Cinema, Near
//03712	a/a035273	MAHARASHIRA Si	on Circle,	Sion (E),		
ax : 240445	32/4024068 /4023516	M	umbai - 4(00 022		
	@mpcb.gov.in					
'isit At : <u>http://m</u>	npcb.gov.in lo :- Formate1.0/ BO	VENC CONVELCT	Jo NG-9	667-13/1	8th CAC/ 2	600
Consent order N	o:- Formate1.07 BO	CAC-Cell 210 -				
Date- 18 03 2		•				
То,						
M/s ERA Builds	ys Lta., 					
At Belgaon/Kun	Umred Dist-Nagpu	ur.				
Subject: Renew	al of consent REL ier Consent grante) category. od vide no. BO/s	JD(APC)/EIC No	. NG-7354	12
	ier Consent grante C/MPCB-2012/09/6		.2.		\sim	
/R/C 9 Min	utes of CAC meetin	ng held on 08.01	.2014		202	P
				4		
Your application	on: CR1309000043			_ (and the second sec	
Dated:.26/08/20	13 of consent			No No.		74 & under
For: Renewal	of consent. 26 of the Water (P	revention & Co	ntrol of	f Polluti	on) Act, 19	1981 and
0 11 91 O	t the AIP (110)	011010		5 / 10 / T T	9_ TE MEE K 11	IPS ZUVO 15
Section 21 0	f the Air (Prev under Rule 5 of	the Hazardous	Wastes	5 (M, H	of allowing	terms and
Autnorization	under Rule 5 of d the consent is 1	hereby granted	subjec	t to the	d to this or	der:
conditions and	d the consent is l d as detailed in the	e schedule I, II ,	111 & 1V	annexe	a 10 mis or	<u> </u>
COMMITTIONS AND		e. ⁹		1. 00.04	9014	
			147 MILLY	TO AU.U#		
1. The conser	nt is granted for a	period from UL	07.2013 strv is	Rs. 195.	38 Crs. (As	s per C.A.
	nt is granted for a p l capital investme	1 I I A	07.2013 stry is	Rs. 195.	38 Crs. (As	s per C.A.
2. The actual	capital investing	ustry)		Rs. 195.		
2. The actual Certificate 3. The Conse	submitted by indu nt is valid for the	ustry) manufacture of		to 30.044 Rs. 195.	Maximun	n Quantity
2. The actual Certificate 3. The Conse Sr. No	submitted by ind nt is valid for the	ustry) manufacture of Product Name	'- ictures		Maximun	
2. The actual Certificate 3. The Conse	submitted by ind nt is valid for the	ustry) manufacture of Product Name	'- ictures		Maximun	n Quantity
2. The actual Certificate 3. The Conse Sr. No 1.	submitted by ind nt is valid for the Prefabri (Without pick	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz	- ictures	ivity)	Maximun 10,000 M	n Quantity
2. The actual Certificate 3. The Conse Sr. No 1.	submitted by ind nt is valid for the Prefabri (Without pick	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f	- ictures ing act or disch	ivity)	Maximun 10,000 M	n Quantity IT/Month
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition 	s under Water (P&	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted	or disch	ivity) harge of Standar	Maximun 10,000 M effluent: rds to be	n Quantity
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr.	submitted by ind nt is valid for the Prefabri (Without pick	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of	ictures ing act or disch	ivity) harge of Standar	Maximun 10,000 M	n Quantity IT/Month
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no.	submitted by independent is valid for the prefabri (Without pick s under Water (P& Description)	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz cCP), 1974 Act f Permitted quantity of discharge (CM	ictures ing act or disch	ivity) harge of Standar achi	Maximun 10,000 M effluent: cds to be eved	n Quantity IT/Month Disposal NA
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no.	submitted by inde nt is valid for the prefabri (Without pick s under Water (P& Description)	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil	ictures ing act or disch	ivity) harge of Standar achi	Maximun 10,000 M effluent: cds to be eved	n Quantity (T/Month Disposal NA On land for
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no.	submitted by independent is valid for the prefabri (Without pick s under Water (P& Description)	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz cCP), 1974 Act f Permitted quantity of discharge (CM	ictures ing act or disch	ivity) harge of Standar achi	Maximun 10,000 M effluent: cds to be eved	n Quantity IT/Month Disposal NA
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1.	submitted by inde nt is valid for the prefabri (Without pick s under Water (P& Description)	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil	ictures ing act or disch	ivity) harge of Standar achi	Maximun 10,000 M effluent: cds to be eved	n Quantity (T/Month Disposal NA On land for
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 7 2. 5 	submitted by independent is valid for the prefabri (Without pick sunder Water (P& Description) Trade effluent	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15	or disch f (D) f r air em	ivity) harge of Standar achi As per So hissions:	Maximun 10,000 M effluent: cds to be eved NA chedule –I	n Quantity IT/Month Disposal NA On land for gardening
 2. The actual Certificate 3. The Conse 3. The Conse 5. Condition 	submitted by indent submitted by indent is valid for the prefabri (Without pick sunder Water (P& Description) Frade effluent domestic effluent	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions: aber of	Maximun 10,000 M effluent: eds to be eved NA chedule –I Standa	n Quantity (T/Month Disposal NA On land for gardening rds to be
2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 2. 5. Condition Sr.	submitted by independent is valid for the prefabri (Without pick sunder Water (P& Description) Trade effluent	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions:	Maximum 10,000 M effluent: rds to be eved NA chedule –I Standa ach	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. Condition Sr. no. Sr. no. 	rade effluent Sunder Air (P& C Description of s	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions: aber of	Maximum 10,000 M effluent: rds to be eved NA chedule –I Standa ach	n Quantity (T/Month Disposal NA On land for gardening rds to be
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 1. 5. Condition Sr. 	submitted by indent submitted by indent is valid for the prefabri (Without pick sunder Water (P& Description) Frade effluent domestic effluent	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions: hber of tack	Maximum 10,000 M effluent: rds to be eved NA chedule –I Standa ach	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. T Condition Sr. no. Sr. no. I. 	submitted by indent submitted by indent is valid for the prefabri (Without pick sunder Water (P& Description) Frade effluent comestic effluent of sunder Air (P& C) Description of s D.G.Set 2 Nos	ustry) manufacture of Product Name cated steel Stru- ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA)	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions: hber of tack	Maximum 10,000 M effluent: rds to be eved NA chedule –I Standa ach	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. Condition Sr. no. I. 	refabrie submitted by inden nt is valid for the Prefabrie (Without pick sunder Water (P& Description) Frade effluent comestic effluent of Description of s D.G.Set 2 Nos	ustry) manufacture of Product Name cated steel Stru- ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA)	or disch f (ID) r air em	ivity) harge of Standar achi As per So hissions: hber of tack	Maximum 10,000 M effluent: rds to be eved NA chedule –I Standa ach	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. T Condition Sr. no. Sr. no. I. 	rade effluent lomestic effluent Description of s D.G.Set 2 Nos	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz &CP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA) ardous Waste:	or disch f (ID) r air em Num St	ivity) harge of Standar achi As per So hissions: hber of tack 2	Maximun 10,000 M effluent: cds to be eved NA chedule –I Standa ach As per S	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. Condition Sr. no. I. Condition Sr. no. I. Condition 	rade effluent observation of s Description Description Description of s D.G.Set 2 Nos	ustry) manufacture of Product Name cated steel Stru- ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA) ardous Waste: Quantity & T	or disch f (ID) r air em Num St	ivity) harge of Standar achi As per So hissions: hber of tack	Maximun 10,000 M effluent: cds to be eved NA chedule –I Standa ach As per S	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No 1. Condition Sr. no. 1. Condition Sr. no. Sr. no. I. 	rade effluent observation of s Description Description Description of s D.G.Set 2 Nos	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA) ardous Waste: Quantity & T UOM	or disch f (ID) r air em Num St reatme	ivity) harge of Standar achi As per So hissions: hber of tack 2 m Dispo	Maximum 10,000 M effluent: cds to be eved VA chedule –I Standa ach As per So	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 5. Condition Sr. no. 1. 6. Condition Sr. Sr. 	submitted by indent submitted by indent is valid for the r Prefabri (Without pick sunder Water (P& Description) Trade effluent lomestic effluent of Description of s D.G.Set 2 Nos n Under Non Haza Type Of Waste Scrap	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA) ardous Waste: Quantity & T UOM 200 T/M	reatme Nil	ivity) harge of Standar achi As per So hissions: aber of tack 2 m Dispo	Maximun 10,000 M effluent: ds to be eved MA chedule –I Standa ach As per So osal	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 The actual Certificate The Conse The Conse Sr. No Condition Sr. no. T Condition Sr. no. T Condition Sr. no. T Condition Sr. no. T Condition Sr. No. 	submitted by indent submitted by indent is valid for the result (Without pick sunder Water (P& Description) Frade effluent Domestic effluent Domestic effluent Description of s D.G.Set 2 Nos on Under Non Haza	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz zCP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source . (1010KVA) ardous Waste: Quantity & T UOM	or disch f (ID) r air em Num St reatme	ivity) harge of Standar achi As per So hissions: hber of tack 2 m Dispo	Maximun 10,000 M effluent: ds to be eved MA chedule –I Standa ach As per So osal	n Quantity (T/Month Disposal NA On land for gardening rds to be ieved chedule –II
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 7. 7. 7. 7. 7. 7. 8. Condition 1. 7. 7. 8. Condition 9. 5. Condition 5. Condition 5. Condition 5. Condition 8. 8. 9. 9	rade effluent Description of s Description of s D.G.Set 2 Nos n Under Non Haza	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz 2CP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source at (1010KVA) ardous Waste: Quantity & T UOM 200 T/M 0.1 T/M	reatme Nil	ivity) harge of Standar achi As per So hissions: aber of tack 2 m Dispo	Maximun 10,000 M effluent: ds to be eved MA chedule –I Standa ach As per So osal	n Quantity IT/Month Disposal NA On land for gardening rds to be ieved
 2. The actual Certificate 3. The Conse Sr. No 1. 4. Condition Sr. no. 1. 7. 7. 7. 7. 7. 7. 8. Condition 1. 7. 7. 8. Condition 9. 5. Condition 5. Condition 5. Condition 5. Condition 8. 9. 9	submitted by indent submitted by indent is valid for the r Prefabri (Without pick sunder Water (P& Description) Trade effluent lomestic effluent of Description of s D.G.Set 2 Nos n Under Non Haza Type Of Waste Scrap	ustry) manufacture of Product Name cated steel Stru ling & Galvaniz 2CP), 1974 Act f Permitted quantity of discharge (CM Nil 15 CP) Act, 1981 for stack / source at (1010KVA) ardous Waste: Quantity & T UOM 200 T/M 0.1 T/M	reatme Nil	ivity) harge of Standar achi As per So hissions: aber of tack 2 m Dispo	Maximun 10,000 M effluent: ds to be eved MA chedule –I Standa ach As per So osal	n Quantity (T/Month Disposal NA On land for gardening rds to be ieved chedule –II

Ι

Γ	3 Empty tins	0.1	T/M N	il By	sale to suppli	er
Coi	nditions under Ha	zardous Wa	iste (M, H &	T M) Rul	es, 2008 for t	reatment and
dis	posal of hazardous	s waste:				
		Catagon	Quantity	UOM	Treatment	Disposal
Sr. No	Type Of Waste	Category	Quantity	00111	1.0000	
1	Process waste	21.1	200	Kg/M		CHWTSDF
	residue & sludge					
	(paint & pigment)					CPCB/SPCB
2	Used/Spent	5.1	Irrespective	1		authorized
	Oil		of any quantity			reprocessor
L	<u></u>			J		â.
Th	is Board reserves	the right t	o review, am	end, sus	pend, revoke	etc. this consen
0.00	d the same shall he	e hinding o	n the industr	·v.		1 / L
Th	is consent should	l not be c	onstrued as	exempti	on from obt	aining necessar
NC)C/permission from	n any other	Governmen	t agencie	s.	\mathcal{N}
					For and on	behalf of the
				Maha	rashtraRoll	ution Control Bo
					XXY	.XX
					Kan Kin	ar Mital, IAS)
				\sim	Member Ş	
						X
	Received Consen	t fee of		< C		
	S.No Bank N		DD. No.	DD	. Dt. 4	mount
	•			w later		0.04.000.00
	1 Axis Bank		121194	13/08/		3,94,398.00
	The balance fees	of Rs 65730/	- shall be con	nsidered	at the time o	I next
	renewal.	<	30			
ору	to:	.0	N			
1.	Ragional Officer	- Nagpur ar	d Sub-Regio	nal Offic	er-Nagpur-II	
	They are directed	1 to ensure	the complian	ice of the	e consent con	ditions and
	release the existi which shall be va	ng BG of R	s 2 lakhs and	obtain 11 20 08 201	resn du oi w	5 J IAKIIS
0	Chief Accounts O	ficer MP(B. Mumbai.	JU.UU.201	I •	
2. 3	CC/CAC desk-for	record & v	vebsite upda	tion pur	poses.	
0.	Com Co		-			
	$\langle Q \rangle$					
	C. C. C. a.					
	A a					
		2				Ĩ.
		1. Pro				2 L 22
	~	2				2 4 1 •
		2. Fr				1 1 1
						2 .4 64.

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

1) A.] As per your consent application, you have provided the Septic tank & soak pit.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

arco	made mere mere		100	/1
(1)	Suspended Solids.	Not to exceed	100	mg/I.
(1)		N. (to suggest	100	mg/l.
(2)	BOD 3 days 27oC.	Not to exceed	100	1116/11
· · · ·	•			

C] The treated sewage effluent shall be disposed on land for gardening.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purfication thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-Land other provisions as contained in the said act

Sr.	e said act. Purpose for water consumed	Water consumption quantity (CMD)
<u>no.</u> 1.	Industrial Cooling, spraying in mine pits or	Nil
	boiler feed	20
<u>2.</u> 3.	Domestic purpose Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and	Nil
5	are toxic Galdening	10

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

14 N.

1

age 3

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.

1

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	- 0	Type Fuel	of	Quantity	UoM	S %	SO ₂ Kg/Day
1	D.G.set 2 Nos. (1010KVA)		HSD		150	Lit/Hr (each)	1	36

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150	mg/Nm ³
			$\langle \mathbf{V} \rangle$
matter		L	

- 3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Pagø

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.

Schedule-III

Sr. No.	Consent (C to E/O/R)		Submission Period	Purpose of BG.	Compliance period	Validity
1	Ċ toR)	Rs 5.0 lakhs	Within 15 Days from the date of issue of consent.	Operation and maintenance of Pollution Control System	30.04.2014	30.08.2014

The existing BG of Rs 2 lakhs towards O & M of PCS shall be returned back and fresh BG of Rs 5 lakhs (mentioned as above) shall be obtained.

14 Pres

Page 5

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.

;

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 3) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 4) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 5) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)
- (Second Amendment) Rules, 1992. 6) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 7) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landful site/environment.
- The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and 8) submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- An unspection book shall be opened and made available to the Board's officers during 9) their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection Environmental cell with 12) The **Environment Protection.**
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the

Page 🤅

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.

pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB A shall also be provided. The measurement of insertion loss will be done at different points at
 - 0.5 meters from acoustic enclosure/room and then average c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures. 4
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set. NO.TO
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise todess than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

Page 7

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.

- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

14.4

1

M/s ERA Buildsys Ltd, Plot No D-3, MIDC Umred, Dist Nagpur.