


# HARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701		Kalpataru Point, 2 <sup>nd</sup> - 4 <sup>th</sup> Fl.
Fax: 24024068 / 24023516		Opp. Cine Planet Cinema,
Website: <a href="http://mpcb.gov.in">http://mpcb.gov.in</a>		Near Sion Circle, Sion (E)
E-mail: <a href="mailto:mpcb@vsnl.net">mpcb@vsnl.net</a>		Mumbai-400 022.

RED/LSI

Consent No: Format 1.0/ BO/JD (APC)/EIC No. PN-19735-14/O/CC- 2771  
Date: 24/03/2014

To,  
M/s. Tata Motors Ltd.  
S. No. 59-62, P.O. Bebedohol,  
Off Mumbai Pune Highway,  
Tal. Maval, Dist. Pune 410 506

Subject: Consent to Renewal RED category.

Ref: 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No.—PN15699-12/O-CC-784 dtd 27/12/2012.

2. Minutes of CC meeting held on 13.03.2014.

Your application Dated: 30.10.2013.


For: Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The consent operate is granted for a period from 30.09.2013 to 31.12.2014.
2. The actual capital investment of the industry is Rs. 50.62 Crs. (As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity
1	S.G. Iron Casting	14,400 MT/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	As per Schedule -I	N.A.
2.	Domestic effluent	80.0	As per Schedule -I	On land



5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Melting Shop Fume Extraction System (FES)	01	As per Schedule -II
2.	Pressure Chamber	01	As per Schedule -II
3.	HSD Ladle Preheating - Fume Extraction System (FES)	01	As per Schedule -II
4.	Sand Plant and Shake-Out (N) and Punch-out (S)	01	As per Schedule -II
5.	DG Set (380 KVA)	01	As per Schedule -II
6.	DG Set (1000 KVA)	01	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	(a) Burnt mould sand, (b) Spent fine black sand from Fettling Yard and Shake-out, (c) Burnt, rejected and broken cores, (d) Broken furnace lining, (e) Hardened & unused core wash residues,	20,000 MT/A	-	Landfill
2	Bag Filter Dust from (a) Sand Plant, (b) Tumbling machine and (c) Knock-out/Shake-out			
3	Magnesium oxide dust/burr from Bag Filter attached to Pressure Chamber	100 MT/A		
4	Slag from melting operation	2,000 MT/A		By sale
5	Mixed garbage from Office and Shop-floor	50 MT/A		By sale
6	STP sludge (bio-degradable) + screenings	50 MT/A		Use as manure within premises
7	Canteen waste	45 MT/A		Disposed to PCMC

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1.	Spent/Contaminated oils	5.1	10	KL/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers "
2.	Oil soaked garbage, chindhi waste etc.	5.2	20	MT/Y	...	CHWTSDF
3.	Scrap Oil/ Fuel Filters removed during machine / vehicle maintenance	5.2	100	Nos/Y	...	CHWTSDF
4.	Scrap - insulating material/vehicle parts/ PPE - containing asbestos	15.1	2	MT/Y	...	CHWTSDF
		15.2			...	
5.	All kinds of Contaminated solvents & waste / spent thinners, Isopropyl alcohol (IPA) etc.	20.1	2	KL/Y	...	CHWTSDF
		20.2			...	
6.	Paint sludge, thinned down /obsolete paint, hardened paint residues, scrap paint soaked filters, tins with hardened residue, hazardous garbage (paint/oil soaked cardboard, cotton waste, cloth etc)	21.1	5	MT/Y	...	CHWTSDF
7.	(i) Uncured / scrapped resins, hardeners, sealants, adhesives, glues, putty etc. scrapped Araldite patterns etc., (ii) Residues of core adhesives / washes (ii) Scrap & shelf-life expired resins used in core sand making,	23.1	10	MT/Y	...	CHWTSDF

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
8.	Soot from chimney / duct cleaning	34.1	1	MT/Y	...	CHWTSDF
9.	Copper based scrap consisting of brass/bronze/copper cuttings, punching, casting, bushing, turning & boring scrap etc. (Lot No. HBTM-18)	—	5	MT/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers"
10.	Used / scrapped electrical PVC coated copper cable, telephone cables, jelly filled telephone cables, copper druid etc., (Lot No. HBTM-956)	—	5	MT/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers"
11.	Used/scrapped copper electrodes	—	5	MT/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers"
12.	MS attached with brass / copper / glass / rubber etc.	—	5	MT/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers"
13.	Scrapped/Used Lead Acid Batteries with/without MS box, caps etc.	—	1	MT/Y	...	Sale to CPCB/MPCB "Registered Re-cyclers"
14.	e-waste (waste electrical and electronic equipment)	—	1	MT/Y	...	Sale to CPCB / MPCB "Registered Re-cyclers"

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the  
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)  
Member Secretary

Received Consent fee of

S.No.	Bank Name	DD. No.	DD. Dt.	Amount
1	HDFC Bank	598696	12/10/2013	1,25,100/-

Copy to:

1. Regional Officer -Pune and Sub-Regional Officer-Pune-II, MPCB, Pune they are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

## Schedule-I

### Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the effluent generation shall be Nil.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent: N.A.
- C] The treated effluent shall be disposed :N.A.

2)

- A] As per consent application you have provided Sewage treatment Plant (STP) - 80 CMD.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.


- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27oC. Not to exceed 100 mg/l!

- C] The treated sewage effluent shall be disposed on land for gardening.

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	250.00
2.	Domestic purpose	100.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	00.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00.00
5	Agriculture/gardening	10.00

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time



**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**


1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity	UoM	S %	SO <sub>2</sub> Kg/Day
1	Melting shop furnace fume extraction system	Bag Filter	25	NA	NA	NA	NA	NA
2	Pressure Chamber	Multicyclone/Bag Filter	18.2	NA	NA	NA	NA	NA
3	HSD ladle pre-heating fume extraction system	NA	25	HSD	1.0	KL/D	...	20.0
4	DG Set (380 KVA)	NA	10	HSD			...	
5	DG Set (1000 KVA)	NA	11.5	HSD			...	
6	Sand Plant + Shake Outs (N) + Punch Out (S)	Bag Filter	20	NA	NA	NA	NA	NA

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
SO <sub>2</sub>	Not to exceed	20 Kg/Day

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).




### Schedule-III

#### Details of Bank Guarantees

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of consent to operate.	Rs.5.0 Lakhs	15 Days	Towards operation and maintenance of pollution control systems.	—	30.04.2015.

Maharashtra Pollution Control Board



#### Schedule-IV

#### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution



control system. A register showing consumption of chemicals used for treatment shall be maintained.

15) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 16) The industry should not cause any nuisance in surrounding area.
- 17) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) The applicant shall maintain good housekeeping.
- 19) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.