Phone : Fax : Email : Visit At :	MAHARASHT 4010437/4020781 /4037124/4035273 24044532/4024068 /40235 enquiry@mpcb.gov.in http://mpcb.gov.in	16	ARASHTRA S	alpataru F cheme Roa ion Circle, s lumbai - 40	Point, 3rd & 4th fl ad No. 8, Opp. Cine Sion (E), 0 022	loor, Sion- Matunga Planet Cinema, Near
Date- To,	: Format 1.01 BO/CAC-Ce 194720174 05/05/2014	ell/EIC N /	lo:-KP-1410	06-13/23rd	CAC/CA-C- 42	28
M/s. JSW S (Coke Drying	/ teel Limited Steel g Plant) I-Pen, Dist-Raigad.					
Kei : 1.	Cenewal of Consent Un Earlier Consent gran 13/1st Operate/CAC-90 Minutes of CAC meetin	ted vide )45 Date	e no. BO/JE d 28/10/20	)(APC)/F	IC No. RD - 2516	
Your appl Dated: 21.	ication: CR1401000078 11.2013				<u>ю</u> .	
For: Rene under Sec Section 2 Authorizat considered	wal of Consent tion 26 of the Water (F 1 of the Air (Prev tion under Rule 5 of 1 and the consent is 1 and as detailed in the	ention the Haz hereby	& Contr tardous W granted av	ol of P astes (M	ollution) Act, , H & T M) Ru	1981 and les 2008 is
2. The car submitt	sent is granted for a period pital investment of the sed by industry) asent is valid for the m Product / By Name Dry Coke	e indust	ry is Rs.1] ture of –	1.55 Crs. Maximur	(As per C. A. Ce n Quantity in M	
4. Conditio	ons under Water (P&C	P). 1974	Act for di		of offluents	
no.	Description	Permi discha	tted quant	tity of	Standards to be achieved	Disposal
1.	Trade effluent Domestic effluent	Nil Nil			NA	NA
<b>h</b> ar					NA	NA
5. Condition	ons under Air (P& CP) Description of stack/	Act, 198 source	31 for air e Number e	missions of Stack	s: Standards to b	e achieved
1.	Coke Drying Plant		1		As per Schedu	le-II
6. Conditio	ns about Non Hazardo	us Was	tas			
Sr. no.			ntity & UoM	Tract		
Nil				Treat	ment Disr	posal
L						
disposal	ns under Hazardous V of hazardous waste:	vaste (M	1, Н & Т М	) Rules,	2008 for treatme	ent and
Sr. T		gory Qi	antity UO	M Trea	tment Dispos	al
No. Nil						
		<u> </u>		<del>,</del>		
JSW Steel	Limited (Coke Drying Plant), SRO Raig	ad 11/1/R/1./	62192000			Page 1 of 7

8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry. 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies. For and on behalf of the Maharashtra Pollution Control Board (Rajeev Kumar/Mital, IAS) Member Sedrefary Received Consent fee of -Sr. Amount(Rs.) DD. No. Date No. Drawn On During the application for existing consent industry has paid consent fees Rs. 2, 50,100.0 + 25,000.0 for the term of five years i.e., upto 31.01.2018. But Board had granted the consent for period upto 31.12.2013 only. Hence the Balance fees is considered during this renewal The balance fees of Rs. 29167/-, with the Board will be considered at the time of next renewal of consent. Copy to: 1. Regional Officer – Raigad and Sub-Regional Officer-Raigad-II, MPCB. They are directed to ensure the compliance of the consent conditions. They are directed to submit Proposal for amalgamation/ common validity of all consents of JSW in Dolvi to be put up in CAC meeting separately. 2. Chief Accounts Officer, MPCB, Mumbai, 3. CC/CAC desk- for record & website updation purposes. Manager Contract JSW Steel Limited (Coke Drying Plant), SRO Raigad II/I/R/L/62192000

.t.r

Page 2 of 7

## Schedule-I Not Applicable Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, Industrial Effluent is Nil.
- 2) A] As per your application, Domestic Effluent is Nil.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act. Sr no Purpose fe

1 31.110.	Purpose for water concurred	- Ar acci
	Purpose for water consumed	Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler	quantity (CMD)
	feed	30.0
2.	Domestic purpose	
3.	Processing whereby water gets polluted &	Nil
	ponutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted &	
	pollutants are not easily biodegradable and are	Nil
	toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

JSW Steel Limited (Coke Drying Plant), SRO Raigad II/I/R/L/62192000

#### Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided following stack (s) and to observe the

Sr. Stack No. Attached To	Height in Mtrs.	Type of Fuel	Quantity	UoM	S %	
1 Vibrating Fluidized Bed Drying System		BF gas Natural		NM3/ dav	Nil	Kg/Day NA
		Gas	40	Ý		

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards

Particulate	Not to exceed	100 mg/Nm <sup>3</sup>	
matter		A A A HI SATATION	
NOx	Not to exceed	10 mg/Nm <sup>3</sup> .	

- 3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act,1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific
- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Page 4 of 7

JSW Steel Limited (Coke Drying Plant), SRO Raigad II/I/R/L/62192000

Mananashter

# Schedule-III Details of Bank Guarantees

Sr. No.	E/O/R)	Amt of BG Imposed	Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (existing to be extended )	Rs. 5/- Ląkhs	15 Days	O & M of Pollution Control System	30.06.2017	31.10.201
	1				4	
					1 in the second se	>
					Doc.	
				All		
		4	00/12			
		37	2 50//m			
		SULC.	) 50////			
	10 <sup>1</sup>	3440				×
	600	SULC				~
	600	2000				-
	600	SHIC			· · · · · · · · · · · · · · · · · · ·	
		SUL			· · · · · · · · · · · · · · · · · · ·	
The second	ted (Coke Drying H	Plant), SRO Briand	7/1/R/L/62192000			

### Schedule-IV

### **General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3)<sup>1</sup>. Industry should monitor effluent quality, stack emissions and ambient air quality
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Page 6 of 7

JSW Steel Limited (Coke Drying Plant), SRO Raigad II/I/R/L/62192000

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  a) A manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.28) The industry shall sale and the Merican decision of the Merican decision.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

Page 7 of 7

JSW Steel Limited (Coke Drying Plant), SRO Raigad II/I/R/L/62192000