MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-19589-13/18th CAC/CA-(-4229

Date-

1/12/2013 05/05/2019 To. M/s. Kalyani Çarpenter Special Steel Pvt. Ltd,

Sr. No. 72-76, Mundhwa,

Pune.

Subject: Amendment of existing Consent by addition of Coal Gasifier Unit with

amalgamation of existing consent with increase in capital investment under RED

Kalpataru Point, 3rd & 4th floor, Sion- Matunga

Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E),

Mumbai - 400 022

category.

Ref

: 1. Earlier Consent granted vide no. BO/JD(APC)/EIC No. PN-14429 12/O/CC-CAC-498 dtd. 12/07/2012.

3. Minutes of CAC meeting held on 15.04.2014

Your application: CO1309000087

Dated: 16/08/2013

For: Amendment of existing Consent by addition of Coal Gasifier Unit with amalgamation of existing consent with increase in capital investment.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

The consent is granted for a period upto 31.07.2014.

The actual capital investment of the industry is Rs. 158.26 Crs. (As per C. A. Certificate (existing 117.95 Cr + 40.31 Cr.)

The Consent is valid for the manufacture of -

Sr. No.	Name	Maximum Quantity in MT/A
1	Finished Products in the form of	12500 MT/M
	ingots or Blooms of various sizes	
	& grades	·

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	130	As per Schedule	On land for
	•		–I	gardening

Conditions under Air (P& CP) Act, 1981 for air emissions:

	A state of the sta							
or.	Description of stack / source	Number of Stack	Standards to be achieved					
1	Boiler (3 nos)	1 Common stack	As per Schedule –II					
2	Annealing Furnace (2 Nos.)	1 Common stack	As per Schedule –II					
3	Walking Beam Furnace	1	As per Schedule –II					
4	Soaking pit	. 1	As per Schedule –II					
5	Electric Arc Furnace	1	As per Schedule –II					
6	Laddle Furnace 2 nos.	1	As per Schedule –II					

Kalyani Carpenter Special Steels Ltd, SRO Pune 1/1/R/L/24082000

Page 1 of 9

7	Electro Slag Re-melting	1	As per Schedule –II
8	Shot Blasting M/c. No. 1	1	As per Schedule –II
9	Shot Blasting M/c. No. 2	1	As per Schedule –II
10	D.G. Set 250 KVA	1	As per Schedule –II
11	D.G. Set 500 KVA	1	As per Schedule –II
12	D.G. Set 180 KVA	1	As per Schedule –II
13	D.G. Set 125 KVA	1	As per Schedule –II
14	D.G. Set 180 KVA	<u> </u>	As per Schedule –II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Slag Ball	2191 MT/M		By Sale / Land fill
2	Slag Overflow	260 MT/M		By Sale / Land fill
3	Debris	35 MT/M		By Sale / Land fill
4	Bricks	10 MT/M		By Sale
5	Metal Waste	630 MT/M	-	Reuse
6	Grinding Dust	145 MT/M		Reuse
7	Misc. (Packing material, wood, Paper, Hard Board & glass)	20 MT/M		By Sale
8	Process Dust	200 MT/M		Landfill with Permission & Partial Reuse

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

OI II	azaruous wasic.	}				
	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used /Spent Oil, Waste	5.1 & 5.2	200	Kg/Day		Sale to Authorized
	residue containing Oil					reprocessor

8. This consent is issued with overriding effect to earlier consent granted vide No. BO/JD(APC)/EIC No. PN-14429-12/O/CC-CAC-498 dtd. 12/07/2012.

9. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Rajeev Kumar Mital, IAS) Member Secretary

Received Consent fee of -

100001.00		Control of the Contro	D 0
Sr. Amount(Rs.)	DD. No.	Date	Drawn On
1			

Industry has paid the excess amount of Rs. 3,61,830 to the Board at the time of existing plant renewal of consent. The consent fee of Rs. 125000/- is adjusted in the C to E of expansion project and Rs. 75000/- in this 1st consent to operate of coal gasifier unit. Hence, the balance fees Rs. 161830/- with the Board which will be considered at the time of next renewal of consent.

Copy to:

- And the state of t 1. Regional Officer - Pune and Sub-Regional Officer- I, MPCB, Pune. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Page 3 of 9

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) As per your consent application, you have provided the sewage treatment system with the design capacity of 130CMD of their existing unit.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 - (1) Suspended Solids.

....

Not to exceed

100 mg/l.

(2) BOD 3 days 27oC. Not to exceed

100 mg/l.

- C] The treated sewage shall be recycled/reused to maximum extent & remaining shall be disposed on land 4.44 acres for gardening/plantation
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	600
2.	Domestic purpose	400
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Page 4 of 9

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also

erected following stack (s) and to observe the following fuel pattern-

Sr.	ollowing stack (s) Stack	APC	Height	Type of	Quantity &	S %	SO_2
No.	Attached To	System	in Mtrs.	Fuel FO &	UoM 400 Lit/Hr	4%	Kg/Day
1	Boiler (3 nos)	dust	20 5 84+-	Biodiesel	400 111/11	470	100
		collector	30.5 Mtr.	Biodiesei		دم بياليد	
	1-	& Damper	20.84**	FO &		7.	
2	Annealing		30 Mtr.	Biodiesel			
<u> </u>	Furnace (2 Nos.)				1		
	14/ 11: - 0	D		FO, Biodiesel &			
3	Walking Beam	Damper	49 Mtr.	l .	:		-
	Furnace	Provided		Oxygen			
				Injection	-		
		Dammar		FO, Biodiesel &		•	
4	Soaking pit	Damper	39 Mtr.	1			
		Provided		Oxygen Injection			
	Flootrie Are	Common		Electricity			<u> </u>
5	Electric Arc Furnace	Common Fume	10	Electricity	\)**		
		extraction		Electricity			-
6	Laddle Furnace 2	system, Dust	10	Electricity	Ì		1
	nos.	collector		Electricity		ļ	
		with Bag		Electricity	·		
	Electro Slag Re-	house &					
7	melting	Damper	10 Mtr	*			
,	meiting	system					
	•	provided.]	
<u> </u>		Bag Filter		Electricity		<u> </u>	
	Shot Blasting	system &		Licetricity			
8	M/c. No. 1	chimney	13 Mtr.			ŀ	
	141/ 6. 140. 1	provided.				1	
 	•	Bag Filter		Electricity		İ	
	Shot Blasting	system &		2.000.70.07	İ		
9	M/c. No. 2	chimney	18 Mtr.				-
		provided.			*		
		Acoustic	Height of	HSD		1%	16.8
10	D.G. Set 250 KVA	Enclosure	the roof +		35 Lit/HR.		
		provided	5M				
		Acoustic	Height of	HSD		1%	24
11	D.G. Set 500 KVA	Enclosure	the roof +		50 Lit/HR.		
	J. 3. 321 333 NV	provided	5M				
		Acoustic	Height of	HSD		1%	9.6
12	D.G. Set 180 KVA	Enclosure	the roof +		20 Lit/HR.		
12	5.0.300 NVA	provided	3.5M		1		
		Acoustic	Height of	HSD		1%	1.2
13	D.G. Set 125 KVA	Enclosure	the roof +		15 Lit/HR.	}	1
13	3.5.56.225	provided	3.5M		'		
-		Acoustic	Height of	HSD	1	1%	9.6
14	D.G. Set 180 KVA	Enclosure	the roof +		20 Lit/HR.		
14	D.G. 3Ct 100 KVA	provided	5M				
1		Pioriaca				and on fiv	

Industry has installed Coal Gassifier for production of produce gas which will be used as fuel in rolling mill. The coal Gassifier has reduced usage of Furnace Oil from 1200 ltrs/Hr to 400 Ltyrs/Hr as per submission of the industry.

V just

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .
matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if que to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

THE PARTY OF THE P

Page 6 of 9

Schedule-III Details of Bank Guarantees

Sr. Consent (C to E/O/R)		Purpose of BG	Compliance Period	Validity Date
1 C to R		Towards operation and maintenance of Air Pollution control devices	31.07.2014	30.11.201 4

Maraka Kra Olikion Control Board

Kalyani Carpenter Special Steels Ltd, SRO Pune 1/1/R/L/24082000

Page 7 of 9

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Page 8 of 9

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----

N ph