### MAHARASHTRA POLLUTION CONTROL BOARD

Phone

4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No :- Format1.0/BO/CAC-cell/ EIC-KN-6501-13/R/CAC - 4236 Date-05 |05 |2014

To,

M/s Monarch Catalyst Pvt. Ltd.,

Plot No. A-94, F-1/1 & F-1/2, MIDC, Ph-I, Dombivli.

Subject: Renewal of Consent to Operate and first consent to operate with amalgamation RED category.

Ref

- : 1. Earlier Consent to operate granted vide no BO/RO(HQ)/Kalyan/CO/R/CCHWA/B-653, dtd. 13/02/2009.
- 2. Consent to establish for expansion granted vide no. BO/MPCB/RO(HQ)/Kalyan/CE/B/CC-571, dtd. 10/09/2012.
- 3. Minutes of 1st CAC meeting of 2014-15 held on 15.4.2014

Your application CR1306000190

Dated: 15/06/2013

For: Consent to 1st Operate/Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

The consent is granted for a period from 1.8.2013 to 30.4.2015

The capital investment of the industry is Rs. 82.34 Crs. (As per C.A.Certificate submitted by industry)

The Consent is valid for the manufacture of

Sr.	Product / By-Product Name	Maximum Quantity in MT/A
No.		
	Products	
1	Nickel Catalyst	3000
2	Monolites (Zeolites)	12
3	Monolphos (Aluminophosphates)	12
4	Silver Chemicals	12
5	Activated Alloy (Raney) Catalyst	720
6	Precious Metal Catalyst	48
	By-Products	
1	Catalyst Recovered Oil	1800
2	Nickel Sulphate as Nickel	600
3	Sodium Alumunate Solution	5634
4	Nickel Aluminium Alloy	96
5	Aluminium Hydroxide	1836
6	Aluminium Trihydrate	1356
7	Alum Solution	2628
8	Noble Metal Chemicals	6
9	Noble Metal (Sponge & Flats)	1.20

Conditi	ons under Water (P&C)	2), 1974 Act for discharge	or enruent:	
Sr.	Description	Permitted quantity of	Standards to be	Disposal
no.	12	discharge (CMD)	achieved	3
1.	Trade effluent	450	As per Schedule -I	CETP '
2.	Domestic effluent	19	As per Schedule -I	Gardening / tree plantation

Page 1 of 7

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be achieved
no.	source		A G.1. Jule II
1.	Scrubber 101+103	11	As per Schedule -II
2.	Furnace 103/104/105	1	As per Schedule -II
3.	SFD 201 & 202 (Dryer)	1	As per Schedule -II
4.	Gas Preheater H 302/307	1	As per Schedule -II
5.	Scrubber-501, 502 & 503	1	As per Schedule -II
	Furnace-501, 502, 503	1	As per Schedule -II
6. 7.	SG 601, STB-602- Coal Fired	1	As per Schedule -II
<i>'</i>	Boiler		A Cohodulo II
8.	CH-601, 602+ CH-603 (DG Set)	1	As per Schedule -II

Sr. no.	Type Of	Quantity & UoM	Treatment	Disposal
1	Bags	26		Sale to MPCB Authorised party
2	Liners	8.4		Sale to MPCB Authorised party
3	Paper Bags	9.6		Sale to MPCB Authorised party
4	Coal Dust	480		For brick making & landfilling
5	Fly Ash	30		For brick making & landfilling

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

				TION	Topotesont	Disposal
Sr.	Type Of Waste	Category	Quantity	UOM	Freatment	Disposat
No.				2.500		CHWTSDF
1	Chemical sludge from	34.3 of	16	MT7A	_ '	CUMISOL
^	1	Sch-I		<b>*</b>		
		3 3	1.20	MT/A	_	MPCB/CPCB
2	Sluage & Filters			ř		recycler
	contaminated with oil		70000	NI-a /A		MPCB/CPCB
3	Discarded		T0000	NOS./A	_	
	Containers/barrels/ liners	Sch-I				recycler
4			606	MT/A	-	CHWTSDF
4			<b>)</b> , **			
	(Silica Siuage)	DOM-11	<b>!</b> *		1	
				BATTL/ A		CHWTSDF
5	Nickel Compound		237	WII/A	-	OH TODI
-		Sch-II	1		1	
	(1100000 10001011)					
	Sr. No. 1 2 3 4	Chemical sludge from WWT Sludge & Filters contaminated with oil Discarded Containers/barrels/ liners Nickel Compound (Silica Sludge)	Sr. Type Of Waste  Category  Chemical sludge from 34.3 of Sch-I  Sludge & Filters 3.3  contaminated with oil Sch-I  Discarded 33.3  Containers/barrels/ liners  Nickel Compound (Silica Sludge)  Nickel Compound  Sch-I  Sc	Sr. Type Of Waste  Category  Quantity  Chemical sludge from WWT  Sch-I  Sch-I  Sch-I  Discarded Containers/barrels/ liners  Nickel Compound (Silica Sludge)  Nickel Compound  Sch-I  Sch	Sr. Type Of Waste  Category  Quantity  UOM  Chemical sludge from  WWT  Sch-I  Sludge & Filters  contaminated with oil  Biscarded  Containers/barrels/ liners  Containers/barrels/ liners  Kickel Compound  (Silica Sludge)  Sch-I  Nickel Compound  Sch-II  Sch-II  Sch-II  WT/A  MT/A	Chemical sludge from   34.3 of   16   MT/A   -

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

> (Rajeev Kumar Mital, IAS) Membe

eceived Consent fee of -

Amount(Rs.)		Date	Drawn On	ur tuu e
25000	025835	05/06/2013	Axis Bank	
<u> </u>		27/05/2013	Axis Bank	
		30/4/2014	Axis Bank	
		Amount(Rs.) DD. No.  25000 025835  75000 025789	Amount(Rs.)    25000   025835   05/06/2013	Amount(Rs.)         DD. No.         Date         Drawn Cn           25000         025835         05/06/2013         Axis Bank           75000         025789         27/05/2013         Axis Bank           25000         25789         27/05/2013         Axis Bank

Copy to:

- 1. Regional Officer -Kalyan and Sub-Regional Officer-kalyan-II, MPCB, kalyan. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

### Schedule-I

## Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 400 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules

made there under from time to time, whichever is stringent.

le there under from time t	o tille, wilchever is stringent.		
Parameters	Standards prescribed by Board (If any)		
	Limiting Concentration in mg/l, except for pH		
рН	5.5 to 9.0		
Oil & Grease	10.0		
BOD (3 days 27oC)	100		
Total Dissolved Solids	2100		
Phenolics (C6H5OH)	5		
Phosphate(as P)	5		
Ammonical Nitrogen (as N)	50		
Nickel (as Ni)	3		
Suspended Solids	100		
COD	250		
Copper	2		
Zinc	2		
	pH Oil & Grease BOD (3 days 27oC) Total Dissolved Solids Phenolics (C6H5OH) Phosphate(as P) Ammonical Nitrogen (as N) Nickel (as Ni) Suspended Solids COD Copper		

C ) The treated effluent shall be recycled to maximum extent and remaining shall be discharged to the CETP- 450 CMD

2) The treated sewage shall be discharged to the CETP.

3) Board reserves its rights to review plans specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety

of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I

and other provisions as contained in the said act.

and o	other provisions as contained in the said act.	(0) (0)
	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or	160
<u> </u>	boiler feed	25
2.	Domestic purpose	
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	532
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

In addition to above, Water used for Gardening/Agriculture-20 CMD.

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Page 3 of 7

### Schedule-II

# Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

	erected following		TIL COLUMN	Type of	Quantity	S %	$\mathrm{SO}_2$
Sr.	Stack	APC				5 /1	
No.	Attached To	System	in Mtrs.	Fuel	& UoM		Kg/Day
1	Scrubber 101+103	Caustic	20.00				
		Scrubbing			1.0 KL/Day	4.5 %	90
2	Furnace	Waste Heat	18.00	Furnace Oil	1.0 KL/Day	4.5 /	30
	103/104/105	Recovery					
		Boiler &					
		Spray Cyclone				•	
		Cyclone					<b>N</b>
3	SFD 201 & 202	Sentered	18.00	LPG		🐧	-3
3	(Dryer)	Filter		j	25000 Kg/M		,
4	Gas Preheater H		20.00	LPG		- ( )	
	302/307						
5	Scrubber-501, 502	Caustic	18.00				
	& 503	Scrubbing			4.0.1(1.00	4.5 %	90
6	Furnace-501, 502,	Waste Heat	24.00	Furnace Oil	1.0 KL/Day	4.5 %	30
	503	Recovery				1	
		Boiler &					
ļ		Spray Cyclone					
		Cyclone					
7	SG 601, STB-602-	Waste Heat	30.00	Coal	10 MT/Day	1.0 %	100
<b>'</b>	Coal Fired Boiler	Recovery					kg/day
	Court nod 20.10.	Boiler &					
		Spray		1 7 7			
		Cyclone	<b>.</b>				
			1000	TICD.	5000 Lit/M	350	0.058
8	CH-601, 602+	Acoustic	18.00	HSD	SOOO LIVIVI	mg/Kg	0.000
i	CH-603 (DG Set)	Enclosure		<u></u>	<u></u>	133	

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time CREP guidelines.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

system, so as to access.	
Particulate Not to exceed	100 mg/Nm <sup>3</sup> .
matter	
HCL Not to exceed	$35 \text{ mg/Nm}^3$
NH <sub>3</sub> Not to exceed	50 ppm

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 4 of 7

### **Schedule-III Details of Bank Guarantees**

Sr. No	Consent (C to E/O/R)	Amt of BG Imposed	Submiss- ion Period	Purpose of BG	Compliance Period	Validity Date 30.11.2014
1	1st operate (expansion) & renewal & amalgamation	Rs. 5.0 Lakh	15.1.2013	O & M of pollution control system	Continuous	30.11.2014

Maharashtra Polition Coltro Board

Page 5 of 7

### Schedule-IV

### **General Conditions:**

The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.

Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to

abide by terms and conditions of this consent.

The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision

contain in the HW(MH&TM) Rules 2008, which can be recycled

/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for

the preceding year April to March in Form-IV by 30th June of every year.

11) An inspection book shall be opened and made available to the Board's officers during their

visit to the applicant.

12) The applicant shall make an application for renewal of the consent at least 60 days before the

date of the expiry of the consent.

13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

16) Neither storm water nor discharge from other premises shall be allowed to mix with the

effluents from the factory.

17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

18) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of Page 6 of 7

insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG Set

manufacturer. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure.

- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

19) The industry should not cause any nuisance in surrounding area.

20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

21) The applicant shall maintain good housekeeping.

22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary

permissions from civic authorities for disposal of solid waste

24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

29) Industry shall comply with the condition of registration for recycling and reprocessing of his waste.

30) Industry shall not exceed qty of Spent nickel catalyst more than 2000 MT/A and if it exceeds then industry shall obtain registration from competent authority and amendment in consent to operate from MPCB.

----0000-----

Page 7 of 7