# MAHARASHTRA POLLUTION CONTROL BOARD

Phone:

4010437/4020781

/4037124/4035273

Fax

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At :

http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent order No:- Format 1.0/BO/CAC-cell/EIC-MU-5100 -13/R/CAC- 4519
Date- 12.5.2014

To, Eastern International Hotel Ltd Novatel Hotel Juhu Beach, Balraj Sahani Marg mumbai -400049

Subject: Consent to Renewal.

Ref

- 1. Previous Consent to Operate granted vide no. BO/RO(HQ)/Mumbal/COR/CC-92 dated 2.9.2010.
- 2. Minutes of 2<sup>nd</sup> CAC meeting of 2014-15 held on 28.4.2014.

Your application CR1304000235 Dated: 26.03.2013

For: Consent to Renewal with Amendment in CI under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule 1, H. HI & IV annexed to this order:

1. The consent is granted for a period from 1.4.2013 up to 31.5.2018.

2. The actual capital investment of the industry is Rs 137.45 Crs. (As per C.A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No. Product / By-Product Name	Maximum Quantity
1. 5 star Hotel activity ,including restaurant lodging ,swimming pool , Laundry activity	203 Rooms (total plot area- 8016.60 sq. mtrs & BUA- 13423.32 sq. mtrs)

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	29.20	As per Schedule –I	Recycle & excess discharge into MCGM drainage
2.	Domestic effluent	234.00	As per Schedule –I	Recycle & excess discharge into MCGM drainage

5 Conditions under Air (P& CP) Act, 1981 for air emissions:

S	r.	Description of stack /	Number of Stack	Standards to be achieved
1	. <b>O.</b>	D.G. Set (2 Nos -1250	2	As per Schedule –II
$\frac{1}{2}$		KVA) Each kitchen Exhaust fan	1	As per Schedule –II

SRO Mumbai II/I/R/L/89829000"eastern hotel"

Page 1 of 7

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal	
1	Wet garbage	11 Kg/Day	Organic Waste Convertor	Used as Manure	
2	Dry garbage	79.00Kg.day	Segregate and Handed over MCGM		
3	STP Sludge	148.00 Kg.day	Nil	Used as Manure	

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste	Category	Quantity & UoM	Treatment Disposal
1	Oil waste	5.1	200 Li /Hr	Authorised Authorised vendor of Vendor of MPCB
2	E-waste			Authorised vendor of MPCB

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities <u>as well as local Body</u>.

For and on behalf of the Maharashtra Pollution Control Board

(Rajeev Kumar Mital

Received Consent fee of -

	Amount(Rs.)	DD. No.	Date	Drawn On	
No.	244015	000502	15.03.2013	Saraswat co- ban	k
1.	976063	001140	23.5.2013	Saraswat co- ban	k
3	216503	001141	23.05.2013	Saraswat co- Ban	k
4	696446	002492	6.5.2014	Saraswat co- Ban	k

Copy to:

- 1. Regional Officer -Mumbai and Sub-Regional Officer-Mumbai-II, MPCB, Mumbai. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

#### Schedule-I

# Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided primary treatment for trade effluent and Sewage Treatment Plant (STP) with the design capacity of 250 CMD.
  - B] The Applicant shall operate the Sewage treatment plant (STP) to treat the trade and sewage effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards as per EP Act,1986
		Limiting Concentration in mg/l, except for pH
01	рН	5.5-9
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Detergents	1
05	Suspended Solids	50
06	COD	100

- C ) The treated effluent shall be 60% recycled and reused for flushing, cooling of air conditioners, gardening & remaining shall be discharged into sewerage system provided by MCGM.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	24
2.	Domestic purpose	235
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	32
4.	Processing whereby water gets polluted & pollutants are not easil biodegradable and are toxic/agriculture flushing	12

h pt

Page 3 of 7

#### Schedule-II

# Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
	D.G. Set (2 Nos - 1250 KVA)		7* each	Diesel	300 Lit/Hr	1%	144

above roof of the building in which it is installed

2. The applicant shall operate and maintain above mentioned air pollution system, so as to achieve the level of pollutants to the following standards:

				 ***	
SPM/TPM	Not to exceed	150	mg/Nm <sup>3</sup> .	*	

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.

4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of

any control equipment, other in whole or in part is necessary).

### <u>Schedule-III</u> Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period		Compliance Period	Validity Date
1	Renewal of consent	Rs. 5 lakh	15 days from date of issue of consent	Towards 0 & M of pollution control system	Continuous	30.9.2018

Marain Shira Polition Control Board

SRO Mumbai II/I/R/L/89829000"eastern hotel"

Page 5 of 7

#### Schedule-IV

### **General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by  $30^{\rm th}$  June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their
- visit to the applicant.

  12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or Page 6 of 7

for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure.

- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel

19) The industry should not cause any nuisance in surrounding area.

20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

21) The applicant shall maintain good housekeeping.

22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary

permissions from civic authorities for disposal of solid waste.

- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 27) Hotel authority shall not carry out any expansion without prior permission of the Mala

---00---

Page 7 of 7