MAHARASHTRA POLLUTION CONTROL BOARD

Phone

Email

Visit At :

Fax

: 4010437/4020781 /4037124/4035273 : 24044532/4024068 /4023516 : enquiry@mpcb.gov.in

http://mpcb.gov.in

MAHARASHTRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

Page 1 of 9

Cell/ EIC No AD-13173-13/4th CAC/ CAC- 4708 Consent order No :- Formate1.0/ BO/CAC Date-19/05/2014 To, M/s Sterlite Technologies Limited E-1,E2,E3 & Gut No 14 -MIDC Waluj, Aurangabad -431136 Maharashtra ,India Subject: 1st Consent to Operate and amalgamation with existing consent RED category. : 1. Earlier Consent granted vide no. BO/BO/JD(PAMS)/EIC No.AD-8927-Ref 11/R/CAC-236 dtd 03/02/2012. 2. Minutes of CAC meeting held on 12.05.2014 Your application:CO1306000296 Dated: 30 May 2013 For: 1st Consent to Operate and amalgamation with existing consent. under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from date of issue of consent to 30.06.2014.

- 2. The actual capital investment of the industry with expansion is Rs. 650.83Crs. (As per C.A.Certificate submitted by industry)
- 3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	UOM	Maximum Quantity
1	Optical fiber	LFKM/M	15
2	Sicl4	MT/M	350
3	Glass Performs	MT/M	50
<u> </u>	Power Generation	MW	6
5	Hydrogen	m3/month	696000
6	Oxygen	m3/month	372000
	By-Product Name		
1	Sio2	MT/M	90
2	HCl	KL/M	2100
3	Sodium hypo chlorite	KL/M	240

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	33	As per Schedule –I	Recycle
2.	Domestic effluent	15	As per Schedule –I	Land for gardening

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler	3	As per Schedule -II
2.	Process vents	5	As per Schedule -II
3.	DG set	2	As per Schedule -II
4.	CPP	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

		1 N	÷	
Sr.No.	Type of Waste	Quantity	UOM	Disposal
1	Glass	N7	MT/M	By Sale to recycler
2	Optical fibre waste	16	MT/M	By Sale to recycler
3	Coating Resin Plastic Cans	5000	Nos/M	By Sale to recycler
4	Glass Soot	2000	Kg/M	By Sale to recycler
5	Heavy & Light ends of Silica glass	10	MT/M	By Sale to recycler

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Disposal
1	27.1 Silicone-containing residues (silica residues)	27.1	32	MT/M	By CHWTSDF
2	34.3 Chemical sludge from waste water treatment	34.3	55	MT/M	By CHWTSDF
3	5.1 Used /Spent, Oil/Furnace Oil sludge (Oil containing residues)	5.1	3.6	MT/M	By Sale authorized recycler/reuser

Page 2 of 9

M/s Sterlite Technologies Ltd, SROAurangabadl/I/G/S/73605000

4	9.1 Lead slag/Lead acid batteries	9.1	250	No/Y	By Sale authorized recycler/reuser
5	20.2 Spent solvents	20.2	24.5	MT/M	By Sale authorized recycler/reuser

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. This consent is issued by overriding consent no. BO/BO/JD(PAMS)/EIC No.AD-8927-11/R/CAC-236 dated 03/02/2012.

For and on behalf of the Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS) Member Sectetary

	ved Consent fee of			Drawn On
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	1803463	009409	05.May.11	ICICI Bank
2	119897	018587	17.Aug.11	ICICI Bank
3	1923330	019737	12.Dec.11	ICICI Bank
4	30	018368	10.Oct.11	ICICI Bank
5	100	019322	20.Aug.11	ICICI Bank
6	50000	034410	29.May.13	ICICI Bank

Copy to:

- 1. Regional Officer -Aurangabad and Sub-Regional Officer-I, MPCB, Aurangabad. They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

M/s Sterlite Technologies Ltd, SROAurangabadI/I/G/S/73605000

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 55CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
1	pH	5.5-9
2	Oil & Grease	10
3	BOD (3 days 27oC)	100
4	Total Dissolved Solids	2100
5	Suspended Solids	100
6	COD	250
7	Chlorides	600
8	Sulphates	1000
9	Fluoride	15
10	Residual Chloride	3

- C) The treated effluent shall be 100% recycled in the process and remaining disposed on land for gardening.
- 2) A.] As per your consent application, you have provided the septic tank and soak pit.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/n.
(2)	BOD 3 days 27°C.	Not to exceed	30	mg/l.
1467	COD	Not to exceed	100	mg/l.

- C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically & treated sewage shall be disposed on land for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unif or establish any treatment and disposal system or and extension or addition thereto.

Page 4 of 9

M/s Sterlite Technologies Ltd, SROAurangabadl/l/G/S/73605000

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	827.9
2.	Domestic purpose	45.4
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	43.1
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	78

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

1

Page 5 of 9

Cherry Contraction

M/s Sterlite Technologies Ltd, SROAurangabadI/I/G/S/73605000

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO2 Kg/Day
1	Process stack/vents	Scrubber & Bag house	30,30,30,30,20	-	-	-	Ó,
2	ETP steam Boiler	Stack	30	FO	70 Kg/Hr	4.5	151
3	SiCI4 steam Boiler	Stack	15	FO	83 Kg/Hr	4.5	179
4	SiCL4 Boiler New	Stack	30	FO	150 Kg/hr	4.5	324
5	CPP 6 MW	Stack	60	FO	1.2 KL/Hr	4.5	2592
6	CPP Stand-by	Stack	60	FO	1.2 KL/Hr	4.5	2592
7	D.G.Set 1500 KVA	Stack	10	Diesel	0.5 KL/M	1	0.3
8	D.G.Set 800 KVA	Stack	10	Diesel	0.5 KL/M	1	0.3

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
HCL	Not to exceed	35 mg/Nm ³
Cl ₂	Not to exceed	3 mg/Nm ³

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 6 of 9

M/s Sterlite Technologies Ltd, SROAurangabadI/I/G/S/73605000

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Complian ce Period	Validity Date
1	C to O	Rs 5 lakhs	By 31.05.2014	Towards O & M of Pollution control system		30.08.2014
2	C to O	Rs 10 lakhs	Submitte d	Towards compliance of consent conditions	30.06.2014	31.01.2015

M/s Sterlite Technologies Ltd, SROAurangabadl/I/G/S/73605000

14 m V.

14

17

Page 7 of 9

<u>Schedule-IV</u>

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Page 8 of 9

M/s Sterlite Technologies Ltd, SROAurangabadI/I/G/S/73605000

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

-0000-----Páge 9 of 9 M/s Sterlite Technologies Ltd, SROAurangabadl/I/G/S/73605000