

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 /24023515
Website: <http://mpcb.gov.in>
E-mail: mpcb@vsnl.net



Kalpataru Point, 2nd - 4th Floor,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai - 400 022

Red/LSI

Date: 16/05/2014.

Consent No: Format 1.0/BO/CAC-CELL/EIC No.- PN-17916-13/O/CAC- 1590

To,
M/s. Shri Vitthal SSK Ltd. (Sugar),
Venunagar - Gursale, Tal. Pandharpur,
Dist- Solapur.

Subject : Renewal of Consent of Sugar & Co-gen unit under RED category.

Ref : 1. Earlier provisional Consent to operate for sugar unit granted vide No. BO/CAC - CELL/EIC No. - PN-17916 -13/R/CAC - 1419 dated 11.02.2014.
2. Minutes of CAC meeting held on 15/04/2014.

Your application: CR 1304000395.
Dated: 30/04/2013.

For: Renewal of Consent of Sugar & Co-gen unit.

Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II & III annexed to this order:

1. The consent is granted for a period from 01.04.2013 to 31.07.2014.
2. The actual capital investment of the industry is Rs. 140.16 Cr.
(As per C. A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity in MT/M
1	Sugar	18150
2	Bagasse	49500
3	Press mud	6000
4	Molasses	6500
5	Co-Generation	14 MW

(The cane crushing Capacity of Sugar Industry shall not exceed 5000 TCD)

Conditions under Water (P&CP), 1974 Act for discharge of effluent:


Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	643	As per Schedule -I	On land for irrigation
2.	Domestic effluent	41	As per Schedule -I	On land for irrigation

4. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler - I	1	As per Schedule - II
2.	Boiler - II	1	As per Schedule - II
3.	Boiler - III	1	As per Schedule - II
4.	Boiler - IV	1	As per Schedule - II

5. Specific conditions (Sugar Industries) with Bank Guarantees along with time bound programme for compliance


Sr. No	CODE	Consent conditions	BG amount	Time for compliance
1	SC 1 A	Industry shall reduce waste water generation to 100 liters per ton of cane crushed.	Nine Lacs	31.12.2014.
	SC 1 B	Industry to provide flow meter at inlet of ETP of Sugar & Co-Gen unit.	One Lacs	
2	SC 2 A & B	As per the design data submitted by the industry existing ETP unit i.e. Equalisation Tank is oversized and Aeration Tank is not adequate for higher hydraulic retention time as per the thumb rule. The ETP is inadequately designed for it to achieve desired levels of standards. The industry must upgrade & make the ETP operational with improvement to meet the standards.	Ten Lacs	31.12.2014.
	SC 2 C	Separate Primary ETP to be provided for DM plant effluent & cooling water.	Ten Lacs	
3	S 3	Make arrangements to cover the effluent collection and carrying system to avoid the ingress of bagasse and other material.	Two Lacs	30.06.2014.
4	SC 5	Industry shall upgrade existing Air Pollution Control System by		31.12.2014.
	SC 5 A	Providing adequate stack height	Two Lacs.	
5	SC 5 B	Providing ESP/Bag filters/ Wet scrubber as per CREP condition.	Eight Lacs.	
6	SC 6	Plans to be submitted for Utilization of Fly ash & Bottom ash as per Fly ash Notification	10000/-	30.06.2014.
7	SC 7	O & M for achieving consented standards of Effluent	Five lacs	Monthly
8	SC 8	O & M for achieving consented standards of Stack emission		Monthly



6. Industry shall submit the above bank guarantees to the Regional Office, Pune up to 31.05.2014 which are valid for one year.

7. Conditions to be complied on the basis of recommendations made by NEERI & Directions issued by the Board.

Sr. No.	Direction	Amount of BG	Compliance period
1	Industry shall restrict production activity strictly to the Consented capacity till obtain EC and Consent to Operate for the expanded capacity. Also insure that the production is restricted to Consented capacity industry shall submit Board Resolution about not to repeat the violation.	5.0 Lakhs	Continuous
2	Industry shall operate & maintain ETP round O clock, so as to achieve the standards prescribed in the Consent for disposal of treated effluent on land for irrigation purpose only.	Nil	Continuous
3	Industry shall provide one more sump with proper lining of the recommended material for storage & pumping of the treated effluent to the agricultural land owned by the industry. Located at higher elevation and thereby, avoid any possible ground water contamination, as recommended by NEERI, within 60 days time from the date of issuance Directions by RO, Pune ensuring the compliance of recommendations made by NEERI in its report dtd. 05.02.2014.	5/- Lakhs	60 days from date of issuance of directions by RO, Pune i.e., upto 12.04.2014
4	Industry shall dispose off total treated effluent after achieving standards prescribed for irrigation purpose in the Consent on own land only and stop supply of treated effluent to other farmers in order to avoid unscientific utilization thereof on their land. Industry shall prepare proper irrigation plan for utilization of treated effluent scientifically on own land of industry only	Nil	within 30 days time from issuance of directions by RO, Pune i.e., upto 12.03.2014 and start its implementation w.e.f. 01/04/2014.
5	Industry shall replace fixed type fixture with floating fixtures or diffused aeration to facilitate continuous operations of fixtures irrespective of the water level maintained in the tank, as recommended by the NEERI.	Nil	within 30 days time from issuance of directions by RO, Pune i.e., upto 12.03.2014
6	Industry shall consider to redesign and revamp V-Notch by providing requisite width of channel with proper gradient to maintain free flow in addition to electronic flow meter provided by the industry and	Nil	submit proposal within 15 days time from issuance of directions by RO, Pune
7	Industry shall provide mechanical tube type	Nil	within a period of



	oil skimmer for effective removal of Oil & grease.		one month from issuance of directions by RO, Pune i.e., upto 12.03.2014
8	Industry shall prepare proper documentation to be followed for the purpose of scientific lime dosing by using dosing pump to ensure optimum chemical dosing.	Nil	within 30 days time from issuance of directions by RO, Pune i.e., upto 12.03.2014
9	Industry shall adopt effective organic removal practices in a biological process, so as to ensure that proper active biomass build up in aeration tank and proper record thereof is kept. Similarly, industry shall prepare appropriate documentation of scientific HRT application, F/M ratio and D.O. concentration in aeration tank etc.	Nil	Continuous
10	Industry shall provide online pH meter to maintain pH value in the range of 6.8 to 7.2.	Nil	within 2 months time from issuance of directions by RO, Pune i.e., upto 12.04.2014
11	Industry shall restrict regular addition of cow dung and maintain pH and aerobic condition in aeration tank by appointing Environmental Engineer for proper operation & maintenance of ETP, documentation, record keeping.	Nil	within 3 months time from issuance of directions by RO, Pune i.e., upto 12.05.2014
12	Industry shall strengthen Laboratory Infrastructure and depute a personnel having chemical background in the Environmental Cell.	Nil	Continuous

9. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type of Waste	Categor y	Quantit y	UOM	Disposal
1	Waste/residue containing oil	5.2	9.3	MT/A	Reuse in own boiler as fuel
2	Chemical sludge, oil & grease skimming residues.	34.4	5.0	MT/A	Used as fuel.

10. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Treatmen t	Disposal
1.	Fly/Boiler Ash	20	MT/D	-	Sale to Bricks manufacturers

11. Industry shall provide separate Energy Meter to all pollution Control Devices.
12. Industry shall not discharge any Solid material, toxic material or untreated effluent which would contaminate the groundwater in the surrounding to the place of sugar factory, within radius of 5.0 Km and submit Bank Guarantee of Rs. 5.0 Lacs towards the compliance of the same.
13. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
14. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)
Member Secretary

Received Consent fee of –

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	Rs. 3,42,500/-	028329	16.03.2013	Bank of India.
2	Rs. 1,14,170/-	028497	17.04.2013	Bank of India.

Copy to:

1. Regional Officer – MPCB Pune. – He is directed to ensure the compliance of specific condition no. 12 as per the order passed by the Hon'ble NGT vide dtd. 14.03.2014. Also directed to duly verify the monitoring reports regularly and violations if any to be reported to CAC cell.
2. Sub -Regional Officer –MPCB, Solapur. – He is directed to ensure the compliance of the consent conditions
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk, for record & website updation purposes.

Schedule-I

I) Terms & Conditions for compliance of Water Pollution Control

A] As per your application, you have provided Effluent Treatment Plant (ETP) with the design capacity of **1000 CMD**.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	pH	5.5-9.0
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Sulphate	1000
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Total Dissolved Solids	2100

C] The treated effluent 643 CMD shall be disposed on land for irrigation on 345 Acres of own land.

D] CREP conditions for Sugar Factory

- i. Operation of ETP shall be started at least one month before starting of cane crushing to achieve desired MLSS. So as to meet prescribed standards from day one the operation of mill.
- ii. Waste water generation shall be reduced to 100 liters per tone of cane crushed.
- iii. Industry shall achieve zero discharge into in land surface water bodies.
- iv. 15 days storage capacity tank shall be provided for treated effluent to take care of no demand for irrigation.


E] Industry to make necessary arrangement to cover the effluent collection system and to avoid the ingress of Bagasse other material

2) A] As per your consent application, for the 41 CMD sewage generation you have provided the septic tank & soak pit.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

- (1) **Suspended Solids** Not to exceed **100 mg/l.**
- (2) **BOD 3 days 27°C** Not to exceed **100 mg/l.**

C] The treated sewage shall be disposed on land for gardening/irrigation.



- 3) The industry shall have bilateral agreement with the farmers on whose land the treated effluent is used for irrigation purposes and a copy of the agreements with validity shall be submitted to the Regional/Sub- Regional Office of the Board.
- 4) The industry shall create Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.

1) CONDITIONS FOR MOLASSES STORAGE:

- (i) The molasses shall be properly collected and stored in steel tanks which shall be leak proof. At no stage of handling of molasses, there shall be leakage or spillage.
- (ii) The capacity of tanks for storage of molasses shall be such that it will take care of bumper production of sugar, non-lifting of molasses etc.
- (iii) All the area on which molasses are stored and handled should be provided with drain for diverting the spills to the treatment plant/ molasses tank. Suitable arrangements for accidental discharges of molasses from the tanks shall be provided to contain the same within factory premises.
- (iv) Destruction of molasses and its disposal shall not be done without specific permission in writing from the authorized officer of the Board. Intimation of intention to destroy or dispose of the molasses shall be given to the Board atleast 15 (fifteen) days in advance by registered post under intimation to the Sub-Regional officer and Regional officer of the Board under whose jurisdiction the factory is situated.
- (v) The storage tanks shall be kept in good conditions all the year round with adequate maintenance. The tanks size and capacity per cm, height, total capacity in tonnes shall be displayed prominently near /on the tank.
- (vi) The above conditions shall be in addition to and not in derogation of the provisions contained in the "Bombay Molasses Rules, 1955" and "Maharashtra Molasses Storage and Supply Regulation, 1965".

- 2) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines if applicable.

II) Conditions under Water (Prevention & Control of Pollution) CESS Act, 1977 as amended

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, boiler feed etc.,	1581.00
2.	Domestic purpose	102.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	650.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	—

Schedule-II

Terms & conditions for compliance of Air Pollution Control


1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached to	APC System	Height in meter	Type of Fuel	Quantity	S %	SO ₂ Kg/ Day
1.	Boiler (55 TPH)	Wet Scrubber	60	Bagasse	571 MT/D.	0.2%	2284
2.	Boiler (25 TPH)	Multi cyclone dust collector.	30		129 MT/D	0.2%	516
3.	Boiler (35 TPH)		35		240 MT/D	0.2%	960
4.	Boiler (40 TPH)		40		360 MT/D	0.2%	1440

2. The Applicant shall provide ESP/ Bag filter/ Wet scrubber to the Bagasse fired boiler and Dust Collector to Sugar bagging section as an Air Pollution control equipments OR as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:


Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
General Conditions

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler



- with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 16) The industry should not cause any nuisance in surrounding area.
 - 17) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 18) The applicant shall maintain good housekeeping.
 - 19) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
 - 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 22) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 23) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
 - 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
 - 26) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 - 27) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

—0000—

