



# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : ast@mpcb.gov.in  
Visit At : [www.mpcb.gov.in](http://www.mpcb.gov.in)



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Red/S.S.I

Date: 02/05/2014

Consent No: BO/AS(T)/R/EIC NO.PN-20493-14/CC 04144

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundry Movement) Rules 2008

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s Keminova India Chemicals Pvt Ltd,  
C-174/2, MIDC Chincholi  
Dist-Solapur

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to: 30.09.2017
2. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity	UOM
1	Phenyl Hydrazine	10000	Kg/M
2	P-Fluoro Phenyl Hydrazine	1500	Kg/M
3	Methylene Blue	1500	Kg/M
4	Phenyl Hydrazine HCL	25000	Kg/M
5	Methyl Violet	1500	Kg/M
6	Malachite Green	1500	Kg/M
7	Basic Majenta	2500	Kg/M
8	Methyl Red	1500	Kg/M
9	Benzyl Phenyl Hydrazine	1000	Kg/M
10	Phenyl Hydrazine Sulphate	5000	Kg/M
11	Osazone	500	Kg/M
12	2, 4-Dinitro Phenyl Hydrazine	500	Kg/M
13	Benzyl Osazone	500	Kg/M
14	P-Methoxy Phenyl Hydrazine	1000	No/D
15	P-Hydroxy Phenyl Hydrazine	1000	Kg/M
16	Dimethyl Glyoxime	1000	Kg/M
17	Maleic Hydrazide	500	Kg/M
18	Anthrone	1000	Kg/M
19	P-Dimethyl Amino Benzaldehyde	1500	Kg/M

20	Di Acetyl Monoxime	1500	Kg/M
21	Dithizone	250	Kg/M
22	Benzoien	250	Kg/M
23	Hydrazine Hydrate 60%, 65%, 80%	1000	Kg/M
24	Hydrazine Sulphate/HCL	500/500	Kg/M
25	N-Phenyl Anthralic Acid	1000	Kg/M
26	Aniline Hydrochloride / Sulphate	500/500	Kg/M
27	Di Phenyl Carbazide / Carbazone	250/250	Kg/M
28	P-Nitro Phentl Hydrazine	1000	Kg/M
29	P-Chloro Phentl Hydrazine	1000	Kg/M
30	P-Bromo Phentl Hydrazine	1500	Kg/M

### 3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall not exceed 1.0 M<sup>3</sup>.

(ii) The daily quantity of sewage effluent from the factory shall not exceed 0.8 M<sup>3</sup>.

#### (iii) Trade Effluent :

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1	pH	Between	6.5 to 8.5
2	BOD 3 days 27 deg C	Not to exceed	30.0 mg/l
3	Oil & Grease	Not to exceed	10.0 mg/l
4	Suspended Solids	Not to exceed	100.0 mg/l.
5	COD	Not to exceed	250 mg/l
6	Total Dissolved solids	Not to exceed	2100.0 mg/l.
7	Chlorides	Not to exceed	600 mg/l.
8	Sulphates	Not to exceed	1000 mg/l.
9	Chlorides	Not to exceed	600 mg/l

(iv) **Trade Effluent Disposal:** treated effluent shall be recycled to the maximum extent & remaining shall be discharge on land for gardening.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- |     |                   |               |     |       |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids  | Not to exceed | 100 | mg/l. |
| (2) | BOD 3 days 27o C. | Not to exceed | 100 | mg/l. |

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
			Nil	

(viii) **Other Conditions:** Industry should monitor effluent quality regularly.

**4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under**

The daily water consumption for the following categories is as under:

(i) Domestic purpose	...	0.8 CMD
(ii) Water gets Polluted & Pollutants are Biodegradable	...	3.0 CMD
(iii) Water gets Polluted, Pollutants are not Biodegradable & Toxic	...	0.00 CMD
(iv) Industrial Cooling, spraying in mine pits or boiler feed	...	1.00CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

**5. CONDITIONS UNDER AIR ACT :**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**a. Control Equipment:**

- I. Scrubber of sufficient capacity shall be provided to control the process emissions and operated properly.
- II. There shall not be any secondary (fugitive) emissions.

**b. Standards for Emissions of Air Pollutants:**

(i) SPM/TPM	Not to exceed	150.0 mg/Nm <sup>3</sup>
(ii) SO <sub>2</sub>	Not to exceed	7.2 Kg/day
(iii) SO <sub>2</sub> (Process)	Not to exceed	50.0 Kg/day
(iv) Acid Mist	Not to exceed	35 mg/Nm <sup>3</sup>

- (i) The applicant shall observe the following fuel pattern:-

Sr. No.	Type Of Fuel	Quantity	UOM
1	LDO	200	Lit/D

- (ii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.	APCS
1	Boiler	30	Stack
2	Process Reactor (Common vent)	15	Scrubber with water media to control acid mist emissions

- (iii) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- (iv) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70

dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

(vi) **Other Conditions:**

- 1) The industry should not cause any nuisance in surrounding area.
- 2) The industry should monitor stack emissions and ambient air quality regularly.

**6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES, 2008:**

- (i) The Industry shall handle hazardous wastes as specified below.

S. No	Type Of Waste	Quantity	UOM	Disposal
1	33.3 Discarded containers / barrels / liners	50	Nos/M	CHWTSDF
2	34.4 Sludge from ETP	10	Kg/M	CHWTSDF

- (ii) Treatment: - NIL

- a. The unit has to display and maintain the data online outside the factory main gate in Marathi & English both on a 6'x4' display board in the manner and the report of the compliance along with photograph shall be submitted to this office & concerned Regional Office/ Sub Regional Office.

7. Whenever due to any accident or gas leakage or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Collector, Directorate of Industry, Safety and Health, Police Station, Fire Brigade, Directorate of Health Services, Department of Explosives, Board and Local Body and the production process should be stopped by taking all necessary safety measures. The industry shall also monitor the emission and ensure that the emissions do not cause any harm or nuisance in the surrounding. The industry should not restart the process without permission of the Board and other statutory organization as require under the law.

**8. Industry shall comply with following additional conditions:**

- i. The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste – The non hazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by he applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall install a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.
- xii. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
9. The board reserves the right to amend, revoke or add any conditions in this consent and same shall be binding on the applicant.
10. The industry shall also comply with the Industry specific standards notified under Environment Protection Act 1986.
11. This consent is issued as per the delegation of powers to HOD's vide Board Office Order No. 31 of 2013 dtd. 01/03/2013.
12. The applicant shall submit Bank Guarantee Rs. 1 lakh & fresh extended BG of Rs.25000/- in favor of Regional Officer Pune valid up to 31.01.2018 towards compliance of consent conditions & conditional directions issued on 11.06.2012 respectively.
13. The Capital investment of the industry is Rs. 47.63 lakh.

*(P.K.Mirashe)*  
30/7/14  
Asst. Secretary (Tech)

To,  
M/s Keminova India Chemicals Pvt ltd,  
C-174/2, MIDC Chincholi  
Dist Solapur  
Copy to

- 1) Regional Officer, MPCB, Pune :Directed to obtain fresh extended BG of Rs. 25000/-towards compliance of conditional direction issued on 11.06.2012
- 2) Sub Regional Officer, Solapur- Directed to ensure the compliance of consent conditions.
- 3) Chief Account Officer, MPCB, Mumbai, 4) Cess Branch, MPCB, 5) Master File.

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	1500/-	945087	31.07.2013	Syndicate bank