MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781 Phone:

/4037124/4035273

Fax

24044532/4024068 /4023516

Email Visit At : enquiry@mpcb.gov.in

http://mpcb.gov.in

MAHARASHTRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E), Mumbai - 400 022

cell/ EIC No PN-20655-14/6th CAC - 6008 Consent order No:- Formate1.0/ BO/CAC Date- 26 (06 / 2014

To,

Hindustan Polyamides & Fibers Ltd,

Plot No.D-9/1,D-9/2,D-15,MIDC Kurkumbh,

Tal-Daund, Dist-Pune.

Subject: Renewal of Consent RED category.

Ref

: 1. Earlier Consent granted vide no.BO/AS(T)/O/EIC NO.PN-13/CC dtd17.05.2013.

2. Minutes of CAC meeting held on 12.06.2014

Your application: CO1402000056

Dated: 07.02.2014

For: Renewal of Consent

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.03.2014 to 28.02.2017.

2. The actual capital investment of the industry is Rs.137.04Crs. (As per C.A.Certificate submitted by industry).

3. The Consent is valid for the manufacture of -

M/s Hindustan Polyamides & Fibres Ltd, SROPune I/I/R/L/85482000

Sr.	Product Name	Maximum Quantity
No.		
1	Ortho Tertiary Butyl Cyclohexanol & Cyclohexyl Acetate	1445 MT/M
2	Styrallyl Acetate	
3	Benzyl Salicylate	
4	3,3,5 Trimethyl Cyclohexanol] .
5	3,3,5 Trimethyl Cyclohexyl Salicylate	
6	Methyl-3 Oxo-2-Pentyl-1-Cyclopentane	
7	Hamber	
8	Hydrogen	30 MT/M
9	MPO(3-methyl-3 Penten-2 one)	375 MT/M
10	Hexyl Salicylate	
11	Other similar ingredient chemicals	
12	Hexyl Cinnamic Aldehyde(HCA)	
	By-Products Name	
1	Dilute acetic acid	628 MT/M
2	Low Purity Distilled products	· ·
3	Lube Oil	
4	Carbon Powder	
5	Technical Grade OTBCHA/STAC/Benzl Salicylate/Hamber	
6	Recovered Methanol	
7	Hexyl Salicylate	

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	103	As per Schedule –I	Recycle
2.	Domestic effluent	5.00	As per Schedule –I	On land for Gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boilers	4	As per Schedule -II
2.	Thermic Fluid Heater Supermax Pilot Plant	1	As per Schedule -II
3.	BR Hamber Plant 2.5T/Hr	1	As per Schedule -II
4.	Process vents	1	As per Schedule
5.	DG sets (250 KVA x 2, 500 KVA , 160 KVA, 100 KVA X 2)	6	As per Schedule

6. Conditions about Non Hazardous Wastes:

Conui	Conditions about Non Hazardous Wastes.							
Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal				
1	Empty paper & P.P.Bags	70 Kg/day	-	Sale to Authorized party.				
2	Wooden Pallets	5.00 Pallets/Day	-					
3	Empty Carbouys	15.00 Nos/Day	-					
4	Empty barrels	30,00 Nos/Day	-					

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste	Category	Quantity	UOM Treatment	Disposal
No.					
1	ETP Sludge	34.3	5.00	MT/M	_ CHWTSDF-
$\overline{2}$	Chemical Residue	20.3	3.00	MT/M	Ranjangaon
3	RO Reject Solids	34.3	105	MT/M	
	from MEE				

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

Sorone.

10. Industry shall carry out performance evaluation study of ETP and submit the report by 30.09.2014 .Also shall submit BG of Rs 2 lakhs by 10.07.2014 for the compliance of the same.

For and on behalf of the Maharashtra Pollution Control Board

(V.M.Motghare)
I/c Member Secretary

Received Consent fee of -

Sr.	Amount(Rs.)	DD. No.	Date	Drawn On
No.	4.47.349	230163	29/1/2014	Citi Bank
2	3,75,000	175817	15/1/2014	Citi Bank
3	1,00,000	855886	24/06/2014	Citi Bank

Copy to:

1. Regional Officer -Pune and Sub-Regional Officer-Pune 1, MPCB, They are directed to ensure the compliance of the consent conditions.

2. Chief Accounts Officer, MPCB, Mumbai.

3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 120 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr N	o. Parameters	Standards prescribed by Board (If any)			
		Limiting Concentration in mg/l, except for pH			
01	pН	6.0-8.5			
02	Oil & Grease	10			
03	BOD (3 days 27oC)	100			
04	Total Dissolved Solids	2100			
05	Suspended Solids	100			
06	COD	250			
07	Chloride	600			
08	Sulphate	1000			

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2) A.] As per your consent application, you have provided septic tanks and soak pits.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)Suspended Solids.Not to exceed50 mg/l.(2)BOD 3 days 27°C.Not to exceed30 mg/l.(3)CODNot to exceed100 mg/l.

- C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. The treated effluent shall be used on land for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.

Sonze.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	210.00
2.	Domestic purpose	8.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	76.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂
1	IBR Boiler Balsam Plant- 4.5T/Hr		34.5	FO	140 Lit/Hr	4.5	302
2	IBR Boiler Hedione Plant-4.5T/Hr	•••	34.5	FO	140 Lit/Hr	4.5	302
3	Thermic Fluid Heater Supermax Pilot Plant	•••	31	Diesel	6 Lit/Hr	4.5	3
4	IBR Hamber Plant 2.5T/Hr		33	FO	100 Lit/Hr	4.5	216
5	Vapor Heater Dowtherm- HCA	••	33	FO	15 Lit/Hr	4.5	32
6	IBR Boiler Hamber Plant 4.5T/Hr		34.5	FQ	140 Lit/Hr	4.5	302
7	IBR Boiler MPO Plant2.5T/Hr		33	FO	100 Lit/Hr	4.5	216
8	D.G set(100KVA)-2Nos		3.0 each *	Diesel	430 Lit day	1	9
9	D.G set(250KVA)-2Nos		3.5 each	2	·		
10	D.G set(500KVA)		5.0 *				•
11	D.G set(160KVA)		3.0 *				
12	Process stack to HCL scrubber	Scrubber	8				

^{* =} installed above the roof of bldg

1

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
HCL	Not to exceed	35 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Complian ce Period	Validity Date
1	C to R	Rs 5 lakhs	By 10.07.2014	O & M of PCS	28.02.2017	30.06.2017
2	C to R	Rs 2 lakhs	EBy 10.07.2014	To carry out performance evaluation of ETP	30.09.2014	30.01.2015

Sorge

Schedule-IV

General Conditions:

1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

2) Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall

be stopped.

5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)

(Second Amendment) Rules, 1992.

7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every

vear.

9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards

Environment Protection.

13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

14) Neither storm water nor discharge from other premises shall be allowed to mix with

the effluents from the factory.

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 | 24023515

Website: http://mpcb.gov.in E-mail: mpcb@vsnl.net /

ta@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

No. BO/CAC-CELL/RO(Pune)/Refusal/7萬-(A(-1665

Date: 26/08/2014

To,

M/s. Birla Surya Ltd., Gut No 391 to 398, 400 to 407, At post Rajewadi, Tal Khandala Dist Satara

Sub: Refusal of Consent under Section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

1. Your application for Consent to Establish for expansion dated Ref:

2. Environment Dept., G.R.M.M.B-2009/325/PK- 61/TK-1 dtd 13.06.2009

3. CAC meeting held on 04.12.2013.

4. SCN for Refusal issued vide dated 23.12.2013.

5. CAC meeting held on 31.05.2014.

Board has granted consent to your unit which is valid upto commissioning of unit or five years whichever is earlier. WHEREAS NOW, you have applied for granting of consent to Establish for expansion of your unit as per the provisions of Section 25 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

AND WHEREAS, your case has been discussed in the Consent Appraisal Committee meeting held on 04.12.2013 and it was decided to issue show cause notice for refusal of consent as during the meeting the opinion by all the members of categorization committee was discussed & after due deliberation Consent Appraisal Committee concluded that this industry must be categorized in RED category and thus does not satisfy RRZ Policy-2009. The show cause notice for Refusal of consent was issued vide reference No. (3).

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 / 24023515
Website: http://mpcb.gov.in
E-mail: ta@ mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

RED/LSI
No.MPCB/CAC-cell/Amnd/CAC-1663

Date: 26/06/2014

To,
M/s DSM india Pvt Ltd,
Plot No F-40, MIDCRanjangaon,
Tal-Shirur, Dist -Pune.



Sub: Change in name in consent of M/s DSM Engineering Plastics India Pvt Ltd

Ref: 1. Consent issued vide no. Formate1.0/BO/AST/EIC NoPN-16824-13/9 th CAC 7365 dtd 31.08.2013 which is valid upto 31.10.2015.

- 2. Industry's letter for change in name in consent vide dated 20.09.2013.
- 3. Minutes of CAC meeting held on 17.06.2014.

Consequent upon request of industry vide above reference no. 2 for change in name in the original consent to operate granted under section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 & Hazardous Waste (M,H &TM) Rules, 2008 vide ref. 1] and as decided in CAC meeting held on 17.06.2014, the consent is hereby amended,

FOR

M/s DSM Engineering Plastics India Pvt Ltd, Plot No F-40, MIDCRanjangaon, Tal-Shirur, Dist –Pune.

READ

M/s DSM India Pvt Ltd, Plot No F-40, MIDCRanjangaon, Tal-Shirur, Dist –Pune.

All the other conditions of the consent referred at 1. shall remain unchanged. This amendment is valid only along with the Consent referred at 1. above.

(V.M.Motghare)

I/c Member Secretary

Copy submitted to:

Regional Officer Pune & Sub-Regional Officer, Pune -2- for necessary information.