MAHARASHTRA POLLUTION CONTROL BOARD 37/4020781 Kalpataru Point, 3rd & 4th floor, Sion- Matunga

Phone: 4010437/4020781

/4037124/4035273

Fax : 24044532/4024068 /4023516 Email : enquiry@mpcb.gov.in

Visit At: http://mpcb.gov.in

ARASHTRA Sion Circle, Sion (E),
Mumbai - 400 022

Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Consent No: Format 1.0/ BO/CAC-Coll/EIC No:-PN-20720-14/CAC/CAC-6634

Date- 15/07/2014

To,

M/s Sigma Electric Manufacturing Corporation Pvt. Ltd.(Unit-II)

[Formally known as Semco Electric Pvt. Ltd.]

A-2, MIDC, Chakan Tal-Khed

Pune 410 501

Subject: Renewal of consent with increase in capital investment under RED category.

Ref

: 1. Earlier Consent granted vide no BO/JD (APC)/TB-4/EICNo. PN-16845- 13/REN/CAC-5849 Dtd. 10.07.2013

2. BO/JD (APC)/TB-4/EICNo.PN-16845-13/REN/CAC-5849/

Amendment/CAC-1097 Dtd. 26.08.201

3. Minutes of CAC meeting held on .20/6/2.019

Your application: CR 1402000261

Dated: 31.01.2014

For: Renewal of consent with increase in capital investment

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, H, III & IV annexed to this order:

- 1. The consent is granted for a period from 01/04/2014 to 30.03.2015
- 2. The actual capital investment of the industry is Rs. 94.07 Crs. (As per C. A. Certificate submitted by industry)
- 3. The Consent is valid for the manufacture of -

Sr.	Product / By-Product	Maximum Quantity in MT/A
No. 1.	Name Electrical wiring accessories in Aluminum-	700 MT/M
2.	Automobile components, Home Appliances (Gas burners, hinges, Door closers Etc)-	200 MT/M
3.	Fabrication of Electrical wiring Accessories in Steel	470 MT/M
4.	Aluminum Die-cast, machined & Painted components for Instrumentation (without Electro Plating Activity)	100 MT/M

Page 1 6 10

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted	Standards to	Disposal
no.		quantity of	be achieved	
		discharge		*
		(CMD)	1	
1.	Trade effluent	97.7 CMD	As per	Recycle & on
+			Schedule -I	land for
-				gardening
2.	Domestic effluent	100.9 CMD	As per	Recycle & on
. . ~ .		_ =	Schedule -I	land for
			***	gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G.Set 380 KVA	1	As per Schedule -II
2.	D.G.Set 725 KVA	1	As per Schedule -II
3.	Burner Curing Oven-(3)	3	As per Schedule -II
4.	Burner Exhaust Drying Oven-(3)	3	As per Schedule -II
5.	Power Curing Oven-(3)	3	As per Schedule -II
6.	Degreasing Fume exhaust pretreatment	1	As per Schedule -II
7.	Water rinse fume exhaust	1	As per Schedule -II
8.	Central Melting Furnace	1	As per Schedule -II
9.	Machine Exhaust combine	T.	As per Schedule -II
10.	Hanger cleaning oven-(2)	2	As per Schedule -II
11.	Burner Exhaust Backing Oven	1	As per Schedule -II
12.	Paint Booth Exhaust	1	As per Schedule -II
13.	Flash off Zone Exhaust	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

				7
Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Ferrous Scrap	25.00 MT/M	_	Sale to authorized Reprocessor
2	Alluminium Chips	12.00 MT/M	-	Sale to authorized Reprocessor
3	Alluminium Dross	20.00 MT/M	-	Sale to authorized Reprocessor
4	Canteen Waste	1.00 MT/M	-	By Sale/composting
5	Factor: Rubblish	24.00 MT/M	-	By Sale
6	Shot Blasting dust	100 Kg/M	-	By Sale to authorized Reprocessors

Sigma Electric Manufacturing Corporation Pvt. Ltd (Unit-II), SRO Pune-II/I/R/L/30332000

Page 20 Flo

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used/Spent oil	5.1	850.00	KG/M		Sale to
	- <u> </u>					authorized party
2	Waste/residue containing Oil	5.2	100.00	KG/M		CHWTSDF
3	Zinc	6.2	0.50	MT/M		Sale
	fines/dust/ash/skir	-		-		authorized
	ming(dispersible		-			party
	form)					*
4	Wastes and	21.1	1.00	MT/M		CHWTSDF
	residues					
5	Chemical sludge	34.3	2.00	MT/M	, 15% s	CHWTSDF
	from Waste water					
	treatment					
6	Toxic metal	34.2	0.60	MT/		CHWTSDF
	containing water			YEAR		
	from water					
	purification			4		
7	Discarded	33.3	100	Nos/M		Sale
	containers/barrels				į.	authorized
	iners/HZW/		antitros.			party
	chemicals					

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. Industry to submit "Performance evaluation of the treatment unit" by 30.09.2014.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS) Member Secretary

Received Consent fee of-

Sr. No.	Amount(Rs.)	DD. No.	.Date	Drawn On
1.	Rs 50,000/-	058436	31.01.2014	ICICI Bank Ltd.
2.	Rs 100/-	642196	20.01.2014	UBI

The balance fees Rs.1, 25,000/- with the Board is considered during this Renewal

Copy to:

- 1. Regional Officer -Pune and Sub-Regional Officer- Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage treatment system (STP) with the design capacity of 300 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any) —			
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH			
01	рН	5.5 to 9.0			
02	Oil & Grease	10			
03	BOD (3 days 27oC)	30			
04	Total Dissolved Solids	2100			
05	Copper	5.0			
06	Zinc	5.0			
07	Suspended Solids	100			
08	COD	250			
09	Chloride	600			
10	Sulphate	1000			

- C) The treated effluent 85 CMD shall be recycled in the process & remaining 12.7 CMD shall be used on land for gardening.
- 2) A.] As per your application, you have provided the Effluent Treatment Plant (ETP) cum sewage treatment system (STP) with the design capacity of 300 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

100 mg/l.

(2) BOD 3 days 27oC.

Not to exceed

100 mg/l.

- C] The treated sewage shall be reused to the maximum extent & remaining shall be disposed on land for gardening
- D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Page 4 **0f** \ **0**

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	30 CMD
2.	Domestic purpose	103 CMD
3	Processing whereby water gets polluted & pollutants are easily biodegradable	133 CMD
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Bage 5 00 10

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

	Stack	Manta series	E estativism	Type of	Quantity	S %	SO_2
Sr. 4	Stack Attached To		mergue m Mine	Type Of Fuel	& UoM		Kg/Day
	D.G Set (380	NA -	4.0 Mtrs	Diesel	8.5 KL/Day	1%	160
1	KVA)	ING	- 4.0 113.03.0	1310501			_
$\frac{1}{2}$	D.G Set (725)	NA	5.5 Mtrs	Diesel			
	KVA)- 02 Nos	1121					
3	Powder curing	NA	12.0	LPG/	8.0 T/D		
	Oven-03 Nos		Mtrs	Propane			
4.	Degreasing		12.0	~ ~ ~			
	fume exhaust		Mtrs				
	pretreatment			- ~e:		-	
5.	Water rinse	NA	12.0			~~~	
	fume exhaust		Mtrs			,	
6.	Central	Dust	14.0		* **********************************		
	Melting	collector	Mtrs				
	Furnace-02				*		
	Nos Machine	NA	14.00				
7.	exhaust	IVA	1.00				
	combine-03		(**				
	Nos						
8.	Hanger	NA .	10.00				
3.	cleaning oven				ļ		1
	02 Nos						
9.	Burner	NA	17.00				
	Exhaust				,		
	Baking Oven	43.				 	
10	Burner	NA	14.00	w			
	Exhaust						•
ļ	Drying Oven-					-	
11	03 Nos	NA	14.00				
11	Burner Exhaust	INEX	14.00				
	curing Oven						
12	Paint Booth	Water	12.00	***			
12	Exhaust	certain					
13	Flash off	NA	12.00				
10	Zone Exhaust					<u></u>	
L							

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

Page 60 + 16

Sigma Electric Manufacturing Corporation Pvt. Ltd (Unit-II), SRO Pune-II/I/R/L/30332000

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist	Not to exceed	35 ppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end-or-erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 7 of 10

Sigma Electric Manufacturing Corporation Pvt. Ltd (Unit-II), SRO Pune-II/I/R/L/30332000

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended	5/- Lakhs		Operation & Maintenance of Pollution Control System	31.03.2015	31.07.2015
2	C to R	2/- Lakhs	15 Days	For submission of "Performance evaluation of the treatment unit".	30.09.2014	31.07.2015

Sigma Electric Manufacturing Corporation Pvt. Ltd (Unit-II), SRO Pune-II/I/R/L/30332000

Page 86+ 10

Schedule-IV

General Conditions:

The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if

applicable.

-3)

Industry should monitor effluent quality, stack emissions and ambient air quality

monthly/quarterly.

4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.

Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control

production to abide by terms and conditions of this consent.

7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.

8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision

contain in the HW(MH&TM) Rules 2008, which can be recycled

9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.

10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.

12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.

13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.

15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

6) Neither storm water nor discharge from other premises shall be allowed to mix with the

effluents from the factory.

Page 90 + 10

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

b) Industry should previde acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

Page/10 6 10