	: ail : tAt :	4010437/4020781 /4037124/4035273 24044532/4024068 /4 enquiry@mpcb.gov.in http://mpcb.gov.in	1023516 Maharasi	Scheme Road N Sion Circle, Sior Mumbai - 400 02	t, 3rd & 4th floor, Sion- Matunga No. 8, Opp. Cine Planet Cinema, Near η (Ε), 22			
Cor Da	nsent or te-1610	rder No :- Formate. 7/2014	1.0/ BO/CAC-Cel	I/ EIC NoRD-2733-1	4/8th CAC 6644			
To, M/a		àn Dua da ata I ( )			,			
		dir Products Ltd. 93, Vile Bhagad, N	M.I.D.C. Area. M	angaon.				
	stRaiga			guon,				
Ref	f:1 Ea 14 dated	enewal of Consen arlier Consent gr 1 15.07.2013 autes of CAC mee	ranted vide no.	•	ory. AST/RD-2561-13/O/CAC-			
				00.2014				
Yot Tat	ur appli ted: 05/0	cation: CR140400	00001	· · · · · · · · · · · · · · · · · · ·				
con con 1. '	isidered iditions The con	l and the consen and as detailed in asent is granted for	it is hereby gra n the schedule or a period from	nted subject to t I, II ,III & IV anne n 01.04.2014 to 31.	3.2017.			
2.	The act	tual capital inve	2. The actual capital investment of the industry is Rs. 153.6026 Crs. (As per C.A.Certificate submitted by industry)					
(	C.A.Cer	tificate submitted	d by industry)		100.0010 Ors. (As per			
(	C.A.Cer The Cor Stra	tificate submitted nsent is valid for a Product Nam	d by industry) the manufactur	e of -				
(	C.A.Cer The Cor SFR NG	tificate submitted nsent is valid for Product Nam	d by industry) the manufactur e	e of -	ATETTALY IN MUM			
(	C.A.Cer The Cor Stra	tificate submitted nsent is valid for t Product Nam Liquid Nitroge	d by industry) the manufactur e en	e of -				
(	C.A.Cer The Cor Sh- No: 1. 2. 3.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge	d by industry) the manufactur e en gen	e of -	ATETTALY IN MUM			
(	C.A.Cer The Cor Sr. Not 1. 2. 3. 4.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon	d by industry) the manufactur e en gen	e of -	2400 8100 3600 150			
3. /	C.A.Cer The Cor Str. 1. 2. 3. 4. 5.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen	d by industry) the manufactur c en ogen n	e of – Maximuma	2400   8100   3600   150   31			
3. 7	C.A.Cer The Cor Str. 1. 2. 3. 4. 5.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen	d by industry) the manufactur e en gen n (P&CP), 1974 A Permitted quantity of discharge	e of -	2400   8100   3600   150   31			
3. 7	C.A.Cer The Cor Sr 1. 2. 3. 4. 5. Condition	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen	d by industry) the manufactur en ogen n (P&CP), 1974 A Permitted quantity of	e of – Maximum et for discharge of Standards to	2400     2400     8100     3600     150     31     f effluent:     Disposal			
<b>4.</b> (	C.A.Cer The Cor Sr 1. 2. 3. 4. 5. Condition	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description	d by industry) the manufactur e en ogen n (P&CP), 1974 A Permitted quantity of discharge (CMD)	e of - Maximum( et for discharge of Standards to be achieved	Aurantitiving MUVM     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on			
3. /	C.A.Cer The Cor Sr 1. 2. 3. 4. 5. Condition	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent Domestic	d by industry) the manufactur e en ogen n (P&CP), 1974 A Permitted quantity of discharge (CMD)	e of - Maximum ( et for discharge of Standards to be achieved As per Schedule -I 	Aurantativ in MUVM 2400 8100 3600 150 31 f effluent: Disposal Recycle to maximum			
<b>4.</b> (	C.A.Cer The Cor Note 1. 2. 3. 4. 5. Condition Sr. no.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum( et for discharge of Standards to be achieved As per Schedule	2400     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.			
<b>4.</b> (	C.A.Cer The Cor Note 1. 2. 3. 4. 5. Condition Sr. no.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent Domestic	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum ( et for discharge of Standards to be achieved As per Schedule -I 	2400     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.			
<b>4.</b> (	C.A.Cer The Cor Note 1. 2. 3. 4. 5. Condition Sr. no.	tificate submitted nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent Domestic	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum ( et for discharge of Standards to be achieved As per Schedule -I 	2400     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.			
<b>4.</b> (	C.A.Cer The Cor Sr. No: 1. 2. 3. 4. 5. Condition Sr. no.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum ( et for discharge of Standards to be achieved As per Schedule -I 	2400     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.			
<b>4.</b> (	C.A.Cer The Cor Sr. No: 1. 2. 3. 4. 5. Condition Sr. no.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum( ct for discharge of Standards to be achieved As per Schedule -I 	2400     2400     8100     3600     150     31     Steffluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.			
<b>4.</b> (	C.A.Cer The Cor Sr. No: 1. 2. 3. 4. 5. Condition Sr. no.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur c en gen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7	e of - Maximum( ct for discharge of Standards to be achieved As per Schedule -I 	Aurantitivini MUVM     2400     8100     3600     150     31     f effluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.     On land for gardening.			
4. (	C.A. Cer The Cor Not 1. 2. 3. 4. 5. Conditia Sr. no. 1. 2.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur e en ogen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7 2.7	e of - Maximum( ct for discharge of Standards to be achieved As per Schedule -I 	Aurantitation MUVM 2400 8100 3600 150 31 f effluent: Disposal Recycle to maximum extent and remaining on land for gardening. On land for gardening.			
4. (	C.A. Cer The Cor Not 1. 2. 3. 4. 5. Conditia Sr. no. 1. 2.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur e en ogen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7 2.7	e of - Maximum( ct for discharge of Standards to be achieved As per Schedule -I 	Aurantitivini MUVM     2400     8100     3600     150     31     f effluent:     Disposal     Recycle to maximum     extent and remaining on     land for gardening.     On land for gardening.			
4. (	C.A. Cer The Cor Not 1. 2. 3. 4. 5. Conditia Sr. no. 1. 2.	tificate submittee nsent is valid for Product Nam Liquid Nitroge Gaseous Nitro Liquid Oxyge Liquid Argon Hydrogen ons under Water Description Trade effluent	d by industry) the manufactur e en ogen n (P&CP), 1974 A Permitted quantity of discharge (CMD) 81.7 2.7	e of - Maximum( ct for discharge of Standards to be achieved As per Schedule -I 	Aurantitation MUVM 2400 8100 3600 150 31 f effluent: Disposal Recycle to maximum extent and remaining on land for gardening. On land for gardening.			

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Stack	Standards to be
no.	source		achieved
1.	$H_2$ generator (2 nos)	02	As per Schedule -II
2.	DG set (500 KVA)	01	As per Schedule -II

6. Conditions about Non Hazardous Wastes: N.A.

-----

, with the second second

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	Type Of Waste	Category	Quemity	GOM:	Telefinian	Disposal
1	Catalyst	1.7	300	kg (once in 7 years)		CHWTSDF
2	Shift Reactor Catalyst	1.7	30	kg (once in 5-7 years)		CHWTSDF
3	Desulphrasor Adsorbent	1.7	900 kg cuprous oxide and 400 kg sulphoso rb.	Kg (once in year)		CHWTSDF
4	PAS Adsorbent	1.7		(once in 10-15 years)		CHWTSDF
5	Used/spent oil	5.1	500	Lts/A		CHWTSDF
6	Alumina		12000	Kg( once in 10-12 years)		CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

-For and on behalf of the Maharashtra Pollution Control Board -----15 (Rajeev Kumar Mital, HRS) Member Secretary\_ te stare ditanta ta <u>ar sicor</u>a ..... M/s Inox Air Products Ltd SROMahad/I/R/L/63226000 Page 2 of 9

## Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn Om
1	3,07,305/-	107525	31/01/2014	S.B.I.
2	75,000/-	107715	07/03/2014	S.B.I.
3	6,14,410/-	721482	25/04/2014	S.B.I.

1.8

water and an a

Page 3 of 9

Copy to:

19

- 1. Regional Officer Raigad and Sub-Regional Officer-Mahad, MPCB, They are directed to ensure the compliance of the consent conditions. The existing BG of Rs 5 lakhs towards provision of ETP and O & M of pollution control systems shall be released as industry has provided ETP for DM plant.
- 2. Chief Accounts Officer, MPCB, Mumbai.

nigerit gestiftet

M/s Inox Air Products Ltd SROMahad/I/R/L/63226000

3. CC/CAC desk- for record & website updation purposes.

### <u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided DM plant of capacity 5.4 m3/hr & ETP comprising Neutralization cum settling tank of capacity 20KL.
  - B] The Applicant shall operate the effluent treatment plant (ETP) to reat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pН	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
14	Suspended Solids	100
15	COD	250
16	Chloride	600
17	Sulphate	1000

- C] The treated effluent shall be recycled in the process maximum and remaining shall be disposed on land for gardening.
- 2) A.] As per your consent application, you have provided the septic tanks and soak pits
  - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l.
(2)	BOD 3 days 27°C.	Not to exceed	30	mg/l.
(3)	COD	Not to exceed	100	mg/l.

- C] The treated sewage shall be disposed on land for gardening
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition the coto.

4) The industry shall ensure replacement of pollution control system or its parts — after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

and the second			•
And the second s		ing a fanglige of the formation	
1			
			instruite en el territori de la constanta de la
ļ \	M/s Inox Air Products Ltd SROMahad/I/R/L/63226000		Page 4 of 9
		11/11/	
		N A	·
			-
		3	

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling,	397
2.	Domestic purpose	3.0
	Processing whereby water gets polluted & pollutants are easily biodegradable	
1.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

-----

------

M/s Inox Air Products Ltd SROMahad/I/R/L/63226000

~ · · · · · ·

-----

and the second s

4-4+4-5+844-01-604-23**5**24

Page 5 of 9

### <u>Schedule-II</u>

# Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sie.	Stack	ARC _	Height	JAYDE OF	Quantity	S %	507 2
NO.	Attached To	System-	in Mitrs	lind.	& UoM-		RETORY.
1.	H <sub>2</sub> generator (2 nos)		4.0	Natural Gas	4.2 MT/Day	Nil	Nil
2.	D.G.Set (500 KVA)	Acoustic enclosure	4.0	HSD	0.10 MT/Day	1	2

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

TPM	Not to exceed	$150 \text{ mg/Nm}^3$ .
NOx	Not to exceed	50 ppm

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s Inox Air Products Ltd SROMahad/I/R/L/63226000

Page 6 of 9

القارية المحاجر

### Schedule-III Details of Bank Guarantees

Sr. No.	Consent (R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Complian ce Period	Validity Date
1	C to R	Rs 5 lakh	Within 15 days from the date of issue of consent.	control system.	31.03.2017	31.07.2017

The existing BG of Rs 5 lakhs towards provision of ETP and O & M of pollution control systems shall be released as industry has provided ETP for DM plant.

artication .

022596345

12

07225.000

M/s Inox Air Products Ltd SROMahad/1/R/L/63226000

-----

-----

Page 7 of 5

-----

and Contact and State

### Schedule-IV

### **General Conditions:**

1.00

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.

- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB-website(www.mpcb.gov.in).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.

Page 8 of 9

M/s Inox Air Products Ltd SROMahad/I/R/L/63226000

-----

- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid\_waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall-submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification did 16.11.2009 as amended.

-0000----

Page

ARCARDO CO

M/s Inox Air Products Ltd SROMahad/I/R/L/63226000