	4010437/4020781 /4037124/4035273	IIRA PULI	LUTION CONTROL BOARD Kalpataru Point, 3rd & 4th floor, Sion- Mat Scheme Road No. 8, Opp. Cine Planet Cin
Fax :	24044532/4024068	MAHARA	Near Sion Circle, Sion (E),
Email :	1,010		Mumbai - 400 022
Visit At :		<i>4</i> 9	
Dui	le- (0/0//2014	-Cell/EIC No:-7	IN-4942-14/CAC/CQC-6664
Plo	. Tata Steel Ind, t No. F-8, MIDC Indu apur, PO Boisar, Dis		
	algamation of existin : 1. Earlier Con 12/O/CC-322	g consent un isent granted 3 DATED 15/0	vide no BO/JD (APC)/EIC-TN-4027-
You	r application: CO140		
	ed: 12/11/2013		
For	: Consent to 1 st algamation of existin	Operate for	expansion by capacity utilization by
			ention & Control of Pollution) Act, 1974 &
und	ler Section 21 of the	Air (Prevent	ion & Control of Pollution) Act, 1981 and
			azardous Wastes (M, H & T M) Rules 2008
			by granted subject to the following terms the schedule I, II ,III & IV annexed to this
ord			is solicitate i, if fill with annexed to bills
-	T 1	4.1.0	
1.	The consent is gran		d up to 31.05.2015
	The actual capital	linvestment	of the industry is Rs.94 24Crs
2.	The Consent is va	alid for the m	
	The Consent is va No. Product / By-Pr	alid for the m	anufacture of – Maximum Quantity in MT/A
	The Consent is va	alid for the m	anufacture of –
	The Consent is va No. Product / By-Pr	alid for the m	anufacture of – Maximum Quantity in MT/A
Sr. 1	The Consent is va No. Product / By-Pr Steel Wires	alid for the m oduct Name	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month
Sr. 1 2	The Consent is va No. Product/By-Pr Steel Wires Ground Billet	alid for the m oduct Name l & Non	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month
Sr. 1 2 3	The Consent is va No. Product/By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo	alid for the m oduct-Name I & Non ds	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month
Sr. 1 2	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under	alid for the m oduct-Name I & Non ds	anufacture of – <u>Maximum Quantity in MT/A</u> 4000 MT/ Month 1500 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent:
Sr. 1 2 3 3.	The Consent is va No. Product/By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo	alid for the m oduct Name d & Non ds : Water (P&C	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved
Sr. 1 2 3 3. Sr.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under	alid for the m oduct Name I & Non ds : Water (P&C Permitted quantity of	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved
Sr. 1 2 3 Sr. no.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule –I As per Schedule e.g. land
Sr. 1 2 3 Sr. no. 1.	The Consent is van No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL	anufacture of – <u>Maximum Quantity in MT/A</u> 4000 MT/ Month 1500 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule – –I
Sr. 1 2 3 Sr. no. 1.	The Consent is van No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL	anufacture of – Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule –I As per Schedule e.g. land
Sr. 1 2 3 Sr. no. 1. 2.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Domestic effluent	alid for the m oduct Name l & Non ds : Water (P&C Permitted quantity of discharge (NIL 85	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I Gardening
Sr. 1 2 3 Sr. no. 1. 2.	The Consent is van No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Domestic effluent	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP)	anufacture of - Maximum Quantity in: MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I As per Schedule -I As per Schedule -I As per Schedule -I Gardening Act, 1981 for air emissions:
Sr. 1 2 3 3. Sr. no. 1. 2. 4. Sr.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Conditions under Conditions under Domestic effluent	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP)	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I As per Schedule e.g. land -I Gardening Act, 1981 for air emissions: er of Stack Standards to be
Sr. 1 2 3 Sr. no. 1. 2.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Conditions under Domestic effluent Conditions under Description of stac source	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k/ Numbe	anufacture of - Maximum Quantity in: MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I As per Schedule -I As per Schedule -I As per Schedule -I Gardening Act, 1981 for air emissions:
Sr. 1 2 3 3. Sr. no. 1. 2. 4. Sr.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Conditions under Conditions under Domestic effluent	alid for the m oduct Name I & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k/ Numbe	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule - -I As per Schedule e.g. land -I Gardening Act, 1981 for air emissions: er of Stack Standards to be achieved As per Schedule - I
Sr. 1 2 3 Sr. no. 1. 2. 4. Sr. no. 1. 1. 2.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Conditions under Domestic effluent Conditions under Description of stac source	alid for the m oduct Name d & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k / Number 1	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I As per Schedule e.g. land -I Gardening Act, 1981 for air emissions: achieved Standards to be achieved
Sr. 1 2 3 Sr. no. 1. 2. 4. Sr. no. 1. 1.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Domestic effluent Conditions under Description of stac source Reheating Furnace	alid for the m oduct Name d & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k / Number 1	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I Gardening Act, 1981 for air emissions: er of Stack Standards to be achieved As per Schedule
Sr. 1 2 3 Sr. no. 1. 2. 4. Sr. no. 1. 1.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Domestic effluent Conditions under Description of stac source Reheating Furnace	alid for the m oduct Name d & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k / Number 1	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I Gardening Act, 1981 for air emissions: er of Stack Standards to be achieved As per Schedule
Sr. 1 2 3 Sr. no. 1. 2. 4. Sr. no. 1. 1.	The Consent is va No. Product / By-Pr Steel Wires Ground Billet Ferrous Alloyed alloyed wire roo Conditions under Description Trade effluent Domestic effluent Conditions under Description of stac source Reheating Furnace	alid for the m oduct Name d & Non ds Water (P&C Permitted quantity of discharge (NIL 85 Air (P& CP) k / Number 1	anufacture of - Maximum Quantity in MT/A 4000 MT/ Month 1500 MT/Month 28000 MT/Month 28000 MT/Month P), 1974 Act for discharge of effluent: Standards to be achieved CMD) As per Schedule -I As per Schedule -I Gardening Act, 1981 for air emissions: er of Stack Standards to be achieved As per Schedule

.

. .

Conditions about Non Hazardous Wastes:

5.

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Mill Scale	11 MT/Day		BY SALE

6. Conditions under Hazardous Waster (MH-& TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	 A second s	UOM	TreatnDisposal nt
1	Oil/ Sludge Cotton waste containing oil	36.1	11 + 3	MT/Day	CHWTSDF
2	Used Oil/Spent oil	5.1	1	MT/M	Authorized Recycler
3	Waste/residue containing Oil	5.2	35	MT/M	Authorized Recycler

- 7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 9. This is issued on the basis of certificate given by Dr. Babasaheb Ambedkar Technological University vide dtd 03.04.2014 that there is no increase in effluent quality compared to existing unit due to expansion by capacity utilization.
- This is issued with overriding effect on earlier consent vide No. BO/JD (APC) EIC No. TN-4027-12/O/CC-3223 dated 15/04/2013

Maharashtra Pollution Control Board

For and on behalf of the

(Rajeev Kumar Mital IAS) Member Secretary

Sr.	Amount(Rs.)	DD. No.	Date	Drawn On
No.				
1	50000/-	749318	28/10/2013	HDFC Bank
2	50,000/-	640163	17/02/2014	HDFC Bank
3	50,000/-	511587	13/02/2014	BOM

Copy to:

 Regional Officer Thane and Sub-Regional OfficerTarapur-1 MPCB, They are directed to ensure the compliance of the consent conditions.
 Chief Accounts Officer, MPCB, Mumbai.

CC/CAC desk- for record & website updation purposes. 3. www.wite.org

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000

J. Concert for of

Page 2 of 7

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

2) A] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 270C. Not to exceed
 - 27oC. Not to exceed 100 mg/l.

B] The treated sewage shall be 100% recycled & reused in the process

1) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

2) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	715
2.	Domestic purpose	85
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	
	Gardening	10

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Page 3 of 7

- -----

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

S N	r. 0.	Stack Attach	ed To	APC System	Height in Mtrs	Type of Fuel	Quantity &	S % S	02
=1		Re		Chimney	50	LPG	1.7 TPD	K	g/Day
		Furnac	е	provided		Furnace	37 KL/D		
L						oil			

*After receiving CNG Gas from Gail India, Industry shall replace the Fuel FO, LPG by CNG Gas (406920 m3/day)

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150mg/Nm ³ .
matter		
Acid Mist	Not to exceed	35 mg/Nm3

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 4 of 7

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000

Schedule-III Details of Bank Guarantees

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Complianc e Period	Validity Date
1	C to O (existing	10 Lakh	15 Days	Operation & maintenance of	31.05.201 5	30.09.2014
	to be extended)			pollution control system		

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000

- --

0

Page 5 of 7

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Page 6 of 2

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set

1

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

Page 7 of 7

Tata Steel Ltd F-8 SRO Tarapur I/I/R/L/85791000
