

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent No: Format 1.0/BO/CAC-CELL/EIC No. KP-15091-14/R/CAC-7103 Date- 25/07/2014.

To,
M/s. B. G. Chitale.
A/p. Bhilwadi Station,
Tal. Palus, Dist. Sangli- 416303

Subject: Renewal of Consent with increase in CI under RED category.

Ref : 1. Consent to Operate granted by the Board vide no. BO/JD(WPC)/RO
Kolhapur/CC/CAC-9910 dtd. 02.12.2013.
2. Minutes of CAC meeting held on 19 / 07 /2014.

Your application: CR 1404000019.

Dated: 18/03/2014.

For: Renewal of Consent with increase CI under RED category.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 &
under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and
Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is
considered and the consent is hereby granted subject to the following terms and
conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to: 01.05.2014 to 30.04.2018.
2. The total capital investment of the industry is Rs. 105.30/- Crs. (Existing Rs. 84.12/- Cr. + Proposed 21.18/- Crs.)
(As per the C.A. certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
1.	Pasteurized Milk	24000 KL/M
2.	Paneer	50 MT/M
3.	Chees	100 MT/M
4.	Fruit Pulps & Juices	30 MT/M
5.	Flavoured Milk	60 MT/M
6.	Milk Sweets	100 MT/M
7.	Butter/Ghee	600 MT/M
8.	Milk Powder	600 MT/M
9.	Gulabjamun Mix	18.40 MT/M
10.	Basundi	40 MT/M
11.	Khava	100 MT/M
12.	Cream	48.20 MT/M
13.	Dahi, Yoghurt, Lassi	470 MT/M
14.	Shrikhand, Amrakhand	650 MT/M
15.	Chakka	350 MT/M
16.	Mango Mawa	50 MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1800	As per Schedule -I	30 % recycle & remaining on land for gardening.
2.	Domestic effluent	80.0	As per Schedule -I	On land for gardening.

5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler (8 TPH)	1	As per Schedule -II
2	Boiler (10 TPH)		
3	Air Pre-heater	1	As per Schedule -II
4	Powder Plant vapour outlet	1	As per Schedule -II
5	Bio-gas Engine	1	As per Schedule -II
6	DG sets (4 nos.)	1 each.	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	ETP Sludge	1500 MT/M	—	Used as composting or Manure.

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
The Industry shall not generate any type of Hazardous Waste						

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall submit the details of STP upto 20.08.2014 as per Technical Appraisal Committee requirement. TAC to submit report and consent to be amended accordingly after report of Technical Appraisal Committee.
11. Industry shall submit an affidavit that due to increase in CI there is no any increase in BUA.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mittal, IAS)
Member Secretary

Received Consent fee of -


Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1.	Rs. 7,90,400/-	018277	10.03.2014	Bank of India.
2.	Rs. 1,00,000/-	164548	05.03.2014	Bank of India.

As per previous Consent granted by the Board vide dtd. 02.12.2013, fees of Rs. 52,083/- was balance with the Board & same is considered in this Renewal of Consent.

Copy to:

1. Regional Officer, Kolhapur & Sub-Regional Officer- Sangli - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CAC desk- for record & website updation purposes.

Maharashtra Pollution Control Board



Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided existing Effluent Treatment Plant (ETP) with the design capacity of 1800 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr. No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Suspended Solids	100
05	COD	250
06	Total Dissolved Solids	2100
07	Detergent	2

- C] Out of the treated effluent 1800 CMD, 30 % shall be recycle for toilet flushing, floor washing activity & remaining shall be used on 89 acres of land for gardening purpose. In no case effluent find its way outside the factory premises.
- 2) A] As per your consent application, you have provided sewage treatment plant for the treatment of sewage generated from your industry.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27oC. Not to exceed 100 mg/l.
- C] The treated sewage 80 CMD shall be disposed on land for gardening.

- 3) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	100.0
2.	Domestic purpose	100.0
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2100.0
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00.0

- 4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1.	Boiler (8 TPH)	Soot arrester	45	FO	1200 Ltr./D	4.5%	108
2.	Boiler (10 TPH)			FO	1800 Ltr./D	4.5%	162
3.	Air Pre-heater	Soot arrester	22	FO	70 Ltr./Hr.	4.5%	151.2
4.	Powder Plant vapour outlet	Cyclone	4 mtrs above roof	--	--	--	--
5.	DG set of 750 KVA	--	5.5 mtrs above roof	HSD	75 Ltr./Hr.	1%	36
6.	DG set of 750 KVA	--	5.5 mtrs above roof	HSD	75 Ltr./Hr.	1%	36
7.	DG set of 500 KVA	--	4.5 mtrs above roof	HSD	50 Ltr./Hr.	1%	24
8.	DG set of 350 KVA	--	3.6 mtrs above roof	HSD	32 Ltr./Hr.	1%	15.36
9.	Bio-gas Engine	--	4 mtrs above roof	Bio-gas	60 CUM/Hr	--	--

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement, alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III
Details of Bank Guarantees**

Existing BG to be extended.

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 5.0 Lacs	15 days	Obtained as per previous Consent granted vide dtd. 02.12.2013 towards O & M of pollution control systems.	30.04.2018.	31.08.2018.

New BG.

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs. 2.0 Lacs	03.08.2014.	Submission of details of STP.	20.08.2014	One year

Schedule-IV
General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) **The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.**
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

18) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
 - 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
 - 21) The applicant shall maintain good housekeeping.
 - 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
 - 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 - 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 - 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 - 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
 - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
 - 29) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
 - 30) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

-----0000-----