and the second	an a	······································			
- 			- DOARD	Matunga	
	RASHTRA POLLUT	TON CONTRO	L BOARD 3rd & 4th floor, S . 8, Opp. Cine Planet (E),	cinema, Near	
	THE TRA POLLUT	Kalpataru Point,	8 Opp. Cine Plane	Unio	
MAHA	RASHIM	Scheme Road No	(E),		
4010437/40207	273 MAHARASHTR	Scheme Road Ho Sion Circle, Sion	<b>、</b> ,		
1403712414000		Mumbai - 40002	2		
-00/402	4068 /4023516	Mumbai			
4 <b>^</b>					
Email : enquiry@	ov.in				
Visit At : <u>http://mpo</u>			DQ 107/2014		
		6926	Date-22 /01/-		
	/JD (APC)/EIC No. PN-217	73-14 1010 1			
Red/LSI.	IJD (APC)/LIO			a the second sec	
Consent order the	. 160		ķ	the second s	
To	s Coating India Pvt. Ltd.,		e <sup>ren</sup> a.		
M/s. Oerlikon Balzer	50000			a de la companya de l	
EL-22, J-Block,	411 026	ned Category	·		
EL-22, J-Block, MIDC Bhosari-Pune-	ant to Operate ur	nder Reu Car o			
Amendmen	411 026 t in Consent to Operate ur	n 14/07/2014.	No PN-12907-12/0		
Subject. Antonia	t in Consent to Operate ur t <b>es of CC meeting held o</b> er Consent granted vide no dated 28.05.2012 valid till \$	BO/JD (APC)/EIC			
Ref : 1. Minu	tes of CC meeting vide no er Consent granted vide no dated 28.05.2012 valid till 5	30/11/2015.			
2. Earli	dated 28.05.2012 valid till				
242	Jaiou -	.05.2014.			
listion .	CR1405000213 Dato		e . m	der Section 21 01	
Your application	dated 28.00.20 CR1405000213 Dated: 21 in Consent to operate of the Water (Prevention tion & Control of Pol!utio tion & Control of Pol!utio		on) Act, 1974 & unde	er Rule 5 of the	
For: Amendment	provention	& Control OFF and	Authorization and	is hereby grannexed	
Castion 26	of the Water (Preventutio	n) Act, 1901	and the conduction I, I	I, III & IV and	
under Section -	tion & Control Of Rules	2008 is detailed	in the solid		
the All (1988	CR1405000213 Data in Consent to operate of the Water (Prevention tion & Control of Pollutio tes (M, H & T M) Rules ollowing terms and conditio	ns and e			
ho fc					
to this order:		n to 30.11.2015.			
	nt is granted for a period un investment of the industry idertaking/C.A. Certificate ent is valid for the manuf	is Rs. 28.22 CIS.	V)		
1. The conser	investment of the industry	submitted by muder	<b>,</b>	MOU UOM	
2. The capital	investment of a certificate idertaking/C.A. Certificate ent is valid for the manu unit National State Sta	facture or -	Max		
(As per es	ont is valid for cho		Qua	ntity   Batches	5/
3. The Cons	UDW DYOUUGU			450 Month	
Sr.	Product/By Product/ Titanium based coating of (Without use of chemical content, painting & an	eustomer tools	plating, heat		
No.	Tranium based coating C	bickling, electro	ment)		
. [1	Titanium based coating C (Without use of chemica treatment, painting & an	v other surface trea	(Internet)		
	treatment, painting & an	1	e sequent:		
		a the for disc	harge of ended		
	treatment, painting user ions under Water (P&CP Description	), 1974 ACT 10:	Standards to		
A Condit	ions under Water	uantity of (CMD)	achieved	On Land	for
4. Sr.	Description	lischarge (CMD)	As per Schedule -	Garden	
no		1.90	Asper	-I Garder	ning
	Trade effluent		As per Schedule	Garuer	
. 1.		3.50			
. 2	Domestic effluent			Ν	
				$\sim$ $\parallel$	
				( )	
				1 they w/	Page 1 of 8
				11 Mil	
		ni mari Chin	chwad/G/M/79951000	$- +   \Lambda$	
	Contino India P	vt Ltd. SRO Pimpari Chin			
	Oerlikon Balzers Coating India P			7	•
- 					

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ sou	rce Number Of.	Stack Standards to be achieved
1	DG Set (320 KVA)	1	As Per Schedule -II
2	DG Set (500 KVA)	1	

6. Conditions about Non Hazardous Wastes:

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Waste paper, wooden boxes, plastic waste	80.00	Kg/M		Sale
2	Blasting powder	500	Kg/M		Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
	21.2 Fillers residues	150.00	Kg/Year	2 <sup>2</sup>	CHWTSDF
2	21.1 Wastes and residues	500.00	Kg/Year		CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. This consent is issued with the overriding effect of earlier consent no.BO/JD (APC)/EIC No.PN-12907-12/0-CE-242 Dated 28.05.2012.

Received	d Consent fee of –		For and on b Maharashtra Polluti (Rajeev Kuma Membe: S	ion Control Board
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	50,100/-	294733	15 May 2014	SBI Bank

#### Copy to:

- 1. Regional Officer MPC Board, Pune.
- 2. Sub-Regional Officer, M.P.C. Board Pimpari Chinchwad They are directed to ensure the compliance of the consent conditions.
- 3. Chief Accounts Officer, MPCB, Mumbai.
- 4. CC/CAC desk- for record & website updation purposes.

## <u>Schedule – I</u>

## Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have to installed the Effluent Treatment Plant (ETP) with the design capacity of 1.90 CMD.
  - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pН	5.5-9.0
02	B. O. D.	30
03	C. O. D.	250
04	Oil and Grease	10
05	Suspended Solid	100
06	T. D. S.	2100
07	Sulphates	1000
08	Chlorides	600
09	Phosphate	5.0
10	Total Metal	5.0
11	Iron	3.0
12	Zinc	5.0
13	Chromium CR6(As Cr)	0.1
14	Total Chromium	2.0
15	Lead(Pb)	0.1

C) The treated effluent shall be disposed on land for gardening/irrigation.

2)

A.] As per your consent application, you have provided the sewage treatment plant for treatment of domestic effluent.

- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
  - (1) Suspended Solids. Not to exceed 100 mg/l.
  - (2) BOD 3 days 27oC. Not to exceed 100 mg/l.

C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically.

OR The treated sewage shall be disposed on land for gardening/irrigation.

Page 3 of 8

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	Purpose for water consumed	Water consumption quantity
no.		(CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Page 4 of 8

### Schedule-II

#### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have installed the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack					UOM	S%	SO2
	Attache d To	System	in Mtrs.	OfFuel	y			
1	D.G.Set (320 KVA)	Stack	4.0 Above roof	LDO	56.0	Ltr/Hr	1.8	48.38
2	D.G.Set (500 KVA)	Stack	4.0 Above roof					

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .	
SO <sub>2</sub>	Not to exceed	48.38 Kg/Day	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment, with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 5 of 8

# <u>Schedule-III</u>

#### **Details of Bank Guarantees**

Sr.	Consent	Amt of BG	Submission	Purpose of	Compliance	Validity
No.	(C to E/O/R)	Imposed	Period	BG	Period	Date
1	Amendment	5.0 Lakh.	15 days	Towards		28.02.2015.
	in consent to			Operation and		
	operate.			Maintenance	\$30.	
				of Pollution		
				Control		
-				Systems		

Fage 6 of 8

### Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/guarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

Page Jof 8

17) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17:05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dated 16.11.2009 as amended.

-----0000-----

Page 8 of 8