

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400022

Consent order No: Format 1.0/BO/CAC Cell/EIC no. PN-21046-14/O& amal/CAC - 7622

Date- 14/08/2014

To,  
M/s. Eon Kharadi Infrastructure Pvt. Ltd. ,  
Plot No. 1, S.No. 77., Haveli, Kharadi  
Pune , Maharashtra  
Pune , 411014

Subject: Consent to Operate for POD A and amalgamation with Consent to operate for POD B,C,D of IT & ITES project Orange category.

Ref :

1. Consent to Establish granted vide no. BO/RO(P&P)/EIC no. PN-6088-0/E/CC-304 dated 9.8.2010.
2. Renewal of Consent to Operate granted vide no. Format 1.0/BO/CAC-cell/EIC-PN-16887-13/R/CAC-2611 dated 18.3.2014 valid upto 31.1.2015
3. EC accorded by GoI vide no. 21-57/2006-IA.III dated 17.5.2006 for four IT buildings i.e. POD A,B,C,D.
4. EC accorded by SEAC-2212/CR-410/TC-2 dated 10.4.2014 for proposed expansion i.e. POD E.
5. Minutes of 12<sup>th</sup> CAC meeting held on 2.8.2014.

Your application CO1404000163

Dated: 07 Mar 2014

For: Consent to Operate for POD A and amalgamation with Consent to operate for POD B,C,D of IT & ITES project

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to 31.01.2015.
2. The proposed capital investment of the project (POD A) is Rs. 206.57 Crs (As per CA certificate submitted by project proponent whereas the CI of entire project is Rs. 1086.32 crs. for POD A, B, C, D)
3. The Consent to Operate is valid for POD A (LG1+LG2+G+7), POD B, C,D of IT park project of M/s. Eon Kharadi Infrastructure Pvt. Ltd. on plot No. 1, S.No. 77, Haveli, Kharadi , Pune, Maharashtra , Pune ,411014 on total plot area of 180000 sq.m. and construction built up area 80128.18 sq.m. (FSI+ non-FSI) ( for POD A) and construction area for POD B,C,D as 243396.88 including utilities and services as per occupation certificate issued by local body.
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	NA
2.	Domestic effluent	1598.2 ( POD A, B,C,D)	As per Schedule -I	60% recycle and remaining discharge to municipal sewer

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number Of Stack	Standards to be achieved
1	DG set ( 4 x 500 KVA)	4	As Per Schedule -II
2	DG set(4x300 KVA)	4	As Per Schedule -II
3	DG set (8x1010 KVA)	8	As Per Schedule -II

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle. Sion (E),  
Mumbai - 400022

Consent order No: Format 1.0/BO/CAC Cell/EIC no. PN-21046-14/O& amal/CAC - 7622

Date- 14/08/2014

To,

M/s. Eon Kharadi Infrastructure Pvt. Ltd.,  
Plot No. 1, S.No. 77., Haveli, Kharadi  
Pune, Maharashtra  
Pune, 411014

Subject: Consent to Operate for POD A and amalgamation with Consent to operate for POD B,C,D of IT & ITES project Orange category.

Ref :

1. Consent to Establish granted vide no. BO/RO(P&P)/EIC no. PN-6088-0/E/CC-304 dated 9.8.2010.
2. Renewal of Consent to Operate granted vide no. Format 1.0/BO/CAC-cell/EIC-PN-16887-13/R/CAC-2611 dated 18.3.2014 valid upto 31.1.2015
3. EC accorded by GoI vide no. 21-57/2006-IA.III dated 17.5.2006 for four IT buildings i.e. POD A,B,C,D.
4. EC accorded by SEAC-2212/CR-410/TC-2 dated 10.4.2014 for proposed expansion i.e. POD E.
5. Minutes of 12<sup>th</sup> CAC meeting held on 2.8.2014.

Your application CO1404000163

Dated: 07 Mar 2014

For: Consent to Operate for POD A and amalgamation with Consent to operate for POD B,C,D of IT & ITES project

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to 31.01.2015.
2. The proposed capital investment of the project (POD A) is Rs. 206.57 Crs (As per CA certificate submitted by project proponent whereas the CI of entire project is Rs. 1086.32 crs. for POD A, B, C, D)
3. The Consent to Operate is valid for POD A (LG1+LG2+G+7), POD B, C,D of IT park project of M/s. Eon Kharadi Infrastructure Pvt. Ltd. on plot No. 1, S.No. 77, Haveli, Kharadi, Pune, Maharashtra, Pune, 411014 on total plot area of 180000 sq.m. and construction built up area 80128.18 sq.m. (FSI+ non-FSI) (for POD A) and construction area for POD B,C,D as 243396.88 including utilities and services as per occupation certificate issued by local body.
4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	NA
2.	Domestic effluent	1598.2 (POD A, B,C,D)	As per Schedule -I	60% recycle and remaining discharge to municipal sewer

5. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Number Of Stack	Standards to be achieved
1	DG set ( 4 x 500 KVA)	4	As Per Schedule -II
2	DG set(4x300 KVA)	4	As Per Schedule -II
3	DG set (8x1010 KVA)	8	As Per Schedule -II

## 6. Conditions under Municipal Solid Waste (Management and Handling) Rule, 2000 :

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	Biodegradable Waste	1.675	MT/Day	Composting	Use as manure
2	Non-Biodegradable Waste	3.075	MT/Day		Through Local Body

## 7. Conditions under Hazardous Waste (MH &amp; TM) Rules, 2008 for treatment and disposal of hazardous waste

Sr. No.	Type Of Waste	Quantity	UOM	Treatment	Disposal
1	5.1 Used /spent oil	2.70	MT	--	sale to authorized reprocessor
2	E-waste	1.5	T/D		sale to authorized reprocessor

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. PP shall submit the affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC and C to O.
11. PP shall comply with the conditions stipulated in Environmental Clearance granted vide no. 21-57/2006-IA.III dated 17.5.2006 and SEAC-2212/CR-410/TC-2 dated 10.4.2014.
12. This consent is issued with overriding effect over previous consent no. Format 1.0/BO/CAC-cell/EIC-PN-16887-13/R/CAC-2611 dated 18.3.2014.

For and on behalf of the  
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)  
(Member Secretary)

## Received Consent fee of -

Sr. No.	Amount( Rs.)	DD. No.	Date	Drawn On	Fees Obtained for
1	413240	005682	04 Mar 2014	Standard Chartered Bank	C to O POD A for 1 term i.e. 2 years but consent is granted for approx. 1 year, hence balance fees of Rs. 206620/-
2	1193040	919658	15 Jul 2014	Standard Chartered Bank	C to E for increase in CI in total project by Rs. 596.52 crs.
3	2396200	004160	6 Dec 2012	Standard Chartered Bank	Previous C to O for POD B,C,D
4	100	004294	15 Jan 2013	Standard Chartered Bank	
5	1994000	005543	23 Jan 2014	Standard Chartered Bank	

## Copy to:

1. Regional Officer and Sub-Regional Officer MPCB,  
-- They are directed to ensure the compliance of the consent conditions. BG of Rs. 10 lakh obtained against C to E conditions shall be released.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

**Schedule-I****Terms & conditions for compliance of Water Pollution Control:**

1) A] As per your application, you have provided common Sewage Treatment Plant (STP) for POD A and POD B with the design capacity of 930CMD and for POD C and POD D with design capacity of 1100 CMD.

B] The Applicant shall operate and maintain the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
01	BOD (3 days 27oC )	30
02	Suspended Solids	50
03	COD	100
04	Residual Chlorine	1ppm

C ) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	1997.75

Schedule-IITerms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S%	SO2 Kg/day
1	DG set (4x500 KVA)	Acoustic enclosure	5.00 * each	HSD	125	Ltr/Hr	1	60
2	DG set (4x300 KVA)	Acoustic enclosure	4.00 * each	HSD				
3	DG set (8x1010 KVA)	Acoustic enclosure	6.35 * each	HSD	165.00	Ltr/Hr	1	79.2

\* Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
<b>Existing</b>						
1.	C to R (POD B,C,D)	10 lakh*	---	Towards O & M of pollution control system	Continuous	1.6.2015

The existing BG of Rs.10 lakh obtained against consent for POD B, C, D shall be applicable for this consent.

Maharashtra Pollution Control Board

*Pvt*

**Schedule-IV****General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 8) **The industry shall comply with the E- waste (M & H) Rules, 2012.**
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 14) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 15) The industry should not cause any nuisance in surrounding area.
  - 16) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 17) The applicant shall maintain good housekeeping.
  - 18) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
  - 19) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 20) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 21) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 22) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 23) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 

