## MAHARASHTRA POLIUTION CONTROL BOARD

Phone: 4010437/4020781

/4037124/4035273

24044532/4024068 /4023516

Email enquiry@mpcb.gov.in

Visit At : http://mpcb.gov.in

Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E),

Mumbai - 400 022

RED/LSI

Date- 20/08/2014

Consent order No :- Format 1.0/BO/JD-WPC/AM-5853-14/E/CC-7741

To,

Fax

M/s. Shyam Indofab Pvt.Ltd. P.No.T-1, Addl- MIDC Nandgaon Peth. Tal & Dist-Amaravati.

Subject: Consent to Establish under RED category.

Ref

: 1. Earlier Consent granted - NIL

: 2. Minutes of Consent Committee meeting held on 31.07.2014

Your application: CE1405000861 Dated: 02.06.2014

For: Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II,III & IV annexed to this order:

- 1. The consent is granted for a period up to commissioning of the unit OR Five Years Which ever is earlier.
- 2. The proposed capital investment of the industry is Rs.60.66/- Crs. (As per Undertaking submitted by industry)
- 3. The Consent is valid for the manufacture of -

Sr. No	o. Product / By-Product Name	Maximum Quantity in
1.	Knitting	155 MT/Month
2.	Dyed Fabric	304 MT/Month

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	405.00	As per Schedule –I	50% shall be recycle in process & remaining 50% shall be used on land for gardening
2.	Domestic effluent	32.00	As per Schedule –I	On land for gardening

Air (P& CP) Act. 1981 for air emissions:

Thion of stack /	Number of Stack	Standards to be achieved
	01	As per Schedule -II
Fluid Heater	01	As per Schedule -II
(3 nos.)	03	As per Schedule -II

 $\Longrightarrow$   ${f r}$  Hazard ous Waste (MH & TM) Rules, 2008 for treatment and ⊐cdous waste:

aste	Category	Quantity	UOM	Treatmen	Disposal
Sludge	34.3		MT	-	CHWTSDF
t					

ves the right to review, amend, suspend, revoke etc. this consent all be bin ding on the industry.

ould not be construed as exemption from obtaining necessary

from any other Government authorities.

obtain consent to operate before starting the commercial

all provide on line Ph meter and effluent flow meter at the ETP logger for treated effluent recirculation line and disposal.

all submit an affidavit that their total built up Area is less than

within 15 days.

all submit an agreement between Project Proponent and MIDC make available 20 to 25 acres of land for disposal of Treated

> For and on behalf of the Maharashtra Pollution Control Board

> > (Rajeev Kumar Mital, IAS) Member Secretary

#### nsent fee of-Drawn On Date DD. No. at(Rs.) HDFC Bank 11.04.2014 000764 **O**/-

ficer - Armravati and Sub-Regional Officer-Amravati I rected to ensure the compliance of the consent conditions.

🖚 nts Officer, MPCB, Mumbai.

⇒k- for re**c**ord & website updation purposes.

#### Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have proposed to install/ the Effluent Treatment Plant (ETP) with the design capacity of 405.00 CMD.

BI The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards as per EP Act,1986
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pН	5.5 to 9.0
02	Suspended Solids	100
03	BOD 3 days 27 Deg. C.	100
04	COD	250
05	Oil & Grease	10
06	Detergent	2
07	TAN	50
08	R-Chlorine	1
09	TDS	2100
10	Chlorides	600 a dond
11	Sulphate	1000

C) The 50 % treated effluent shall be recycled and remaining 50% treated effluent shall be used on land for gardening only. ( to be found on the sewage 2) A] As per your consent application, you have proposed to install the sewage

treatment system with the design capacity of 50.00 CMD.

B] The Applicant shall operate the sewage freatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Not to exceed 100 mg/l. (1) Suspended Solids. (2) BOD 3 days 27oC. Not to exceed 100 mg/l.

C] The treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically. The treated sewage shall be disposed on land for gardening/irrigation.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	43.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	506.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

M/s. Shyam Indofab Pvt. Ltd SRO Amravati I/I/R/L/03271000

Page 3

#### Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler	Dust collector	30	Coal	30.30 MT/Day	0.5 %	40
2	DG Set 100 KVA	Acoustic Enclosure	4	HSD	0.01 KL/Day	1	75
3	DG Set 200 KVA (2 nos.)	Acoustic Enclosure	4	HSD	0.02 KL/Day	1	75

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm³.
matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement /alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Put

# Schedule-III Details of Bank Guarantees

No. 1	Consent (C to E/O/R) Consent to Establish	Amt of BG Imposed Rs. 5,00,000/-	Submission Period Within 15 days	Purpose of BG Towards Compliance of Consent to Establish Conditions.	Compliance Period Upto commission ing of unit OR Five Years whichever is earlier.	Validity Date Upto commiss ioning of unit OR Five Years whichev er is earlier.
				4		earlier.
			*			
						:

M/s. Shyam Indofab Pvt. Ltd SRO Amravati I/I/R/L/03271000

Page 5 t

#### Schedule-IV

#### **General Conditions:**

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 15) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

M/s. Shyam Indofab Pvt. Ltd SRO Amravati I/I/R/L/03271000

Page 6

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 16) The industry should not cause any nuisance in surrounding area.
- 17) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) The applicant shall maintain good housekeeping.
- 19) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

#### Optional Condition as per applicability

- 1) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 2) Industry shall provide dry fly ash handling & collection system and utilize the fly ash as per the fly ash notification of the Govt. of India
- 3) Transportation of coal & fly ash shall be by closed system, Conveyor system wherever possible.

Prut