Phone : Fax : Email : Visit At :	4010437 /403712 2404453 enguiry/	IAHARASHTRA 7/4020781 4/4035273 32/4024068 /4023516 @mpcb.gov.in upcb.gov.in	POLLUT MAHARASHIRA	Scheme R	oad No. 8, C , Sion (E),	BOARD & 4th flc opp. Cine F	oor, Sion- Matunga Planet Cinema, Near
Consent	order N	lo :- BO/JD(APC)/E	EIC No: NG	-11021-14/]	r/CC- 795 °	7 Date- 2] /08/2014
<u>(Gumgac</u> Post: Gur Dist: Nag	ngaon, pur, Mal	<u>Ore (I) Ltd,</u> <u>anese Mine),</u> Fal: Saoner, narashtra.					
Ref: 1 2	Earlie CC- 13 Minut	nt to Renewal- RE r Consent granted 71, dt: 24/02/2013. ses of CC meeting h	eld on, dt:		/EIC No: Ì	VG-9281-	13/R/
For: C Polluti Polluti & T M follow annex	Consent on) Ac on) Ac) Rules ing ter ed to th e consen	on Dated: 08/05/201 to Renewal under t, 1974 & under t, 1981 and Author 2008 is considere ms and condition is order: t is granted for a per osed and/or actual A certificate submi	r Section 2 Section 21 ization und d and the s and as iod from <u>30/</u>	ler Rule 5 consent is detailed i 06/2014 to	of the Ha hereby g n the sch <u>30/06/2015</u>	zardous granted s ledule I,	subject to the II, III & IV
3. Th	ne Cons Sr. No.	ent is valid for the Product / By-Prod Manganese Ore Mi	manufactu uct Name ne (Manga	nese	Maximum 5,00	Quantit 0 Ton/M	y in MT/A
		Ore mining & Ore ns under Water (P&	e^{CP} 1974	Act for dis	scharge of	effluent	
4. Č	onditio Sr. no.	ns under Water (Po Description	quandisc	ntity of harge	Standard achieved	ls to be	
		Trade effluent	(CM 195.		As per	T	land
	1.		011	0	Schedul As per	e -1	land/Recycle
	2.	Domestic effluen	1		Schedul	e –I	
5. (Conditi	ons under Air (P&	CP) Act, 19	81 for air o mber of St	emissions:	Standa	rds to be
0.	Sr.	Description of sta	ick/ Nu	mper of St	.aun	achieve	
	<u>no.</u> 1.	source					
			N.t	<u>A.</u>		Diate	Nagnur.
	M/s . I	MOIL, <u>Gumgaon Mane</u>	anese Mine.	Post: Gumg	aon, Tal: Sa	oner, Dist	Carlos Control

SRO Nagpur VI/R/S/04027000

Y.

Paul-1-+--+

COD	iditions a	bout Non Hazard	Quantity & UoM	Treatment	Disposal
	Sr. no.	Type Of Waste	Quantity & Com		Land filling within
}		Mud sludge	5.0 Ton/month		mine lease area
	1	Widd Stadge			Backfilling or
					reclamation of the land within mine
	2	Over burden			lease area

Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and 7. disposal of hazardous waste:

	Type Of Waste	Categor	Quantity	UOM	Treatment	Disposal CPCB/SPCB
Sr. N 1.	Used / Spent Oil		1.0	KL/ Month		authorized
					00	re- processors/recy cler CHWTSDF,
2.	Chemical sludge	34.3	50	Kg/D		Butibori
	from WWT					

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent
- and the same shall be binding on the industry. 9. This consent should not be construed as exemption from obtaining necessary
- NOC/permission from any other Government authorities. 10. Industry shall submit separate DD of Rs 50,000/- towards forfeiture of Bank
 - guarantee.

For and on behalf of the Maharashtra Pollution Control Board

r Mitak (Rajee Member Sectetary

Page 2 of 9

	Consent fee of - Amount (Rs.)	DD. No. Date	Drawn On
Sr. No.	Allioune (10.)	010216 06/05/2014	IDBI Bank

(Remaining consent fees of Rs. 99,000/- with Board will be adjusted at the time of next 010216

<u>renewal.)</u>

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer-I, MPCB, Nagpur -

- They are directed to ensure the compliance of the consent conditions.

- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

M/s. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dist: Nagpur..

<u>Schedule-I</u> <u>Terms & conditions for compliance of Water Pollution Control</u>:

- 1) A] As per your application you have provide Effluent Treatment Plant (ETP) of design capacity...Not mentioned.
 - capacity...Not mentioned.B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

198	6 and Rules made there t	illuct from time to they	
Sr No.	Parameters	Standards prescribed by Board	
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH	And the second s
01	рН	5.5-9.0	
02	Oil & Grease	10	
03	BOD (3 days 27oC)	30	
04	Total Dissolved Solids	2100	· V/
05	Bioassay Test		and the second s
	II Additional Parameters		
06	Mercury		100 0
07	Arsenic	<u>(\)</u> ·	-
08	Chromium (Hexavalent)	4
09	Lead		4
10	Cyanide		4
11	Phenolics (C6H5OH)	1.0	4
12	Sulphide (as S)		4
13	Phosphate(as P)		4
14	Suspended Solids	100	-{
15	COD	250	4
16	Chloride 🔀	600	4
17	Sulphate	1000	-1
18	Nitrate Nitrogen	10	 e maximum possible e

- 18 Nitrate Nitrogen
 C) The treated effluent shall be used for spraying mine pits to the maximum possible extent and excess shall be discharged into local nalla only after achieving above standards. The project authorities shall take proactive initiatives for use of this excess water for agricultural for the product of the p
- purposes in the vicinity of mine.
 2) A.J As per your application you will provide Sewage Treatment Plant (ETP) of design capacity...Not mentioned.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

ider fi	rom time to time, which	100	mg/l.	
(1)	Suspended Solids.	Not to exceed	100	m6/ m
(L)	Suspended bondes	Not to exceed	100	mg/l.
(2)	BOD 3 days 27oC.	NUL LU EXCECU		0.
· · ·				

- C] The 100 % treated sewage shall be recycled for flushing, fire fighting, cooling etc
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish

M's . MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dist: Nagpur,

the unit or establish any treatment and disposal system or and extension or addition

- thereto.
 The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess

return Sr. no.	s in Form-I and other provisions as contained in the s Purpose for water consumed	Water consumption quantity (CMD)
51110	Industrial Cooling, spraying in mine pits or boiler	811.00
1.	feed (Including mine discharge)	195.00
2.	Domestic purpose Processing whereby water gets polluted &	
3.	illustante aro easily hiodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are	189°
	toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/Environmental Clearance / CREP guidelines.

M/s. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dist: Nagpur.

__Puge-1+of

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

- The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of (1) emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:
- (11)

(A) Standards for Ambient Air Pollutants:

- 500 ug/m³ (i) Suspended Particulate Matter [SPM] Not to exceed 250 ug/m³
- (ii) Respirable Particulate Matter [RSPM] Not to exceed
 - [Size less than 10 micrometer]
- (iii) Sulphur Dioxide (SO2)

Not to exceed

- (iv) Oxides of Nitrogen (NOx)
- Not to exceed

120 ug/m³ 120 ug/m[°]

≤ma/l

Kɑ/Day

_Page 5 of 9

150

(B) Standards for Emissions of Air Pollutants: Not to exceed

TPM (i)

(ii)

- SO₂
- Not to exceed
- (C) Control Equipment:
 - (i) Mineral handling plant will be provided with Dust Collector and Automatic Water Sprinkler.
 - (ii) Scientific spraying of water on all working area, dump area, stock piles with the help of appropriate dust suppression
 - (iii) Mineral metal shall be properly covered during transportation.
 - (iv) The applicant shall carry out tree plantation along road side, around dumps or Compulsory a forestation as per proposal approved by Forest Department. The tree plantation programme shall be taken up well in advance of the actual mining activity, so that green belt of sufficient width and height is developed between mining area/road and surrounding environment.
 - (v) Black topped metal led roads shall be provided and well maintained to prevent dust formation.
 - (vi) Overloading of dumpers shall be avoided to prevent spillages.

(vii)Correct type and quantity of explosive shall be used to avoid excess dust formation and vibration in the surrounding area.

- The slope of the over burden shall have slope but not more than 28 degree to the horizontal. The overburden shall be (viii) properly covered by vegetation for Stabilization.
- (ix) Coal/Mineral transportation shall be done by installing conveyors wherever possible & mechanically covered closed trucks shall be used for transportation.
- (x) The applicant shall provide minimum three ambient air quality
- monitoring stations within mining area which should be monitored for SPM, RSPM, SO2, NOx, HC, CO etc. The Annual Arithmetic Mean of minimum 104 measurements in a year taken twice a week 24 hourly at uniform interval shall conform to the National Ambient Air Quality Standards prescribed under Air (Prevention and Control of Pollution) Act, 1981 and Environment (Protection) Act, 1986. The records of results of continuous monitoring done shall be made available for inspection to the officers of the Board.

M/s. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dist: Nagpur,

The applicant shall take adequate measures for control of noise levels from its own Sources as follows:

Sr.No.	Location	Permissible Norms [in dB(a)]	Desired minimum thickness of Green Belt						
1	Along road	65 (Commercial Area)	20						
2	In Colonies	55 (Residential Area)	20						
3	Near Opencast	75 (Industrial Area)	10 (*40)						
	Mines		30						
4	Near CHPs	75	20						
5	Near Shaft	75	>50						
6	Near Mine	75							
	exhaust fan	led by o d	roon belt of sufficient width						
(* The C	pen Cast Mine need	is to be surrounded by a y	ry close).						
`	exhaust fan (* The Open Cast Mine needs to be surrounded by a green belt of sufficient width if the residential complexes are very close).								

- 1. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution
- 2. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M's. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dist: Nagpur,.

_____Page-6-of-4

(11)

Schedule-III

Details of Bank Guarantees

Bank Guarantee History:

1.Renewal consentRs. 50,000/- forfeitedTo forfeitedProvision of STI forfeitedfor	Compliance Period	Validity Date
(Existing	To be	To be
BG)	forfeited	forfeited

Sr. No. 1	Consent (C to R) Renewal consent	Amt of BG Imposed Extension of BG of Rs. 5/- Lakh	Submission Period 15 days	Purpose of BGOperationandMaintenanceofPollutionControlSystem so as to achievethetheconsentedstandards.	Compliance Period	Validity Date 31/10/2015
2	Renewal consent	Extension of BG of Rs. 5/- Lakh		Provision of STP	31/12/2014	31/12/2014

برجا أم المراح

____FigeZiif-Y-

M/s. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner, Dişt: Nagpúr,.

<u>Schedule-IV</u>

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- Industry should monitor effluent quality, stack emissions and ambient air quality 3)
- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the 4) Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith 5) Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.6) The applicant shall provide an alternate electric power source sufficient to operate all
- pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending Ist March in the prescribed Form-V as per 7) the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision 8)
- contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill aito/conjugate 9)
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit site/environment. the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their
- 12) The applicant shall make an application for renewal of the consent at least 60 days visit to the applicant. before the date of the expiry of the consent (in case of Renewal of consent).
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents.
- Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

17) Conditions for D.G. Set

a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

K Valat

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room
- Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures. c)
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise e) levels of DG set from deteriorating with use
 - D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of f) g)
- The applicant shall comply with the notification of MoEF dated 17.05 2002 regarding h)
- noise limit for generator sets run with diesel.
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end,
- with the Environment Statement. 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance, pollution. The applicant shall take necessary
- permissions from civic authorities for disposal of solid waste. 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to
- maintain clean and safe environment in and around the factory premises. 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences
- (format can be downloaded from MPCB official site). 26) The industry shall submit official e-mail address and any change will be duly informed to the

MPCB.

Specific Conditions:-

- 1) The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF vide No. J-11015/77/2003-IA.II(M) dtd: 06/12/2004.
- Transportation of Ore & minerals shall be by closed system, Conveyor system wherever 2)

-----0000------

possible.

M/s. MOIL, Gumgaon Manganese Mine, Post: Gumgaon, Tal: Saoner. Dist: Nagpur,.

Page 9 of 9