	MAHAKASHTR	A POLLUT	ON CONTROL	BOARD
hone :	4010437/4020781	39 <u></u>		& 4th floor, Sion- Matur
	/4037124/4035273		Scheme Road No. 8	Opp. Cine Planet Cinema, Ne
ax :	24044532/4024068 /4023516	MAHARASHTRA	Sion Circle, Sion (E),	opp cine Planet Cinema, Ne
mail :	enquiry@mpcb.gov.in		Mumbai - 400 022	
sit At :	http://mpcb.gov.in		Wallibar - 400 022	
onsent No	: Format 1.0/ BO/CAC-Cell/	EIC No:-PN-21	362-14/CACC 8	187
uie-	100/2014			
о,	0410912014			
	Marelli Motherson Auto system	1 td		
at No. 148	-150, Village Ambethan,	Ltd.,		
al:- Khed, D	Dist:- Pune			
ubject:]	Renewal of consent wit	th Increase i	n Capital Investn	nent under RED
negory.				
ef :1.	Earlier Consent grantee	d vide no. BO.	JD(APC)/EIC No. P	PN-14154-1910
	CC-733 dtd 10.12.2012			N=14104-12/0
2.	Minutes of CAC meeting	g held on 14.0	8.2014	
				<u> A</u> A O
our appl	ication: CR1404000521		. %	
ated: 03.	04.2014		, and the second s	
or: Rene	wal of consent with Incr	ease in Canit	al Invoctment	
ider Sec	tion 26 of the Water (Pre	vention & Co	ntrol of Dall-	A -+ 1054 0 -
ection 2	1 of the Air (Preven	tion \mathcal{L}	trol of FUILUTION)	Act, 19/4 & under
ithorizo	tion under Pule E af a	\sim U ₂ = $ \tau$	ITOI OI Pollution) Act, 1981 and
maidana	tion under Rule 5 of th	e Hazardous	Wastes (M, H & T	' M) Rules 2008 is
nsidered	and the consent is he	reby granted	subject to the fol	lowing terms and
nditions	and as detailed in the se	chedule I, II ,]	II & IV annexed to	this order:
		. P		
The cons	sent is granted for a period	from 31.05.20	14 to 28.02.2015	
The act	tual capital investment	of the indust	rv is Rs. 115.03/- C	rs (As nor C A
The act Certific	tual capital investment cate submitted by indust	of the indust rv)	ry is Rs. 115.03/- C	rs. (As per C. A.
The act Certific	tual capital investment ate submitted by indust	of the indust ry)	ry is Rs. 115.03/- C	rs. (As per C. A.
Certino	ate submitted by indust	ry)		rs. (As per C. A.
Certino	nsent is valid for the mai	ry) nufacture of -		
The Co	nsent is valid for the mai	ry)		
The Con	nsent is valid for the man Product / By-P Name	ry) nufacture of -	Maximum Quant	tity in MT/A
The Cor Sr. No.	ate submitted by indust nsent is valid for the mar Product / By-P Name Head Lamp - LH& RH	ry) nufacture of -	Maximum Quant 40000.00 Sets	tity in MT/A s/Month
The Con Sr. No.	ate submitted by indust nsent is valid for the mar Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH	ry) nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets	tity in MT/A s/Month s/Month
The Con Sr. No. 1 2 3	ate submitted by indust nsent is valid for the mar Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto	ry) nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos	tity in MT/A s/Month s/Month s/Month
The Con Sr. No. 1 2 3 4	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold	ry) nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos	s/Month s/Month s/Month s/Month
The Con Sr. No. 1 2 3	ate submitted by indust nsent is valid for the mar Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto	ry) nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos	s/Month s/Month s/Month s/Month
The Con Sr. No. 1 2 3 4 5	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly	ry) roduct pp Lamp	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos	s/Month s/Month s/Month s/Month s/Month
The Condition	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP)	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue	s/Month s/Month s/Month s/Month s/Month
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly	nufacture of roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to	s/Month s/Month s/Month s/Month s/Month
The Con Sr. No. 1 2 3 4 5 Conditi	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP)	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue	tity in MT/A s/Month s/Month s/Month s/Month s/Month
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP)	nufacture of roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to	tity in MT/A s/Month s/Month s/Month s/Month s/Month
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP)	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to	tity in MT/A s/Month s/Month s/Month s/Month s/Month
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP)	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD)	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved	s/Month s/Month s/Month s/Month s/Month ent: Disposal
Certific The Con Sr. No. 1 2 3 4 5 5 Conditi Sr. no.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per	tity in MT/A s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land /
Certific The Con Sr. No. 1 2 3 4 5 5 Conditi Sr. no.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD)	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved	ity in MT/A s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle
Certific The Con Sr. No. 1 2 3 4 5 5 Conditi Sr. no.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD)	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per	tity in MT/A s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I	tity in MT/A s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water
Certific The Con No. 1 2 3 4 5 Conditi Sr. no.	ate submitted by indust nsent is valid for the man Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD)	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per	tity in MT/A s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I	tity in MT/A s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land /
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per	Lity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per	ity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per	Lity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle
Certific The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per	ity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland
The Con Sr. No. 1 2 3 4 5 Condita Sr. no. 1. 2.	ate submitted by indust nsent is valid for the mai Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent Domestic effluent	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD) 24 20	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	ity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland
The Con Sr. No. 1 2 3 4 5 Condita Sr. no. 1. 2.	ate submitted by indust nsent is valid for the main Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Stor Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD) 24 20	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	ity in MT/A s/Month s/Month s/Month s/Month s/Month s/Month ent: Disposal e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland
The Con Sr. No. 1 2 3 4 5 Condita Sr. no. 1. 2.	ate submitted by indust nsent is valid for the mai Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent Domestic effluent	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD) 24 20	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	Lity in MT/A s/Month s/Month s/Month s/Month s/Month mathematical and / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland surface water
The Con Sr. No. 1 2 3 4 5 Conditi Sr. no. 1. 2.	ate submitted by indust nsent is valid for the mai Product / By-P Name Head Lamp - LH & RH Tail Lamp - LH & RH Centered High Mounted Sto Air Intake Manifold Brake Pedal Box Assembly ons under Water (P&CP) Description Trade effluent Domestic effluent	nufacture of - roduct op Lamp , 1974 Act for Permitted quantity of discharge (CMD) 24 20	Maximum Quant 40000.00 Sets 54000.00 Sets 35000.00 Nos 35000.00 Nos 35000.00 Nos discharge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	Lity in MT/A s/Month s/Month s/Month s/Month s/Month mathematical and / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland surface water e.g. land / CETP / Recycle / saline / inland surface water

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.		Number of Stack	Standards to be
no.	source		achieved
1.	DG set	3	
			As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Type Of			
Waste	Quantity & UoM	Treatment	Disposal
Wooden pallets	455.00 Kg/M	_	By Sale
	1.00 МТ (44		
Boxes	1.90 M1/M	-	By Sale
Plastic Waste	19.75 MT/M	_	By Sale
Empty Cans	4.00 No/M	_	By Sale By Sale
	Wooden pallets / Boxes Corrugated Boxes Plastic Waste	WasteQuantity & UoMWooden pallets455.00 Kg/M/ Boxes1.90 MT/MBoxes91.75 MT/M	Waste Quantity & UoM Treatment Wooden pallets 455.00 Kg/M - / Boxes 1.90 MT/M - Boxes 1.90 MT/M - Plastic Waste 19.75 MT/M -

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sm	Type Of Waste					
No.		Category	Quantity	UOM	Treatment	Disposal
1	Used /spent oil	5.1	1000.00	Ltrs/Yr	-	To authorised
2	Wastes/residue containing oil	5.2	0.75	Kg/Da		reprocessor CHWTSDF
3	Discarded containers / barrels / liners	33.3	0.50	Kg/Da	3	Ranjangaon To authorised
4	Chemical sludge from waste water treatment	34.3	5.00	y Kg/Da y)	reprocessor CHWTSDF Ranjangaon

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

Reco	eived Consent fee	of -	Mahar	For and on behalf of the ashtra Pollution Control Board Rajeev Humar Mital, LAS) Member Secretary
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 230170.00	150590	28/03/2014	Axis Bank
	Rs. 75000.00	150976	05.05.2014	Axis Bank

The balance fees of 3 months Rs. 57517/-, with the Board will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer – Pune. He is directed to forfeit BG of Rs. 2/- Lakhs & obtain top up BG of Rs. 4/- Lakhs & also extend the existing BG of Rs. 3/- Lakhs from remaining BG of Rs. 5/- Lakhs.

Page 2

- 2. Sub-Regional Officer-Pune-II, MPCB, They are directed to ensure the compliance of the consent conditions.
- 3. Chief Accounts Officer, MPCB, Mumbai.
- 4. CC/CAC desk- for record & website updation purposes.

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66744000

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 12 m3/batch.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)		
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH		
01	рН	5.5-9.0		
02	Oil & Grease	10		
03	BOD (3 days 27oC)	30		
04	Total Dissolved Solids	2100		
05	Phosphate(as P)	5.0		
06	Suspended Solids	100		
07	COD	250		
08	Chloride	600		
09	Sulphate	1000		

- C) The treated effluent shall be segregated and reused back into process & remaining shall be used on land of 2.47 for gardening. In no case effluent shall find its way for gardening/outside factory premises- 24 CMD
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 20 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l.
(2)	BOD 3 days 27oC.	Not to exceed	30	mg/l.
(3)	COD.	Not to exceed	100	mg/l.

- C] The treated sewage shall be used on land of 2.47 acres for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66/44000

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	69.60
2.	Domestic purpose	37.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	44.00
4.	Gardening	18.00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66744000

Page 4

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	DG Set (750 KVA)		9	HSD	150 Ltrs /Hr	1%	72
2	DG Set (750 KVA)		9	HSD	150 Ltrs /Hr	1%	72
3	DG Set (320 KVA)		6	HSD	64 Ltrs /Hr	1%	31
4				LPG	30 Kg/Hr 🧳		

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .
matter		
	4	

Page 5 🕇

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66744000

100 maria

Schedule-III Details of Bank Guarantees

I	orfeited BG	History		Dank Guarantees		
Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Out of Rs. 5/- Lakhs 2/- Lakhs forfeited		For 0 & M of pollution control system	To be forfeited	To be forfeited

Sr. No. 1	Consent (C to E/O/R) C to R	Amt of BG Imposed Out of Rs. 5/- Lacs Rs. 2/- Lakhs forfeited &	Submission Period 15 Days	Purpose of BG For O & M of pollution control system	Compliance Period 30.04.2015	Validity Date 31.08.2015
2	C to R	remainin g Rs. 3/- Lakhs to be extended Top up Rs. 4/- Lakhs	15 Days	For 0 & M of pollution control system	30.04.2015	31.08.2015
				KIO		
				· · ·		
	ý,	(0, 0, 0, 0)				

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66744000

Page 6

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

Page 7

Magneti Mareli Motherson Auto System Ltd, SRO Pune 11/1/R/L/66744000

system. A register showing consumption of chemicals used for treatment shall be maintained.

- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

Magneti Mareli Motherson Auto System Ltd, SRO Pune II/I/R/L/66744000