Tel: 24010437/24020781/24014701	JTION CONTROL BOARD MAHARASHIFA Kalpataru Point, 2 nd - 4 th Fl.
Fax: 24024068 / 24023516	Opp. Cine Planet Cinema,
Website: <u>http://mpcb.gov.in</u>	Near Sion Circle, Sion (E)
E-mail: mpcb@vsnl.net	Mumbai-400 022.
RED/LSI	Widhibai-400 022.
	Date:06/09/2014 C)/EIC No.KN-6621-14/0/CC-8286
10,	
To, M/s. Godrej & Boyce Mfg. Co. Ltd., B-100, MIDC Additional Ambernath,	
	the second s

vide no. BO/JD(APC)/EIC No.KN/E/CC-1872, dated 01/03/2013.

2. Minutes of CC meeting held on 26/8/2014.

Your application Dated: 04/02/2014.

For: Consent to 1st Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent operate is granted for a period from CoU to 31/05/2016. 1. 2.
- The actual capital investment of the industry is Rs. 50.97 Crs. (As per C.A. Certificate submitted by industry) 3.
- The Consent is valid for the manufacture of an.

Sr. No.	Product Name	Maximum Quantity
	Defender safes all variants from 26 to 84	10125 Nos/M
2	Defender door	1000 Nos/M
<u> </u>	Fire resistant products Safe deposit lockers	1000 Nos/M 1000 Nos/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1. 	Trade effluent	100.0	As per Schedule –I	СЕТР
2.	Domestic effluent	20.0	As per Schedule –I	Land

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000

Page 1/8 1 pe

Sr.	Description of stack /	Number of Stack	Standards to be
no.	source		achieved
1.	Pre-Treatment-I	1	As per Schedule -II
2	Pre-Treatment-II	1	As per Schedule –II
3	Pre-Treatment-III	1	As per Schedule -II
4	Primary Spray Booth	1	As per Schedule -II
5	Paint Shop with forced drying	1	As per Schedule –II
6	Paint Shop (8 nos)(non fuel)	8	As per Schedule –II
7	DG Set (50 KVA)	1	As per Schedule –II
8	Diesel Engine	1	As per Schedule –II

6. Conditions about Non Hazardous Wastes:

Sr. No	Type Of Waste	Quantity & UoM	Treatmen	Disposal
1	MS Scrap	5000 T/Y		Sale
2	Empty paint drum	10 Nos/Y	-8	Sale
3	FR Compound	10 T/Y	105	Disposed
4	Other non ferrous scrap	20 T/¥	·	Sale
5	Cement Sweep	70 TXY		Sale
6	Misc electrical scrap	2 T/Y		Sale
7	Aluminum Scrap	350 T/Y		Sale
8	Plastic Scrap	50 T/Y		Sale
9	Wood Scrap	25000 T/Y		Sale
10	Plastic carboys	15 T/Y		Sale
11	Mix & miscellaneous scrap	36000 T/Y		Sale

7. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

aste and residue	21.1	200000			
la ato/magialasan		200000	MT/M		CHWTSDF
ontaining oil	5.2	5000	Litr/M		CHWTSDF
hemical sludge om waste water eatment	34.3	200	MT/M		CHWTSDF
iscarded ontainers/ barrels/ ners	33.3	20000	MT/M		Sale to authorized vendor
h re i	emical sludge om waste water eatment scarded ntainers/ barrels/	emical sludge om waste water 34.3 eatment 34.3 scarded ntainers/ barrels/ 33.3	emical sludge om waste water 34.3 200 eatment scarded ntainers/ barrels/ 33.3 20000	emical sludge om waste water 34.3 200 MT/M eatment scarded ntainers/ barrels/ 33.3 20000 MT/M	emical sludge om waste water 34.3 200 MT/M eatment scarded ntainers/ barrels/ 33.3 20000 MT/M

M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000

Page 2/87 Int

	-		М		on behalf of the llution Control Boa	ırd
	D		50(00) - 215M	(Rajeev Kun Member	har Mital, IAS) r Secretary	
	S.No.	ed Consent fee of Bank Name	DD. No.	DD. Dt.	Amount	
	1	Central Bank of	125576	16/01/2014	Rs.3,25,100/-	
		India		ļ, ·		
Сору	to:					
	Regiona	l Officer -Kalyan and S			MPCB,—they are	
2.		l to ensure the complia ccounts Officer, MPCB		nt conditions.		
		desk- for record & we		urposes. 🔪 🔪	J.	
				e de la companya de l	÷	
				-c		
				_ _ \	۶	
		•	αO			
		4 ⁹ %	X			
			>			
		NAN -				
		T				
-		* *				
-		Ţ				
-		* •				

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 100.0 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Limiting Concentration in mg/l, except for pH	4
01	pH	5.5 to 9.0	3
02	Oil & Grease	10 🧳	\sim
03	BOD (3 days 27oC)	100	Q
04	Total Dissolved Solids	2100	8
05	COD	250	
06	Suspended Solids	100	
07	Chloride	600	
08	Sulphate	0001	
09	Dissolve phosphate	5.0	
10	Total Metal	10	
11	Copper	3	
12	Iron	3	
13	Nickel	3	

C) The treated effluent shall be disposed to CETP through tanker till the drainage facility is provided by MIDC. The monthly record of same shall be submitted to respective Sub Regional Office and Regional Office.

2)

A] As per consent application you have provided Septic Tank & Soak Pit with the design capacity of 20.0 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
(1) Suspended Solids. Not to exceed 100 mg/l.

		buspended bonds	not to enceed	100	······································
	(2)	BOD 3 days 27oC.	Not to exceed	100	mg/l.
C]	The trea	ted sewage effluent s	hall be disposed on la	and for ga	rdening

- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000	YIMT .	Page 4/

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	10.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	130.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5	Agriculture/gardening	0.00

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time

M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000

Page 5/8

<u>Schedule-II</u> <u>Terms & conditions for compliance of Air Pollution Control</u>:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr.	Stack	APC	Height in	Type of	Quantit	UoM	S %	SO_2
No.	Attached To	System	Mtrs.	Fuel	у			Kg/Day
1	Pre- Treatment- I	Scrubber	33.5	Diesel/PN G	1.5KI/D or 1500SC M/D	_		
2	Pre- Treatment- II	Scrubber	15			-	-	
3	Pre- Treatment- III	Scrubber	15	-		à.		_
4	Primary Spray Booth	Scrubber	3		-			,
5	Paint Shop with forced drying	Scrubber	1	-		-		-
6	Paint Shop (8 nos)(non fuel)	Scrubber	1		-			-
7	DG Set (50 KVA)	Stack	3.5 above roof	×>				
8	Diesel Engine	Stack		Ci - Air Dalla		-		

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150	mg/Nm³.	

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Page 6/8 M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000

Sr. No.	Consent	Amt of BG Imposed	Submis sion Pcriod	ank Guarantees Purpose of BG	Compliance Period	Validity Date
1	(C to O)	Rs.5/- lakhs	15 Days	Operation and maintenance of pollution control system		31/09/2016
		• •				

•

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped:
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000) ut	Page 8/8
		and the second
	V	

15) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 16) The industry should not cause any nuisance in surrounding area.
- 17) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) The applicant shall maintain good housekeeping.19) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

	\sim
M/s. Godrej & Boyce Mfg. Co. Ltd., SRO Kalyan II/I/R/L/86341000	Page 9/8
•	