/4 Fax : 24 Email : ei Visit At : http://docs.org/linearchitestandersecture	MAHARA 010437/4020781 037124/4035273 4044532/4024068 /4 nquiry@mpcb.gov.ir http://mpcb.gov.in Format 1.0/ BO/Ca	4023516 1	GHARASHTRA S	Scheme Road No. Sion Circle, Sion (E ⁄Iumbai - 400 022	3rd & 4th floor, Sion- Matunga 8, Opp. Cine Planet Cinema, Near E),
Date- 15/0 To, M/s. Mahino Plot No. F-1	9/2014 Ira & Mahindra . & F-7, , Hingna Road,				
cat Ref : 1. 1 1	newal of Conse egory. Earlier Consent 2/O/CC-CAC-460 Minutes of CAC	granted v 6 dtd13/06/2	ide no. MP 2012	CB/JD(APC)/E	ent under RED IC NO NG-6478-
Your applie	eation: CR13120	00051			
Dated: 03.1				~~~	
under Sect Section 21 Authorizat considered	of the Air ion under Rule and the conse	ater (Preve (Prevention 5 of the 2 nt is here	ention & Co on & Con Hazardous by granted	ntrol of Pollu trol of Pollu Wastes (M, H subject to th	tion) Act, 1974 & under ation) Act, 1981 and & T M) Rules 2008 is e following terms and
conditions	and as detailed	in the sch	edule I, II,	HI & IV annex	ed to this order:
Certific	ate submitted k nsent is valid fo	y industry) ifacture of	-	53 Crs. (As per C. A. um Quantity
<u>1</u>	Tractor		1015	44 Nos/Annum	
2	Transmissio	n		44 Nos/Annum	
3	Engine		1096	44 Nos/Annum	L
4	Hydraulics			44 Nos/Annum	
5	Sheet Metal	Painting		00 Nos/Annum	
T	ons under Wate	er (P&CP),	<u>1974 Act fo</u> d quantity	r discharge of Standards to	Disposal
Sr. no.	Description		rge (CMD)	be achieved	Disposal
1.	Trade effluent	196	0	As per Schedule –I	Recycle/Reuse for cooling & remaining
					to CETP
2.	Domestic effluent	162.34		As per Schedule –I	to CETP Recycle/Reuse & remaining on land for gardening
	effluent ions under Air ((P& CP) Ac	t, 1981 for a	Schedule –I air emissions:	Recycle/Reuse & remaining on land for gardening
5. Conditi Sr.	effluent ons under Air (Description o	(P& CP) Ac	t, 1981 for a Number o	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be
5. Conditi Sr. no.	effluent ons under Air (Description o source	P& CP) Ac f stack /	Number o	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved
5. Conditi Sr. no. 1.	effluent ons under Air (Description o source Hot Water Ge	P& CP) Ac f stack / nerator	Number o	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved As per Schedule -II
5. Conditi Sr. no. 1. 2.	effluent ons under Air (Description o source Hot Water Ge Process vents	P& CP) Ac f stack / nerator	Number o	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved
5. Conditi Sr. no. 1.	effluent ons under Air (Description o source Hot Water Ge	P& CP) Ac f stack / nerator	Number o 2 12	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved As per Schedule -II As per Schedule -II
5. Conditi Sr. no. 1. 2. 3.	effluent ons under Air (Description o source Hot Water Ge Process vents DG set	P& CP) Ac f stack / nerator	Number o 2 12 12	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved As per Schedule -II As per Schedule -II As per Schedule -II
5. Conditi Sr. no. 1. 2. 3.	effluent ons under Air (Description o source Hot Water Ge Process vents	P& CP) Ac f stack / nerator	Number o 2 12 12	Schedule –I air emissions: f Stack	Recycle/Reuse & remaining on land for gardening Standards to be achieved As per Schedule -II As per Schedule -II

6. Conditions about Non Hazardous Wastes:

		ous mastes.		
Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Corrugated Boxes and Plastic	3500 MT/A		By Sale
2	Wooden Scrap	1500 MT/A		By Sale
3	Metal Scrap	1050 MT/A		By Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantit	y UOM	Treatment	Disposal
1	Paint Wastes and residues		200	MT/A		CHWTSDF/
2	Chemical sludge from wast water treatment	34.3	50	MT/A		Authjorised
3	Phosphate sludge	12.5	40	MT/A		Recycler/
4	Wastes/residue containing (Contaminated cotton wasti gloves, filters etc)	5.2	65	MT/A		Authorised cement industry
5	Discarded containers / barr / liners	33.3	30000	Nos/A		Sale to authorized
6	Used /spent oil	5.1	75	KL/A		party Sale to authorized re-processor
7	Used Batteries					
'	Used Ballenes	Scheule-I	1500	Nos/A		Sale to authorized r
8	Asbestos Sheets - broken	Class B-4	$\rightarrow \bigcirc$			processor
—			20	MT/A		CHWTSDF
9	E Waste		1	MT/A		Sale to authorized r processor

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities. 9.

For and on behalf of the Maharashtra Pollution Control Board (Rajeev ar ital. IAS Member Secr

tary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On	
1	20,85,197.00	119984	28/11/2013	HDFC Bank	
2	5,63,377.00	120018	10/1/2014	HDFC Bank	
The	balance consent	fees of Rs 69/9		Doord will he	

es of Rs. 694960/th the Board will be considered during next Renewal.

Copy to:

- 1. Regional Officer Nagpur. He is directed to release the BG of Rs. 10/- Lakhs obtained against ID as SRO reported compliance of ID
- 2. Sub-Regional Officer-II, MPCB Nagpur. They are directed to ensure the compliance of the consent conditions.
- 3. Chief Accounts Officer, MPCB, Mumbai.
- 4. CC/CAC desk- for record & website updation purposes.

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

Page 2 of 9

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 300 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sold

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	5.5 to 9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Phosphate(as P)	5.0
06	Suspended Solids	100
07	COD	250
08	Chloride	600
09	Sulphate	1000
10	Iron	5.0
11	Zinc (as Zn)	5.0
12	Total Metal	10.0

C) The treated effluent shall be reused/recycled back into process for cooling purpose & remaining treated effluent shall be sent to CETP Butibori.

- 2) A.] As per your consent application, you have provided to install sewage treatment system with the design capacity of 250 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

 (1) Suspended Solids. (2) BOD 3 days 27oC. (3) COD 	Not to exceed	50	mg/l.
	Not to exceed	30	mg/l.
	Not to exceed	100	mg/l.
(3) ເບ	Not to exceed	100	

- C] The treated sewage shall be recycled to maximum extent & remaining shall be discharged on land of 11.12 acres for gardening- 162.34 CMD
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

Page 3 of 9

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	o. Fulpose for water consumed	Water consumption
1.	Industrial Cooling, spraying in mine pits or boiler feed	quantity (CMD) 44
2.	Domestic purpose	
3.	Processing whereby water gets polluted &	220.46
	ponutants are easily biodegradable	102
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	151
5.	Other (Garden, Dessert coolers in summer, fire hydrant)	120

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

Page 4 of 9

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC)system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Hot Water Generator	Stack	30.00	FO	75 Ltr/Hr	4 50/	140
2	Hot Water Generator	Stack	30.00		75 Kg/Hr	4.5%	162
3	Dry Off Oven (Dual fire)	Stack	18.00	LDO	35 Ltr/Hr	1%	30.24
4	Flash up Zone	Stack	18.00				+
5	Baking Oven (Dual fire)Bring up 1, Bring up 2, Holding	Stack	19.00	LDO	35 Kg/HR	1%	30.24
6	Paint Booth Exhaust (2 Nos with 4 Vents)	Ventury/ Water scrubber	13.00				
7	Top Coat Bake Oven (2 Vents)(Heating with hot air)	Stack	13.00	Propane	125 Kg/Hr each		
8	Pre treatment Process (Degrease, Phosphatig & CED) (3 Vents)	Ventury scrubber	13.00	Propane	125 Kg/Hr each		
9	CED Bake Oven (2 Vents)	Stack	13.00	Propane	125 Kg/Hr		
10	DG Set (250 KVA) 2 No	Acoustic enclosure	3.2	HSD	35 ltr/Hr for each DG set	1%	16.8
11	DG Set (320 KVA) 1 No	Acoustic enclosure	3.6	HSD	54 ltr/Hr	1%	25.92
12	DG Set (500 KVA) 6 Nos	Acoustic enclosure	4.5	HSD	80 ltr/Hr for each DG set	1%	38.4
	DG Set (750 KVA) 2 Nos	Acoustic enclosure	9.14	HSD	90 ltr/Hr for each DG set	1%	43.2
14	DG Set (1020 KVA) 1 No	Acoustic enclosure	13.00	HSD	200 ltr/Hr	1%	96

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

matter		150 mg/Nm^3 .
HCL 1	Not to exceed	35 mg/Nm ³

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

Page 5 of 9

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Manashirapolition control board

Page 6 of 9

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

Schedule-III Details of Bank Guarantees

No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended & addition al)	5/- Lakhs + additional 5/- Lakhs = Total 10/- Lahkhs	15 Days	O & M of pollution control systems	30.09.2016	31.01.20 17
	addition	10/-			444	
					Ó,	
					$\theta_{O_{i_i}}$	
					,	
			and the second			
			QQ),			

Page 7 of 9

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010

<u>Schedule-IV</u>

<u>General Conditions</u>:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010 Page 8 of 9

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended. -----0000-----

Page 9 of 9

Mahindra & Mahindra Ltd, SRO Nagpur II/I/R/L/72954010