Phone :	MAHARASHTF 4010437/4020781		Kalpataru Point 2-4	& 4th floor, Sion- Matung
Fax :	/4037124/4035273		Scheme Road No. 8. (Quantum Attin floor, Sion- Matung Opp. Cine Planet Cinema, Nea
Email :	24044532/4024068 /4023516		Sion Circle, Sion (E),	opp. One Planet Cinema, Nea
Visit At :	enquiry@mpcb.gov.in		Mumbai - 400 022	
	http://mpcb.gov.in			
Consent	order No: - BO/EIC No.P \/09/2014	N-19930-13/CA	CELLICOLOC	(°
Date-16	/09/2014		-CELLOFT -85	63
То,				
M/s. Indo	Schottle Auto parts Pvt	.ltd.		
Gat no.37	78/387/389 A/P- Urawade.			
Tal- Muls	shi, Dist- Pune			
a 1 • • •				
Subject:]	Renewal of consent with	increase in Ca	pital Investment u	under RED
				2
	L Earlier Consent grante	d No BO/JD(A)	PC)/EIC No. PN-79	955-10/8102-
-	0.0100-040 utu 10.01.201	.อั		
2	2. Minutes of CAC meetin	g held on 28.08.	2014	
Your ann	lication:- CR1311000231.		<	
Dated: 22/	11/2013			
For: Ren	awal of consont with in a		~~	
under Sec	ewal of consent with incr ation 26 of the Water (Pro-	rease in Capital	Investment	
Section	etion 26 of the Water (Pro 21 of the Air (Provor	evention & Con	trol of Pollution)	Act, 1974 & under
	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	$1110n$ d_7 ('onto		
		e n 979rdone V	\/n@#~~~/%//%_TT_O_/m	
	d and the consent is he s and as detailed in the s	renv growtod d		
	and as actuated in the s		annexed to	this order:
1. The co	nsent is granted for a pe	riad from 01/01	00144 00/00/00	
	a grantou for a per		2014 to 28/02/2015	,
2. The ac	tual capital investment	of the induct		<i></i>
Certific	cate submitted by indus	try)	ry is Rs.118.92 C	rs. (As per C.A.
	j indub	MF 787 ''''''''''''''''''''''''''''''''''		
	×.			
3. The Co	nsent is valid for the ma			
3. The Co Sr.	nsent is valid for the mai Product / By-Produc	nufacture of –	Maria	
3. The Co Sr. No.	Product / By-Produc	nufacture of – t Name	Maxim	um Quantity
Sr.	Product / By-Produc	nufacture of – t Name		
Sr. No.	Product / By-Produc	nufacture of – t Name ithout	20.00.000 No	
Sr. No.	Product / By-Produc Auto Components (wi Phosphating, Picklin	nufacture of – t Name ithout g, Painting & a	20.00.000 No	
Sr. No.	Auto Components (wi Phosphating, Picklin other surface treatme	nufacture of – t Name ithout g, Painting & a ent)	20,00,000 No ny	
Sr. No. 1	Product / By-Produc Auto Components (wi Phosphating, Picklin	nufacture of – t Name ithout g, Painting & a ent)	20.00.000 No	
Sr. No. 1 2	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & a ent) ito component	20,00,000 No ny 75 MT/M	s/ M
Sr. No. 1 2	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & a ent) ito component	20,00,000 No ny 75 MT/M	s/ M
Sr. No. 1 2	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au	nufacture of – t Name ithout g, Painting & ar ent) ito component	20,00,000 No ny 75 MT/M	s/ M
Sr. No. 1 2	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & a ent) ito component , 1974 Act for d Permitted	20,00,000 No ny 75 MT/M ischarge of efflue	s/ M
Sr. No. 1 2 . Condiți	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of	20,00,000 No ny 75 MT/M ischarge of efflue Standards to	s/ M
Sr. No. 1 2 4. Conditi Sr. no.	Product / By-Produc Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & a ent) ito component , 1974 Act for d Permitted	20,00,000 No ny 75 MT/M ischarge of efflue	s/ M
Sr. No. 1 2 4. Conditi Sr.	Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & a ent) to component , 1974 Act for d Permitted quantity of discharge	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved	s/ M nt: Disposal
Sr. No. 1 2 4. Conditi Sr. no. 1.	Product / By-Produc Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising) ons under Water (P&CP) Description Trade effluent	nufacture of – t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD)	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved As per	s/ M nt: Disposal On land for
Sr. No. 1 2 4. Conditi Sr. no.	Product / By-Produc Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising)	nufacture of – t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD)	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved As per Schedule –I	s/ M nt: Disposal
Sr. No. 1 2 . Conditi Sr. no. 1.	Product / By-Produc Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising) ons under Water (P&CP) Description Trade effluent	nufacture of – t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved As per Schedule –I As per	s/ M nt: Disposal On land for
Sr. No. 1 2 4. Conditi Sr. no. 1. 2.	Product / By-Product Auto Components (with Phosphating, Pickling, other surface treatment of Autor (Black oxidising) Heat Treatment of Autor (Black oxidising) Ons under Water (P&CP) Description Trade effluent Domestic effluent	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	s/ M nt: Disposal On land for
Sr. No. 1 2 4. Condition Sr. no. 1. 2. 2.	Product / By-Produc Auto Components (wi Phosphating, Pickling other surface treatment Heat Treatment of Au (Black oxidising) ons under Water (P&CP) Description Trade effluent Domestic effluent ons under Air (P& CP) Ac	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2	20,00,000 No ny 75 MT/M ischarge of efflue Standards to be achieved As per Schedule –I As per Schedule –I	s/ M nt: Disposal On land for
Sr. No. 1 2 4. Conditi Sr. no. 1. 2.	Product / By-Produc Auto Components (wi Phosphating, Picklin other surface treatme Heat Treatment of Au (Black oxidising) ons under Water (P&CP) Description Trade effluent	nufacture of – t Name ithout g, Painting & ar ent) to component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e	20,00,000 No ny 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions:	s/ M nt: Disposal On land for gardening
Sr. No. 1 2 . Conditi Sr. no. 1. 2. . Conditic Sr. no.	Product / By-Product Auto Components (with Phosphating, Pickling, other surface treatment of Autor (Pactor and Autor) Other surface treatment of Autor Heat Treatment of Autor (Black oxidising) Ons under Water (P&CP) Description Trade effluent Domestic effluent Ons under Air (P& CP) Actor Description of stack / Source	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack	s/ M nt: Disposal On land for gardening ndards to be
Sr. No. 1 2 . Conditi Sr. no. 1. 2. Conditic Sr. no. 1.	Product / By-Product Auto Components (with Phosphating, Pickling, other surface treatment of Autor (Pactor and Autor (Black oxidising) Ons under Water (P&CP) Description Trade effluent Domestic effluent Ons under Air (P& CP) Actor and Autor	nufacture of – t Name ithout g, Painting & ar ent) to component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e	20,00,000 No ny 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack	s/ M nt: Disposal On land for gardening ndards to be achieved
Sr. No. 1 2 . Conditi Sr. no. 1. 2. . Conditic Sr. no.	Product / By-Product Auto Components (with Phosphating, Pickling, other surface treatment of Autor (Pactor and Autor) Other surface treatment of Autor Heat Treatment of Autor (Black oxidising) Ons under Water (P&CP) Description Trade effluent Domestic effluent Ons under Air (P& CP) Actor Description of stack / Source	nufacture of – t Name ithout g, Painting & ar ent) to component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Star	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II
Sr. No. 1 2 4. Condition 5r. no. 1. 2. 2. 2. 3.	Product / By-Product Auto Components (with Phosphating, Pickling) other surface treatment of Autor Heat Treatment of Autor (Black oxidising) ons under Water (P&CP) Description Trade effluent Domestic effluent ons under Air (P& CP) Actor Description of stack / source Furnace DG set	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of 6 3	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Star As per	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II Schedule -II
Sr. No. 1 2 4. Conditi Sr. no. 1. 2. . Conditio Sr. no. 1. 3.	Product / By-Product Auto Components (with Phosphating, Pickling, other surface treatment of Autor (Black oxidising) Image: Heat Treatment of Autor (Black oxidising) Image: Imam	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of 6 3	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Sta As per S 00	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II Schedule -II Page 1 of 8
Sr. No. 1 2 4. Conditi Sr. no. 1. 2. . Conditio Sr. no. 1. 3.	Product / By-Product Auto Components (with Phosphating, Pickling) other surface treatment of Autor Heat Treatment of Autor (Black oxidising) ons under Water (P&CP) Description Trade effluent Domestic effluent ons under Air (P& CP) Actor Description of stack / source Furnace DG set	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of 6 3	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Star As per	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II Schedule -II Page 1 of 8
Sr. No. 1 2 4. Conditi Sr. no. 1. 2. . Conditio Sr. no. 1. 3.	Product / By-Product Auto Components (with Phosphating, Pickling) other surface treatment of Autor Heat Treatment of Autor (Black oxidising) ons under Water (P&CP) Description Trade effluent Domestic effluent ons under Air (P& CP) Actor Description of stack / source Furnace DG set	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of 6 3	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Sta As per S 00	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II Schedule -II Page 1 of 8
Sr. No. 1 2 4. Conditi Sr. no. 1. 2. . Conditio Sr. no. 1. 3.	Product / By-Product Auto Components (with Phosphating, Pickling) other surface treatment of Autor Heat Treatment of Autor (Black oxidising) ons under Water (P&CP) Description Trade effluent Domestic effluent ons under Air (P& CP) Actor Description of stack / source Furnace DG set	nufacture of - t Name ithout g, Painting & ar ent) ito component , 1974 Act for d Permitted quantity of discharge (CMD) 2 35.2 et, 1981 for air e Number of 6 3	20,00,000 No ny 20,00,000 No 75 MT/M ischarge of efflue: Standards to be achieved As per Schedule –I As per Schedule –I emissions: Stack Sta As per S 00	s/ M nt: Disposal On land for gardening ndards to be achieved Schedule -II Schedule -II Page 1 of 8

						nt	
		1 Bronz scrap	UoM 48 MT/A				Disposal
		2 Aluminium	37 MT/A		***		Sale
		scrap			•••	Бу	Sale
7.	Condi	3 MS srcap	365 MT/A		•••	By	Sale
1.	dispos	tions under Hazar sal of hazardous wa	dous Waste	e (MH & '	TM) Rules,	2008 for	treatment an
	Sr. No.	True OCHI	Category	Quantity	UOM	T	
	1	Used/Spent Oil	5.1	320		Treatmen	
			0.1	320	Lit/D ay	•••	Authorized
	2	Waste Residue	5.2	400	Kg/M		reprocessor
		containing oil				•••	CHWTSDF
	4	Chemical sludge	34.3	1500	Kg/M	•••	CHWTSDF
		from waste water treatment		×.			0
8. 7	The Bo	oard reserves the	right to re-			$\underline{\circ}$	
8	ind th	pard reserves the r e same shall be bin	ding on the	iew, ame	nd, susper	ıd, revok	e etc. this con
r	no Boa	ry to submit Board rd Resolution in p	Kesolution	1 by 30.09	.2014. This	s consent	stand cancelle
							ted time period
N	JOC/n	onsent should not ermission from any	be constr	ued as e	exemption	from ob	taining neces
1401	nuusu	ry shall installed th	ie STP with	adequat	e capacity	by 31.01.2	2015
			·		\$ %		
					🖉 🛛 For a	nd on be	half of the
			in the second	M	[aharashtr	a Pollutio	on Control Bog
			and the second se			\cap	. Vontroi Boa
			~ 0			101	11
			$\sim \sqrt{\sim}$	8	(Raji	vKumar	Mital) IAS
	D	. 10			Me	ember Şe	cretary
		eived Consent fee o	<u> </u>			- V	T,
	Sr.	Amount(Rs.)	DD. No.	Date	Dra	wn On	
	No.						1
	SRO	vide mail dtd 23.00	8.2014 repoi	rted bala	nce consen	t fees of	Rs. 484200/
		The Doar a is const	uerea aurir	19 this Ra	nowol		<i>, , ,</i> , , , , , , , , , , , , , , , ,
1	rne ba	llance consent fees	of Rs. 1317	20/- balar	ce with th	e Board y	will be
	consi	dered during next	renewal			o Douru	ann de
(Copy t	×0:					
1.	Regi	onal Officer – Pune	. He is dire	cted to fo	rfeit BG of	Re 9/ L	bha out of
	200.01	, and s natenu tu	e remaining	σ K(÷ Λf R	e Y/ Lath		•
	DUU	f Rs. 1/- Lakh to ma	ke total BG	of Rs. 4/-	-Lakheae	montiono	ain top up

2.	Sub-l	Regional Officer- M	PCB, Pune	-II They a	re directo	d to oncu	no tha
	comp	mance of the conse	nt conditio	ns.	are un cete	u to ensu	re the
3.	Chief	f Accounts Officer,	MPCB, Mur	nbai.			
	4	4. CC/CAC desk- fo	r record &	website u	indation n	Irnosoc	
		-			-Pariton b	ur poses.	

•

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity not mentioned.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)			
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH			
01	pН	5.5-9.0			
02	Oil & Grease	10			
03	BOD (3 days 27oC)	100			
04	Total Dissolved Solids	2100			
05	Suspended Solids	100			
06	COD	250.			
07	Chloride	600			
08	Sulphate	1000			

- C) The treated effluent shall be used on land of 5 acres for gardening/plantation purpose after confirming the above standards. In no case effluent shall find its way for gardening/outside factory premises.
- A.] As per your consent application, the treated sewage shall be soaked in a soak pit, which shall be got cleaned periodically.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

643		
(1)	Suspended Solids.	Not t
(2)		

(2) BOD 3 days 27oC.

Not to exceed100Not to exceed100

mg/l.

mg/l.

- C] The treated effluent shall be used on land of 5 acres for gardening/plantation purpose after confirming the above standards. In no case effluent shall find its way for gardening/outside factory premises..
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune II/I/O/L/56838000

Page 3 of 8

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	Nil
2.	Domestic purpose	44
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.8
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune 11/1/0/L/56838000

Page 4 of 8

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install/ provided the Air pollution control (APC)system and also proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	f Quantit y & UoM		SO_2
	DG set (320 KVA x 2 No.)		4	Diesel	100	1%	Kg/Day 48
2	DG set (725 KVA)		5.5	Diesel	Lit/Hr 110 Lit/Hr	1%	52.8
3	Sealed quench Furnace		2	Electricity			
4	Mesh belt furnace		2	Electricity		<u>.</u>	
5	Tempering furnace(2 nos)		2	Electricity		<u> </u>	
6	Preheating furnace		2	Electricity	<u>~~</u>		
7	Annealing furnace		2	Electricity	<u>.</u>	••••	

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to have 1	
matter	Not to exceed	150 mg/Nm^3 .
matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment. 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to
- any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune II/I/O/L/56838000

Page 5 of 8

Schedule-III Details of Bank Guarantees

E	BG History			Sank Guarantees		
Sr. No.	Consent (C to O)	Amt of BG Imposed	Submission Period	Purpose of BG	Complian ce Period	Validity Date
1	C to O (to be forfeited)	Out of Rs. 5 Lakh Rs. 2/- Lakhs to be forfeited	To be forfeited	Towards submission of Board Resolution	To be forfeited	To be forfeited

BG details

Sr. No.	Consent (C to R)	Amt of BG Imposed	Submission Period	Purpose of BG	Complian ce Period	Validity Date
1	C to R (existing to be extended & top up to be obtained)	Out Rs. 5 Lakh Rs. 2 Lakhs to be forfeited Rs. 3/- Lakhs to be extended & Rs. 1/- Lakh top up to be obtained to make total Rs. 4/- lakhs	15 days	Towards submission of Board Resolution	30.09.20	. W
2	C to R	Rs. 2 Lakh	15 days	For submission of design details of APC system	30.09.20 14	30.06.2015
2	C to R	Rs. 5 Lakh	15 days	For Installation of STP	31.01.20 15	30.06.2015
3	C to O	Rs. 10 Lakh	15 days	Towards O&M of pollution control system	28.02.20 15	30.06.2015
				· .		

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune II/I/O/L/56838000

Page 6 of 8

Mit

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker, if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune 11/1/0/L/56838000 Page 7 of 8

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

----0000-----

M/s. Indo Scho ttle Auto Parts Pvt. Ltd./ SRO Pune II/I/O/L/56838000

Page 8 of 8