MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 / 24023515 Website: http://mpcb.gov.in

E-mail: mpcb@vsnl.net / ta@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor Opp. Cine Planet Cinema, Near Sion Circle, Sion (E) Mumbai-400 022.

No. BO/CAC-CELL/RO(Kolhapur)/Refusal/TB-

CAC-1862

Date: | 7/09/2014

M/s Bombay Rayon Fashion Ltd., c/o Islampur Integrated Textile Park Pvt. Ltd., Village Peth Naka, Islampur, Tal - Walwa, Dist-Sangli.

> Sub: Refusal of Consent under Section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.

Ref: 1. Your application for renewal of consent to operate dated 15.02.2014.

2. CAC meeting held on 07.07.2014.

3. SCN for Refusal issued vide dated 16.07.2014.

4. Report of SRO, MPCB, Pune-II vide dated 08.08.2014 along with your reply dated 07.08.2014 & 13.08.2014.

5. CAC meeting held on 28.08.2014.

has granted consent to operate to your unit which was valid upto 31.01.2014 with certain terms and conditions. WHÉREAS NOW, you have applied for granting renewal of consent to operate of your unit as per the provisions of Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundry Movement) Rules, 2008.

AND WHEREAS, your case has been discussed in the Consent Appraisal Committee meeting held on 07.07.2014 and it was decided to issue show cause notice for refusal of renewal of consent to operate due to following non-compliances & violation

- 1. Non-submission of BG of Rs. 10 lakh towards O&M of ETP to achieve disposal standards and BG of Rs. 5 lakh towards O&M of APC as per consent condition
- JVS results are exceeding the consented standards.
- 3. CA certificate submitted is not in prescribed format.

AND WHEREAS, the show cause notice was issued vide reference No. (3). AND WHEREAS, you have submitted reply vide reference no 4 above. As per your reply for show cause notice and verification report from Sub Regional Officer, it is noted that the latest JVS results collected on 19.03.2014 & 30.04.2014 are also not meeting with the consented norms. You have also not provided wet scrubber upto 31.03.2014 as per consent condition and you have not submitted the BG of Rs. 10 lakh & Rs. 5 lakh towards O&M of ETP to achieve disposal standards and towards O&M of APC devices to achieve emission standards respectively.

AND WHEREAS, your case has been again discussed in the CAC meeting held on 28.08.2014 and it was decided to issue final refusal of consent due to following non-compliances.

1. Latest JVS results collected on 19.03.2014 & 30.04.2014 are not meeting

with the consented norms.

2. Industry has submitted B.G. of Rs. 5 lakhs towards providing wet scrubber an APC system by 31.03.2014 and SRO reported that Industry has provided dust collector as APC & not provided wet scrubber as per consent condition.

3. Industry has not submitted the BG of Rs. 10 lakh towards O&M of ETP to achieve disposal standards and BG of Rs. 5 lakh towards O&M of APC devices to achieve emission standards.

In view of above, your application for grant of renewal of consent to operate is hereby refused under Section 27 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008.

You may prefer Appeal against the refusal order passed by Maharashtra Pollution Control Board, in case aggrieved by this order, to Appellate Authority within a period of 30 days from the date of receipt of the Refused order.

> (Rajeev P Member

Copy for information & necessary action :

1) Regional Officer, M.P.C.B., Kolhapur - He is directed to issue appropriate directions to the industry after appeal period is over, and submit the report accordingly.

Sub Regional Officer, M.P.C.B., Sangali - for information and necessary follow-

up action.