MAHARASHTRA POLLUTION CONTROL BOARD

Phone

To,

Fax : Email : Visit At 4010437/4020781 /4037124/4035273 24044532/4024068 /4023516 enquiry@mpcb.gov.in http://mpcb.gov.in



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

Infrastructure /Orange/LSI Consent order No: BO/RO-HQ/EIC-TN-5194-14 /CE/CC- 859

Date- 16/09/2014

M/s. SPH Agro Farms Estates Pvt. Ltd., S. No. / H. No. 110/1 (pt), 224/1A (pt), 224/1B (pt), Vill. Ghodbunder, Dist. Thane.

Subject: Consent to Establish for Building/Construction project ORANGE category. Ref : Minutes of CC meeting held on 05/09/2014.

Your application: CE1407000631

Dated: 07/07/2014

For: Consent to Establish for Building/Construction project.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

- 1. The consent is granted for a period up to <u>Commissioning of the project of 5 years</u> whichever is earlier.
- The proposed capital investment of the project is Rs. 54.0 Crs. (As per undertaking submitted by project proponent)
   For development of land/ plot as new construction activities for construction of Residential cum commercial construction project named as M/s. SPH Agro Farms Estates Pvt. Ltd.,
   S. No. / H. No. 110/1 (pt), 224/1A (pt), 224/1B (pt), Vill. Ghodbunder, Dist. Thane, on Total Plot Area of <u>11536.45 Sc. Mtrs</u> and Total Construction <u>26201.41 sq. Mtrs</u> including utilities as per construction commencement certificate issued by local body.

## 3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr.	Description	Permitted	Standards to	Disposal
no.		quantity of	be achieved	
		discharge (CMD)		
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	175	As per Schedule –I	60% shall be reused & recycled and remaining shall be discharged in
				municipal sewer.

### 4. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG set (650 KVA)	1	As per Schedule -II

"M/s. SPH Agro Farms Estates Pvt. Ltd."SRO Thane II/I/O/L/05088000

Page 1 of 6

Sr. no.	Type Of Waste	Quantity & UoM	anagement and Handling) Ru	le,2000:
1	Biodegradable		Treatment	Disposal
	Non-	428 Kg/day 299 Kg/day	Organic Waste Convertor	Used as Manure
2	Biodegradable STP Sludge		Segregate and Hand over to TMC for recycling	•-
	STI Sludge	9 kg/day	Manure	
		Category Qua	TM) Rules, 2008 for treatmen antity UOM Treatment Nil uspend, revoke etc. this consent	Disposal
This control other (	onsent should not be Government authority	e construed as exemptio	on from obtaining necessary NO	Permission from any
dated- of lan memor getting shall n Appl	14/09/2006, the effe d by the projec randum no. J-1103, gencroached & cor ot be treated as an icant shall submit	etive steps include st t management. How (41/2006-IA.II(I); Date astruction of tempora effective steps.	steps for implementation of Z clearance as per EIA Norments thereto. As per Para 2 tarting of any construction we vever as clarified by the d-19/8/2010,fencing of the site ry shed(s) for the guard(s) & 15 days in the prescribed for ironmental Clearance, CRZ	of EIA notification of EIA notification ork or preparation MoEF vide office to protect it from acquisition of land
	and to Establish.	100 AJ	For and on behal Maharashtra Pollution (	fof the
Sr.	ived Consent fee o Amount(Rs.)	DD N	(Rajeev Kumar Mit Member/Secret	al IAS) art
<u>No.</u>	100100.00		e Drawn On	
. Chief	onal Officer – Thank y are directed to e Accounts Officer	e and Sub-Regional Of	7/2014 Bank of India. fficer- Thane-II MPCB, of the consent conditions. purpose	

#### <u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to install MBBR based Sewage Treatment Plant (STP) with the design capacity of 450 CMD.
  - B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for pH
	BOD (3 days 27oC )	30
02	Suspended Solids	50
03	COD	100
)4	Residual Chlorine	1ppm

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall
- be discharged in to the municipal sewerage system. D) Project proponent shall operate STP for five years from the date of obtaining
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution)

Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. Purpose for water consumed	
<ol> <li>Industrial Cooling, spraying in mine pits or boiler feed</li> <li>Domestic purpose</li> <li>Processing whereby water gets polluted &amp; pollutants are easily biodegradable</li> </ol>	Water consumption quantity (CMD) 00 201 00
4. Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	00

"M/s SPH Agro Farms Estates Pvt. Ltd."SRO Thane II/I/O/L/05088000

Page 3 of 6

				Sch	edule-II			
<u>Te</u>	rms & con	ditions f	or complian		<u>ollution Contr</u>	_		
(A) fol	PC)system lowing fue	and al al al	so proposed 1-	have prope d to erect	osed to insta following st	all the Air p ack (s) and	ollution con to observe	trol the
	Sr. Stac No. Atta To	ck Iched	APC System	Height in Mtrs.	Type c Fuel	of Quantity & UoM	S % SO <sub>2</sub> Kg/Day	
	KVA		Acoustic Enclosure	5.0*	HSD	50 Ltr/hr	24	
			ilding in wh				-t	
sys			operate an ve the level o	d maintain of pollutant	above men s to the follow	tioned air po ving standards	ollution cont s:	rol
	Parti matte	culate er	Not to exc	ceed	150 mg/Nm <sup>3</sup> .			
The equ	Applican	t shall ol	otain necess	ary prior p	ermission for	providing add	litional contr	·ol
rep	lacemenal	teration	well before	incations a its life con	and operation ne to an end	providing add n thereof or or erection of	alteration	or
	_							
The any	Board res	serves its	rights to va	ry all or an	y of the cond	ition in the co	nsent, if due	, to
any	control eq	luipment	t, other in w	r otherwise hole or in p	such variat art is necessa	ition in the co ion (including rv)	the change	of
			struction ph		#	· · · · ·		
a								
		or stair an	u worker qua	rters.		ry sewage dispo		
b		onstructio e Ambien proved la	www.www.uchilvi	ambient air a Standards ar	and noise quali ad Noise by the	ty should be clos project propone	ely monitored nt through	
	Main	nerating a	ctivity shall b	e carried out	during day tir	ne only		
c	INOISe ger	1. No. 1. 1.						1
с		$\sim$	·			ne only.		
c	INOISE ger		۶					
C	INOISE ger							
С	INOISE ger							
	INOISE ger							
C	INOISE ger							
C	Ivoise ger							
C	INOISE ger		·					
C	Ivoise ger		·					
C	INOISE ger		ε •					
C	Ivoise ger							
						i i i i i i i i i i i i i i i i i i i		
			d."SRO Thane []/]/	O/L/05088000		Page 4 d	f <b>6</b>	
				O/L/05088000			f 6	
				O/L/05088000			of 6	

# <u>Schedule-III</u> Details of Bank Guarantees

-

• •

1 Consent to Rs. 5 lakhs 15 Days Towards compliance of Upto Five	Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Compliance Period	Validity Date
Watarashtrapoliticon control board			Rs. 5 lakhs	15 Days	Towards compliance of consent conditions.	Commissioning	Five years
"M/s. SPH Agro Farms Estates Pvt. Ltd."SRO Thane II/I/O/L/05088000					(		

#### <u>Schedule-IV</u>

**General Conditions**:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - ) D.G. Set shall be operated only in case of power failure.
  - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

"M/s. SPH Agro Farms Estates Pvt. Ltd."SRO Thane II/I/O/L/05088000

Page 6 of 6