

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent order No: - BO/CAC-Cell/EIC No:-PN-20429-14/CAC/9637

Date-18/10/2014

To,  
M/s. Alfa Laval (India) Ltd.,  
Gat no. 822 to 824 (P), 825, 828 to 832, 834(P), 838 to 843, 845 to 848  
Village-Shirwal, Tal-Khandala,  
Dist-Satara.

Subject: Consent to Establish under RED category.  
Ref : Minutes of CAC meeting held on 09.09.2014.

Your application: CE 14030004000  
Dated: 01/01/2014

For: Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period up to Commissioning of the unit or five years, whichever is earlier.
2. The proposed capital investment of the industry is Rs. 258Cr. (As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
Phase-I		
1.	Fabrication of Process Equipments	5,800 MT/Y
Phase-II		
2.	Decanter Centrifuge	2,000 No's/Y
3.	Heat Exchangers	15,000 No's/Y
Phase-III		
4.	Centrifugal Separators	5,000 No's/Y
5.	Pumps & Valves	12,000 No's/Y
6.	Stainless Steel Fitting	25,00,000 No's/Y

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	90	As per Schedule -I	Maximum reuse/recycle and remaining on land for gardening
2.	Domestic effluent	94.4	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
	<b>Phase-1</b>		As per Schedule -II
1.	Shot blasting (3 nos.)	3	
2.	Paint Booth	1	
3.	Surface Cleaning	1	
4.	DG Set (1000 KVA x 2 nos.)	2	
	<b>Phase-2</b>		
5.	Hard Surfacing and welding	1	
6.	Shot blasting (4 nos.)	4	
7.	Paint Booth (7 nos.)	7	
8.	Sanding booth (2 nos.)	2	
9.	Screw dressing and grinding	1	
10.	Paint Ovens (3 nos.)	3	
11.	Welding booth (2 nos.)	2	
12.	DG Set(1000 KVA)	1	
	<b>Phase-3</b>		
13.	Shot blasting (3 nos.)	3	
14.	Paint Booth (5 nos.)	5	
15.	Sanding booth (1 no)	1	
16.	Polishing Machine (2 nos.)	2	
17.	Paint Ovens (3 nos.)	3	
18.	Welding booth (2 nos.)	2	
19.	DG Set(1000 KVA)	1	

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1.	Ferrous Scrap	300 MT/M	-	By sale to Authorized vendor
2.	Non-Ferrous Scrap	75 MT/M	-	By sale to Authorized vendor
3.	Wood, paper, Plastic, Glass etc.	126 MT/M	-	By sale to Authorized vendor
4.	Debris	300 CUM/M	-	By sale to Authorized vendor
5.	Dust(Blasting/Grinding/Metal)	27 MT/M	-	By sale to Authorized vendor
6.	Glass Wool/Thermocol	5 MT/M	-	By sale to Authorized vendor

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1.	Paint Sludge	21.1	3600	Kg/M	---	CHWTSDF
2.	Oily Soaked Cotton	5.2	3600	Kg/M	---	CHWTSDF
3.	ETP Sludge	34.3	4200	Kg/M	---	CHWTSDF.
4.	Used/Spent oil	5.1	3000	Litr/M	---	Sale to Authorized recycler
5.	Used Led acid batteries	-	12	Nos./M	---	
6.	Discarded/empty containers/barrel	33.3	1500	Nos./M	---	CHWTSDF
7.	Copper itching residue	12.1	4000	Kg/M	---	CHWTSDF
8.	Wastes & Residue	21.1	8100	Kg/M	---	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. The consent is granted as per the distance certificate issued by Executive Engineer, Irrigation Dept vide letter no 3470/2014 dated 16.06.2014 stating that project falls in the catchment area of Nira River and the minimum crow fly distance from the flood line and the nearest boundary of the project site/operational area is 2.090 Km. The location falls under A-II class of Nira River basin as per verification report submitted by SRO, Satara vide email dated 03.09.2014 .
11. Industry shall comply the RRZ Policy dated 13.07.2009.
12. Industry shall not take any effective steps without obtaining environmental clearance since the total BUA is more than 20,000 Sq. mtrs. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-IA.II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
13. Industry shall submit an affidavit stating that the distance of the operational area of the said activity is beyond 2 km from the average flood line of River Nira.

For and on behalf of the  
Maharashtra Pollution Control Board

(Rajiv Kumar Mital) IAS  
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1	Rs.5,16,100/-	915543	11/12/13	Bank of Maharashtra

Copy to:

1. Regional Officer MPC Board, Pune.
2. Sub-Regional Officer, M.P.C.Board Satara- They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.


**Schedule-I**

**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have proposed to install the Combined Effluent Treatment Plant (ETP) and Sewage Treatment Plant with the design capacity of 184 CMD.
- 2) B] The Applicant shall operate the combined ETP & STP to treat the trade effluent and domestic effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.


Sr No.	Parameters	Standards prescribed by Board (Limiting Concentration in mg/l, except for pH)
01	pH	5.5-9.0
02	Oil & Grease	10
03	B. O. D.	30
04	C. O. D.	250
05	T. D. S.	2100
06	Chlorides	600
07	Sulphate	1000
08	Suspended Solid	100

- C] The 60% treated effluent shall be reused/recycle in the process, cooling tower, toilet flushing etc and remaining on land for gardening/irrigation/ after confirming the above standards. There shall not be any discharge outside the factory premises.
  - D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
  - 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
  - 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.



Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	118
2.	Industrial Cooling, spraying in mine pits or boiler feed	44
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	100
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	Nil

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



**Schedule-II**  
**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
<b>Phase-1</b>							
1.	Shot blasting ( 3 no's)	Dust Collector	1 m above roof	---	---	---	---
2.	Paint Booth	Air filtration	1 m above roof	---	---	---	---
3.	Surface Cleaning	Filters	1 m above roof	---	---	---	---
4.	DG Set (1000 KVA)	Acoustic enclosure	1 m above roof	Diesel-	100 Ltr/hr	1	48
<b>Phase-2</b>							
5.	Hard Surfacing and welding	Fume extraction	1 m above roof	---	---	---	---
6.	Shot blasting ( 4 nos)	Dust Collector	1 m above roof	---	---	---	---
7.	Paint Booth (7 nos)	Air filtration	1 m above roof	---	---	---	---
8.	Sanding booth (2 nos)	Filters	1 m above roof	---	---	---	---
9.	Screw dressing and grinding	Filters	1 m above roof	---	---	---	---
10.	Paint Ovens ( 3 nos)	-	1 m above roof	---	---	---	---
11.	Welding booth (2 nos)	fume extraction	1 m above roof	---	---	---	---
12.	DG Set(1000 KVA)	Acoustic enclosure	30 mtr.	Diesel-	100 Ltr/hr	1	48
<b>Phase-3</b>							
13.	Shot blasting ( 3 nos)	Dust Collector	1 m above roof	---	---	---	---
14.	Paint Booth (5 nos)	Air filtration	1 m above roof	---	---	---	---
15.	Sanding booth (1 nos)	Filters	1 m above roof	---	---	---	---
16.	Polishing Machine -(2 nos)	Filters	1 m above roof	---	---	---	---
17.	Paint Ovens ( 3 nos)	-	1 m above roof	---	---	---	---
18.	Welding booth (2 nos)	Fume extraction	1 m above roof	---	---	---	---
19.	DG Set(1000 KVA)	Acoustic enclosure	30 mtr.	Diesel-	100 Ltr/hr	1	48


2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).




3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.


4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).





**Schedule-III**  
**Details of Bank Guarantees**


Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissi on Period	Purpose of BG	Complian ce Period	Validity Date
1	CtoE	Rs. 5 lakhs	15 days	Towards not to take any effective steps before obtaining environmental clearance	---	28.02.2016
2	CtoE	Rs.5 lakhs	15 days	Project Proponent shall submit an affidavit stating that the distance of the operational area of the said activity is beyond 2 Km from the average flood-line of River Nira.	30.11.2014	28.02.2016



#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.



- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

—0000—

