

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No: Format I.0/BO/CAC-celU/EIC- NM-4738-13/E/CAC-10085

Date- ~~14/2014~~ 01/11/2014

To,
M/s. Golden Falcon Pacific Ltd.,
Off no. 101, Real tech Park, 1st Floor, Sec-30/4,
Vashi, Mumbai.

Subject: Consent to Establish for Industrial Estate project (425 nos. of Industrial galas) by M/s. Golden Falcon Pacific Ltd., at Plot no.C-39/A MIDC TTC, Ind Area Dist-Thane in RED category.

Ref : 1. Minutes of 15th CAC meeting held on 9.9.2014.

Your application CE1308000299

Dated: 23.7.2013

For: Consent to Establish for industrial gala project under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to establish is granted for a period up to commissioning of the unit or 5 years whichever is earlier.
- The proposed capital investment of the project is Rs. 99.9 Crs. (As per CA certificate submitted by industry)
- The Consent to Establish is valid for construction of Industrial Estate project M/s. Golden Falcon Pacific Ltd., at Plot no.C-39/A MIDC TTC, Ind Area Dist-Thane on total plot area of 114792 sq.m. and total built up area 29983.56 sq. mtrs. as per construction commencement certificate issued by local body.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr. no. | Description | Permitted quantity of discharge (CMD) | Standards to be achieved | Disposal |
|---------|-------------------|---------------------------------------|--------------------------|---|
| 1. | Trade effluent | NIL | NA | NA |
| 2. | Domestic effluent | 125.6 | As per Schedule -I | 60% Recycle & reuse for secondary purpose and remaining discharge into MIDC sewer |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr. no. | Description of stack / source | Number of Stack | Standards to be achieved |
|---------|-------------------------------|-----------------|--------------------------|
| 1. | Nil | NA | |

6. Conditions under Municipal Solid Waste (Management and Handling) Rule,2000:

| Sr. no. | Type Of Waste | Quantity & UoM | Treatment | Disposal |
|---------|---------------|----------------|----------------------------------|----------|
| 1 | Wet waste | 122.51 kg day | Composting | Manure |
| 2 | Dry garbage | 196.15 kg day | Segregate and sent for recycling | Soil |

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

| Sr. No. | Type Of Waste | Category | Quantity | UOM | Treatment | Disposal |
|---|---------------|----------|----------|-----|-----------|----------|
| There shall be no generation of any hazardous waste | | | | | | |

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. PP shall submit Board Resolution from company Board, towards starting of construction work without obtaining consent to establish from the MPC Board and Environmental Clearance thus violated the provisions of Environmental Laws and in future, they will not do such violations and BG of Rs. 2 lakh towards submission of Board resolution within one month.
11. PP shall submit an affidavit within 15 days in the prescribed format towards not taking further effective steps prior to obtaining the EC and BG of Rs. 10 Lakh for ensuring the compliances.
12. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-IA.II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
13. PP shall submit an affidavit in Board's prescribed format regarding compliance of condition of EC and C to E.
14. The project authority shall enter in to MoU with all buyers of the property/flat etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.
15. Every Individual industry proposed to be located in industrial estate shall obtain consent to Establish from Maharashtra Pollution Control Board before taking any effective steps for implementation of the project.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mishra, IAS)
Member Secretary

Received Consent fee of -

| Sr. No. | Amount(Rs.) | DD. No. | Date | Drawn On |
|---------|-------------|---------|----------|---------------------------|
| 1. | 125000/- | 119090 | 4.7.2013 | Abhyudaya Co-op Bank Ltd. |

Copy to:

1. Regional Officer -Navi Mumbai and Sub-Regional Officer-Navi Mumbai-I MPCB, Pune. They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have proposed to install one MBBR based Sewage Treatment Plants (STP) with the total design capacity of 140 CMD.

B] The Applicant shall operate the effluent treatment plants (STPs) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

| Sr No. | Parameters | Standards prescribed by Board |
|--------|--------------------|---|
| | | Limiting Concentration in mg/l, except for pH |
| 01 | BOD (3 days 27oC) | 30 |
| 02 | Suspended Solids | 50 |
| 03 | COD | 100 |
| 04 | Residual Chlorine | 1ppm |

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the MIDC sewerage system.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made thereunder for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

| Sr. no. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 00 |
| 2. | Domestic purpose | 198.2 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 00 |

Schedule-II - Not applicable, hence not annexed

**Schedule-III
Details of Bank Guarantees**

| Sr. No. | Consent (C to E/O/R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|---------|----------------------|-------------------|-------------------------------|---|---|--|
| 1 | Consent to Establish | Rs. 5 lakh | 15 days from issue of consent | Towards compliance of consent conditions | Upto Commissioning of the unit or 5 year whichever is earlier | Five years from date of issue of consent |
| 2 | Consent to Establish | Rs. 2 lakh | 15 days from issue of consent | Towards submission of Board Resolution within one month of issue of consent | One month from issue of consent | Till submission of Board Resolution |
| 3 | | Rs. 10 lakh | 15 days from issue of consent | Towards not taking further effective steps | Upto Commissioning of the unit or 5 year whichever is earlier | Five years from date of issue of consent |

Schedule-IV

Conditions during construction phase

| | |
|---|--|
| a | During construction phase, applicant shall provide temporary sewage disposal and MSW facility for staff and worker quarters. |
| b | During construction phase, the ambient air and noise quality should be closely monitored to achieve Ambient Air Quality Standards and Noise by the project proponent through MoEF approved laboratory. |
| c | Noise generating activity shall be carried out during day time only. |

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) **The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.**
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 12) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution

control system: A register showing consumption of chemicals used for treatment shall be maintained.

13) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 14) The industry should not cause any nuisance in surrounding area.
- 15) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 16) The applicant shall maintain good housekeeping.
- 17) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 18) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 19) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 20) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 21) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 22) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India. Notification dt. 16.11.2009 as amended.