

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701

Fax: 24024068 /24023515

Website: <http://mpcb.gov.in>

E-mail: mpcb@vsul.net



Kalpataru Point, 2nd - 4th Floor,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai - 400 022

Orange/LSI

Date: 13/11/2014

Consent No : Format 1.0/BO/JD(WPC)/EIC No. PN- 21358-14/R/CC- 10354

To,
M/s. Pepsico India Holding Pvt. Ltd.,
(Frito-Lay Division), Plot No. C-5,
MIDC Ranjangaon,
Tq. Shirur Dist. Pune.

Subject: Consent to Operate Orange Category.

Ref : 1. Minutes of Consent Committee meeting held on 30.07.2014.

Your application dated 02.04.2014.

For: Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from : 01.06.2014 to 31.05.2016.
2. The actual capital investment of the industry is Rs. 295.36Crs. . (Existing + increase other asset, as per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name / By-Product	Maximum Quantity in MT/A
1	Potato Chips & Extruded Products	92.00 MT/day
2	Extruded Products Fried and baked Products	109.00 MT/day

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	955.0	As per Schedule -I	On land for irrigation/CETP
2.	Domestic effluent	23.50	As per Schedule -I	On land for irrigation

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Boiler - 20 TPH (Briquette fire)	I	As per Schedule - II
2	D.G. Set (750 KVA)	I	As per Schedule - II
3	D.G. Set (380 KVA)	I	As per Schedule - II
4	D.G. set (1010 KVA)	I	As per Schedule - II
5	Heat Exchanger- PC21 Line	I	As per Schedule - II
6	Fryer PC 21 Line	I	As per Schedule - II
7	Heat Exchanger- PC-36 Line	I	As per Schedule - II
8	Fryer PC 36 Line	I	As per Schedule - II
9	Heat Exchanger - KKR1 Line	I	As per Schedule - II
10	Fryer KKR1 Line	I	As per Schedule - II
11	Heat Exchanger - KKR2 Line	I	As per Schedule - II
12	Fryer KKR2 Line	I	As per Schedule - II
13	Heat Exchanger - TWZ Line	I	As per Schedule - II
14	Fryer TWZ Line	I	As per Schedule - II
15	Oven Schaff BCP Line	I	As per Schedule - II
16	RBS Oven Zone I	I	As per Schedule -II
17	RBS Oven Zone II	I	As per Schedule -II
18	RBS Oven Zone III	I	As per Schedule -II
19	Fryer DB Line	I	As per Schedule - II
20	Fire Hydrant Pump Diesel Engine	I	As per Schedule - II

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Used/spent oil	5.1	955.0	KL/day	--	Sale to auth. Re-processor
2	Wastes/residue containing oil	5.2	500.0	Kg/year	--	CHWTSDF
3	Discarded containers/barr els/liners	33.3	20.0	No./year	--	auth. Re-processor
4	Filters & filter material which have organic liquid	35.1	600	No./year	--	auth. Re-processor

Non-Hazardous Solid Wastes

Sr. No.	Type of Waste	Quantity	UOM	Treatment	Disposal
1	ETP sludge	150	MT/M	--	Input to Bio-methanation plant/given to outside party for manure use

2	Used Edible Oil	5.0	MT/M	-	By sale to recucler/sale to soap/grease mfg. unit
3	Rejected products and finished products waste	180.0	MT/M	-	Sale to animal feed Mfg. Vendor
4	Potato Slice Fines	120.00	MT/M	-	Feeding to Biomthanation Plant
5	Potato Peels Waste	200.00	MT/M	-	Sending to external party for composting/CHWTSDF
6	Dirty Potatoes	400.00	MT/M	-	Feeding to Biomthanation Plant/Sale
7	Packing Film Waste	5.00	MT/M	-	Sale to vendor for recycling
8	Corrugated Boxes	25.00	MT/M	-	Sale to Scrap Vendor
9	Briquettes Boiler Ash	180.00	MT/M	-	Sale to Bricks Mfg./ Landfil/CHWTSDF
10	Wet Disposal Veg. refuge	55.00	MT/M	-	Sale to Reprocessors.
11	Wooden Pallates	20.00	MT/M	-	Sale to Scrap Vendor
12	Waste Oily Sludge/Scum from O&G Trap of ETP	3.00	MT/M	-	Sales to Recycle/sale to soap/Grease Mfg. Unit

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	590727	560919	31.03.2014	Citi Bank
2	43577	738009	20.05.2014	Citi Bank
3	6423	123613	03.09.2014	Citi Bank
4	50000	287188	29.10.2014	CITI Bank.

Copy to:

1. Regional Officer MPCB Pune : He is directed to forfeit the existing Bank Guarantee of Rs. 2.5/- Lakhs.
2. Sub-Regional Officer MPCB Pune-II. He is directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.


Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 955.00 CMD.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	5.5 -9.0
02	Oil & Grease	10
03	BOD (3 days 27oC)	30
04	Chlorides	600
05	Suspended Solid	100
06	COD	250
07	TDS	2100
08	Sulphates	1000

- C) The treated effluent shall be recycled/reused to the maximum extent and used on land for gardening/irrigation within factory premises only, remaining shall be connected to CETP of MIDC Ranjangaon. In no case, at any time effluent finds its way to any water body directly or indirectly.
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 23.50 CMD.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- (1) Suspended Solids. Not to exceed 100 mg/l.
- (2) BOD 3 days 27oC. Not to exceed 100 mg/l.
- C] The treated sewage shall be disposed on land for gardening/irrigation.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.



Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	125.00
2.	Domestic purpose	30.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1035.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	---

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance guidelines.


Maharashtra Pollution Control Board

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler	ESP/wet scrubber/ bag filters	40.00	Briquette Biomethane gas	3.0 MT/Hr. 35.0 Kg/Hr.	720.00 Kg/day. ---	
2	D.G. Set (750 KVA)	---	13.0	HSD	1000 Lit./Hr.	---	
3	D.G. Set (380 KVA)	--	12.0			---	
4	D.G. set (1010 KVA)	--	11.5			---	
5	Heat Exchanger-PC21 Line	--	26.0	---		---	
6	Fryer PC 21 Line	--	10.0	---		--	
7	Heat Exchanger-PC-36 Line	--	28.0	---		--	
8	Fryer PC 36 Line	--	15.0	---		--	
9	Heat Exchanger - KKR1 Line	--	10.0	---		---	
10	Fryer KKR1 Line	---	10.0	---		---	
11	Heat Exchanger- KKR2 Line	--	10.0	---		---	
12	Fryer KKR2 Line	--	10.0	---		---	
13	Heat Exchanger - TWZ Line	--	10.0	---		---	
14	Fryer TWZ Line	--	10.0	---		---	
15	Oven Schaff BCP Line	--	26.0	---		---	
16	RBS Oven Zone 1	--	26.0	---		---	
17	RBS Oven Zone II	--	26.0	---		---	
18	RBS Oven Zone III	--	26.0	---		---	
19	Fryer DB Line	--	15.0	---		--	



20	Fire Hydrant Pump Diesel Engine	--	7.0	---	---	--
----	---------------------------------------	----	-----	-----	-----	----


2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance guidelines.

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.

5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantee

B.G. History

Sr. No.	Consent (C to E/O/R)	Bank Guarantees amount	Submission period	Purpose of BG.	Compliance Period	Validity
1	C to R	Out of Rs. 5.0/- Lakhs of existing B.G., Rs. 2.5 /- Lakhs forfeited.	Forfeited	O & M of pollution control system	---	26.03.2015.

Proposed Bank Guarantee


Sr. No.	Consent (C to E/O/R)	Bank Guarantees amount	Submission period	Purpose of BG.	Compliance Period	Validity
1	C to R	Out of Rs. 5.0/- Lakhs of existing B.G., Rs. 2.5 /- Lakhs forfeited & remaining of Rs. 2.5/- Lakhs to be extended	15 days to Regional Office Pune	O & M of pollution control system	Monthly	30.09.2016
2	C to R	Top up B.G. of Rs. 5.0/- Lakhs.	15 days to Regional Office Pune	O & M of pollution control system	Monthly	30.09.2016
3	C to R	B. G. of Rs. 2.0/- Lakhs	15 days to Regional Office Pune	Providing adequate land for disposal of treated effluent upto : 31.07.2015	---	30.09.2016

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry (Product wise).

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity (in case of Consent to establish).
- 13) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 14) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 15) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM)



Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.

- 16) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 17) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 18) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 19) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 20) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 21) The industry should not cause any nuisance in surrounding area.
- 22) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 23) The applicant shall maintain good housekeeping.
- 24) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 25) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 26) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The

industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

- 27) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 28) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 29) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 30) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

Maharashtra Pollution Control Board

