

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437 / 4014701 /
4020781
Fax : 4024068 / 4023516
Website : <http://mpcb.mah.nic.in>.
E-Mail : ast@mpcb.gov.in.



KALPATARU POINT, 3rd Floor,
Sion-Matunga Scheme Road No.8,
Opp. Sion Circle, Sion (East)
Mumbai-400 022.

Red/SSI

Consent No. BO/AS(T)/EIC No. TN-5216-14/A/GEN- 8932 Date: 24/09/2014.

Consent to Operate under Section 26 of the Water(Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s Union Park Chemicals (Bombay) Pvt. Ltd.,
Plot No. E-11 & E-11/1, MIDC Tarapur,
Tal. Boiser, Dist. Thane-401 506

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period upto 31.12.2016.
2. The Consent is valid for the manufacturing of-

Sr.No.	Product	Qty
1	2-Amino 5 Nitro Anisole (Fast Red B Base)	60 MT/M
2	2-Amino 4 Nitro Anisole (Fast Scarlet R Base)	10 MT/M
3	2-Amino 4 Nitro Anisole Hydrochloride (Fast Scarlet RC Base)	5 MT/M
4	Meta Nitro Para Anisidine (Fast Bordeaux GP Base) or Meta Nitro Para Toludine	5 MT/M
5	Fast Blue B Base / Fast Blue B Base Di Hydrochloride (Ortho Di Anisidine/ Ortho Di Anisidine Hydrochloride) or O.T. Bsaе	10 MT/M
6	Spent Acetic Acid (By product)	10 MT/M

3. **CONDITIONS UNDER WATER (Prevention & Control of Pollution) ACT, 1974:**

- (i) The daily quantity of trade effluent from the factory shall not exceed 6.0 m³/day.
- (ii) The quantity of sewage effluent from the premise shall not exceed 3.5 m³/day.
- (iii) **Trade Effluent Treatment** : The applicant shall provide comprehensive treatment system consisting of primary/secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards-

(1)	pH	Between	5.5 to 9.0.
(2)	Suspended Solids	Not to exceed	100 mg/l.
(3)	BOD 3 days 27 Deg. C.	Not to exceed	100 mg/l.

(4)	COD	Not to exceed	250	mg/l.
(5)	Oil & Grease	Not to exceed	10	mg/l.
(6)	Total Dissolved Solids	Not to exceed	2100	mg/l.
(7)	Sulphates	Not to exceed	1000	mg/l.
(8)	Chlorides	Not to exceed	600	mg/l.
(9)	Free Ammonia	Not to exceed	5	mg/l.

(iv) **Trade Effluent Disposal:** The treated effluent shall be recycled to the maximum extent and remaining, if any, shall be discharged into CETP.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards-

(1)	Suspended Solids	Not to exceed	100	mg/l.
(2)	BOD 3 days 27 Deg. C.	Not to exceed	100	mg/l.

(vi) **Sewage Effluent Disposal:** The treated sewage shall be soaked into soak pit which shall be got cleaned periodically. Overflow, if any shall be applied on land for gardening purpose.

(vii) **Non-Hazardous Solid Wastes :**

	<u>Type of waste</u>	<u>Quantity</u>	<u>Treatment</u>	<u>Disposal</u>
1.	Coal Ash	200 Kg/day	--	Sale to Brick Mfrs.

(viii) **Other Conditions:** The firm shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Amendment Rules 2003 thereunder:

The daily water consumption for the following categories is as under:

(i)	Domestic	...	6.0	CMD
(ii)	Industrial	...	30.0	CMD
(iii)	Industrial Cooling/Boiler	...	85.0	CMD
(iv)	Gardening	...	1.0	CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the CESS as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR (Prevention & Control of Pollution) ACT, 1981:**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

Control Equipment:

a) The firm shall provide adequate air pollution systems such as dust collectors, scrubbers etc. of sufficient capacity to coal fired boilers, reactors and wherever necessary to control the air emissions and the same shall be operated & maintained round the clock efficiently.

b) There shall not be any fugitive emission from the industry.

(ii) **Standards for Emissions of Air Pollutants:**

(i)	SPM/TPM	Not to exceed	150	mg/Nm ³
(ii)	SO ₂	Not to exceed	14.4	Kg/day
(iii)	Acid Mist / HCl	Not to exceed	35.0	mg/Nm ³

(iii) **The applicant shall observe the following fuel pattern:-**

<u>Sr.No.</u>	<u>Type of Fuel</u>	<u>Quantity</u>
1.	Coal	2.0 MT/day
2.	Diesel	25.0 Ltrs/hr

(iv) **The applicant shall erect the chimney(s) of the following specifications :-**

<u>Sr.No.</u>	<u>Chimney attached to</u>	<u>APCS Provided</u>	<u>Height in Mtrs.</u>
1.	Boiler (2 Nos.)	Dust Collector	15 mtrs.
2.	D.G. Set (125 KVA)	--	3.0 Mtrs. above roof.

(One boiler shall be in operation at a time while other shall be kept standby)

- (v) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (vi) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vii) **Other Conditions:**
- 1) The firm shall not cause any nuisance in surrounding area.
 - 2) The industry should monitor stack emissions and ambient air quality regularly.

6. CONDITIONS UNDER HW (M&H) RULES, 1989 & AMENDMENT RULES, 2008:

(i) The applicant shall handle hazardous wastes as specified below:

Sr. No.	Item No. Of process substance generating HW as per Schedule-I/II	Type of waste	Quantity	Disposal
1	34.3	ETP Sludge	10 Kg/day	CHWTSDF

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

8. General conditions:

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, no. of trees surviving as on 31st March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution level.
- (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30th September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant

- shall also submit a comparative statement of designed power and chemical consumptions vis-a-vis actual power and chemical consumption alongwith Environmental statement.
- (vi) Separate drainage system shall be provided for collection of sewage effluents. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the industry.
 - (vii) The applicant shall provide facility for collection of environmental samples and samples of sewage effluents and air emissions wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
 - (viii) The firm shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the industry premises.
 - (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
9. This Board reserves the right to amend, revoke or add any conditions in this consent and same shall be binding on the applicant.
 10. This consent should not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deemed fit necessary.
 11. The applicant shall not carry out expansion of the industry without prior permission of the Board.
 12. The existing pollution load of the industry shall not increase due to change in product mix.
 13. If CETP cannot operate efficiently and problem of pollution occurs, industry should voluntarily stop the production or total effluent should be reused.
 14. The applicant shall ensure that their production shall be restricted to the generation of effluent as promised by you to the TEPS-CETP by reducing total daily generation of TEPS-CETP with voluntary closure in a staggered manner so as to restrict total generation of TEPS-CETP in a time bound manner to 25 MLD each day. The validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board shall be extended upto 30/04/2017 after its expiry.
 15. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires. The applicant shall extend the validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
 16. The applicant shall operate and maintain existing ETP effectively and remove all the bypasses, whereby the mode of disposal prescribed in the consent order is not followed. The applicant shall extend the validity of the bank guarantee of Rs. 1.5 lakhs furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
 17. The applicant shall provide acid recovery plant i.e. distillation unit. The applicant shall extend the validity of the bank guarantee of Rs. 2.5 lakhs furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
 18. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal. The applicant shall extend the validity of the bank guarantee of Rs. 50,000/- furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.

19. The applicant shall provide scrubber at the acid storage tanks for scrubbing the fumes generated during loading & unloading time. The applicant shall extend the validity of the bank guarantee of Rs. 1.0 lakhs furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
20. The applicant shall properly collect, transport & regularly dispose off the hazardous waste to CHWTSDF, in compliance of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and keep proper manifest thereof. The applicant shall extend the validity of the bank guarantee of Rs. 50,000/- furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
21. The applicant shall provide lock & key arrangement for treated industrial effluent. The applicant shall extend the validity of the bank guarantee of Rs. 50,000/- furnished towards compliance of this condition in the Board for upto 30/04/2017 after its expiry.
22. This Consent is issued with the overriding effect on earlier Consent granted by the Board vide Consent No. BO/AS(T)/EIC No. TN-4560-13/A/GEN-08805 dtd. 18/10/2013 which was valid upto 31/12/2016.
23. This Consent is issued based upon the proforma of self assessment of pollution load submitted by the industry and Certificate of No increase in pollution load issued by Dr. Babasaheb Ambedkar Technological University vide letter No. DBATU/Chem/CW/UPCPL/PVB dtd. 19/09/2013 and as per the MoEF, GoI Circular about change in product mix issued vide F.No. J-11013/41/2006-IA-II(I) dtd. 14/12/2006 under EIA Notification 2006.
24. The applicant shall extend the validity of the bank guarantee of Rs. 2.0 Lakh furnished towards O&M of pollution control facilities and towards compliance of the Consent conditions in the Board for upto 30/04/2017 after its expiry.
25. The capital investment of the industry is Rs. 6.74 Crores.

(Handwritten Signature)
28/11/14

(P.K. Mirashe)
Assistant Secretary (Tech.)

To,
M/s Union Park Chemicals (Bombay) Pvt. Ltd.,
Plot No. E-11 & E-11/1, MIDC Tarapur,
Tal. Boiser, Dist. Thane-401 506.

Copy to:

- 1) Regional Officer, MPCB, Thane;
- 2) Sub-Regional Officer (Tarapur-I), MPCB, Thane;
- 3) Chief Accounts Officer, MPCB, Mumbai.

Received Consent fee of -

Amount	DD No.	Date	Drawn on
Rs. 75,000/-	988581	14/12/2011	SBI Bank.
Rs. 1,500/-	939687	06/04/2013	SBI Bank.
Rs. 45,000/-	013605	14/07/2014	The Shamrao Vitthal Co. Op. Bank.

- 4) Cess Branch, MPCB; 5) Master file.