

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437 / 4014701 /  
4020781  
Fax : 4024068 / 4023516  
Website : <http://mpcb.mah.nic.in>.  
E-Mail : [ast@mpcb.gov.in](mailto:ast@mpcb.gov.in).



KALPATARU POINT, 3rd Floor,  
Sion-Matunga Scheme Road No.8  
Opp. Sion Circle, Sion (East)  
Mumbai-400 022.

Date: 21/11/2014.

Red/SSI

Consent No. BO/AS(T)/EIC No. TN-5329-14/A/GEN- 10885

Consent to Operate under Section 26 of the Water(Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

**M/s Nikita Chemical Industries,  
Plot No. T-59/60/71/72, MIDC Tarapur, Boisar,  
Tal. & Dist. Palghar, Pin - 401 506**

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for the period upto 31/12/2016.
2. The Consent is valid for the manufacturing of -

Sr.No.	Products	Qty
1	Phthalide	500 Kg/M
2	Para Dimethyl Amine Benzaldehyde	200 Kg/M
3	Benzanilide	200 Kg/M
4	Fluorscein	1,500 Kg/M
5	Trimethyl Sulphonium Bromide	500 Kg/M
6	Di-methyl amino Propyl chloride HCl	1,500 Kg/M
7	2 Amino 5 Chloro Pyridine	1,500 Kg/M
8	Diethyl carbazine citrate I.P./ B.P.	300 Kg/M
9	Dothiepine HCl I.P./ B.P.	100 Kg/M
10	Loperamide HCl I.P./ B.P.	200 Kg/M
11	Providone lysine I.P./ B.P.	1,000 Kg/M
12	Bronopol I.P./ B.P.	200 Kg/M
13	Lidocanie I.P./ B.P.	200 Kg/M
14	2 Iodo Benzoic Acid Methyl Ester	300 Kg/M
15	Fine Chemicals	300 Kg/M

3. **CONDITIONS UNDER WATER (Prevention & Control of Pollution) ACT, 1974:**

- (i) The quantity of trade effluent from the factory shall not exceed 0.7 m<sup>3</sup>/day.  
 (ii) The quantity of sewage effluent from the premise shall not exceed 3.0 m<sup>3</sup>/day.  
 (iii) **Trade Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards-
- | (1) | pH                    | Between       | 5.5 to 9.0. |
|-----|-----------------------|---------------|-------------|
| (2) | Suspended Solids      | Not to exceed | 100 mg/l.   |
| (3) | BOD 3 days 27 Deg. C. | Not to exceed | 100 mg/l.   |
| (4) | COD                   | Not to exceed | 250 mg/l.   |
| (5) | Oil & Grease          | Not to exceed | 10 mg/l.    |
| (6) | TDS                   | Not to exceed | 2100 mg/l.  |
| (7) | Phenolic Compound     | Not to exceed | 1 mg/l.     |
- (iv) **Trade Effluent Disposal:** The treated effluent shall be recycled to the maximum extent and remaining, if any, shall be discharged into CETP.  
 (v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards-
- |     |                       |               |           |
|-----|-----------------------|---------------|-----------|
| (1) | Suspended Solids      | Not to exceed | 100 mg/l. |
| (2) | BOD 3 days 27 Deg. C. | Not to exceed | 100 mg/l. |
- (vi) **Sewage Effluent Disposal:** The treated sewage shall be soaked into soak pit which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening/plantation only.

(vi) **Non-Hazardous Solid Wastes :**

<u>Type of waste</u>	<u>Quantity</u>	<u>Treatment</u>	<u>Disposal</u>
		-Nil-	

- (vii) **Other Conditions:** The firm shall monitor effluent quality regularly.  
 4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 ( to be referred as Cess Act ) and Amendment Rules 2003 thereunder:

The daily water consumption for the following categories is as under:

(i) Domestic	...	7.0 CMD
(ii) Industrial	...	1.5 CMD
(iii) Industrial Cooling/Boiler	...	10.0 CMD
(iv) Gardening	...	3.0 CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the CESS as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR (Prevention & Control of Pollution) ACT, 1981:**

- (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:

**Control Equipment:**

- (i) The firm shall provide pollution control facilities like dust collectors, scrubbers etc. of sufficient capacity to control the air pollution wherever necessary and O&M the same round the clock;  
 (ii) There shall not be any fugitive emission.
- (ii) **Standards for Emissions of Air Pollutants:**
- |     |         |               |                        |
|-----|---------|---------------|------------------------|
| (i) | SPM/TPM | Not to exceed | 150 mg/Nm <sup>3</sup> |
|-----|---------|---------------|------------------------|

- (ii) SO<sub>2</sub> (Boiler) Not to exceed 35.4 Kg/day  
 (iii) SO<sub>2</sub> (Process) Not to exceed 50 ppm  
 (iv) HCl/ Acid Mist Not to exceed 35 mg/Nm<sup>3</sup>

- (iii) The applicant shall observe the following fuel pattern:-
- | Sr.No. | Type of Fuel | Quantity     |
|--------|--------------|--------------|
| 1.     | Coal         | 133 Kg/hr    |
|        | or Briquette | 198 Kg/hr    |
|        | or FO        | 450 Ltrs/day |
| 2.     | LDO          | 7.5 Ltrs/hr  |
| 3.     | Diesel       | 15 Ltrs/day  |

- (iv) The applicant shall erect the chimney(s) of the following specifications :-

Sr.No.	Chimney attached to	APCS Provided	Height in Mtrs.
1	Boiler-I (1 TPH)	Dust Collector	30
2	Boiler-II (Standby)	--	17
3	Thermopack	--	15
4	Phthalide Reactor	Alkali Scrubber	10 Mtrs above roof
5	Para Dimethyl Amine Benzaldehyde Reactor	Alkali Scrubber	10 Mtrs above roof
6	2 Amino 5 Chloro Pyridine Reactor	Alkali Scrubber	5 Mtrs above roof
7	Loperamide Reactor	Alkali Scrubber	5 Mtrs above roof
8	D.G. Set (125 KVA)	--	3 Mtrs above roof

- (v) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/displayed to facilitate identification.
- (vi) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vii) **Other Conditions:**
- 1) The firm shall not cause any nuisance in surrounding area.
  - 2) The applicant shall monitor stack and ambient air quality regularly.

#### 6. CONDITIONS UNDER Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008:

- (i) The applicant shall handle hazardous wastes as specified below:

Sr. No.	Item No. of process substance generating HW as per Schedule-I/II	Type of waste	Quantity	Disposal
1	20.3	Distillation Residue	20 Kg/M	CHWTSDF
2	28.2	Spent Carbon		
3	34.3	ETP Sludge	50 Kg/M	CHWTSDF


7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, office of Directorate of Health Services,

Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

**8. General conditions:**

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, no. of trees surviving as on 31<sup>st</sup> March of the year and no. of trees planted by September end.
  - (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution level.
  - (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.
  - (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form - V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30<sup>th</sup> September every year.
  - (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis a vis actual power and chemical consumption alongwith Environmental statement.
  - (vi) Separate drainage system shall be provided for collection of sewage effluents. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the industry.
  - (vii) The applicant shall provide facility for collection of environmental samples and samples of sewage effluents and air emissions wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant's industry.
  - (viii) The firm shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the premises.
  - (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area/inhabitants.
- 9. This Board reserves the right to amend, revoke or add any conditions in this consent and same shall be binding on the applicant.**
- 10. This consent should not be construed as exemption from obtaining necessary NOC from any other Government agencies as may deem fit necessary.**
- 11. If CETP cannot operate efficiently and problem of pollution occurs, industry should voluntarily stop the production or total effluent should be reused.**
- 12. The applicant shall not carry out any excess production or produce new products without consent of the Board and without an Environment Clearance wherever it requires.**
- 13. The applicant shall operate and maintain existing ETP effectively and remove all the bypasses, whereby the mode of disposal prescribed in the consent order is not followed.**

14. The applicant shall not discharge any effluent in any other source other than the CETP sewerage drain for further treatment and disposal.
15. The applicant shall make provision for operation & maintenance of flow meter and online pH meter/separate energy meter to pollution control devices.
16. The applicant shall not change fuel without obtaining prior permission from the Board.
17. The applicant shall properly collect, transport & regularly dispose off the hazardous waste to CHWTSDF, in compliance of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and keep proper manifest thereof.
18. The applicant shall provide lock & key arrangement for treated industrial effluent.
19. The applicant shall dismantle existing 1 No. oil fired boiler after completion of commissioning of Coal/ Briquette fired boiler.
20. This Consent is issued with the overriding effect on earlier Consent issued vide Consent No. BO/ZO-PAMS/EIC No. TN-3286-11/R/CC-54 dtd. 11/04/2012 which was valid upto 31/12/2016.
21. The capital investment of the industry is Rs. 4.78 Crs.

  
 (P.K. Mirashe)  
 Assistant Secretary (Tech.)

To,  
**M/s Nikita Chemical Industries,**  
**Plot No. T-59/60/71/72, MIDC Tarapur, Boisar,**  
**Tal. & Dist. Palghar, Pin-401 506.**

Copy to:

- 1) Regional Officer, MPCB, Thane.
- 2) Sub-Regional Officer (Tarapur-I), MPCB, Thane.
- 3) Chief Accounts Officer, MPCB, Mumbai.

Received Consent fee of -

Amount	DD No.	Date	Drawn on
Rs. 75,000/-	007456	05/11/2011	ICICI Bank Ltd.
Rs. 20,000/-	000384	26/08/2014	Saraswat Co. Op. Bank.

4) Cess Branch, MPCB.

5) Master file.