

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24014701/24020781  
Fax : 24024068/24023516  
Website: <http://mpcb.gov.in>  
E-Mail: [jdair@mpcb.gov.in](mailto:jdair@mpcb.gov.in)



KALPATARU POINT, 3<sup>rd</sup> Floor,  
Sion-Matunga Scheme Rd. No.8,  
Opp. Sion Circle, Sion (East),  
Mumbai-400 022.

ORANGE/LSI

Consent No. BO/JD(APC)/EIC NO NG-10272-13/TB-1/R/CC-6758

Date: 18/07/2014

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous Wastes (Management Handling & Transboundary Movement) Rules, 2008. [To be referred as Water Act, Air Act and HW (MH & TM) Rules respectively].

CONSENT is hereby granted to

M/s. Spacewood Furnishers Pvt. Ltd.,  
Plot No.T-47 & T-48, MIDC Hingna,  
Dist-Nagpur.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(MH&TM) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

1. The Consent to Operate is granted for a period up to – 31.07.2015.
2. The Consent is valid for the manufacture of –

Sr. No.	Product Name	Maximum Quantity	UOM
1	Pre-laminated Board	195000	Nos./Month
2	Office furniture & Partition System	10000	Mtrs/M
3	Table Storage Unit	10000	Nos./Month
4	Home Furnishing & Bedroom sets	1500	Nos./Month
5	Modular Kitchen Shutters	25000	Nos./Month
6	Furniture's & Parts thereof	15000	Nos./Month

3. **CONDITIONS UNDER WATER ACT:**

- (i) The daily quantity of trade effluent from the factory shall not exceed  $0.1 \text{ m}^3$
- (ii) The daily quantity of sewage effluent from the factory shall not exceed  $16.0 \text{ m}^3$ .

(iii) **Trade Effluent Treatment**-The applicant shall operate comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

1)	PH	Between	5.5 to 9.0
2)	BOD 3 days 27 Deg. C.	Not to exceed	100 mg/l.
3)	COD	Not to exceed	250 mg/l.
4)	Suspended Solids	Not to exceed	100 mg/l.
5)	Oil & Grease	Not to exceed	10 mg/l.
6)	TDS	Not to exceed	2100 mg/l.
7)	Chlorides	Not to exceed	600 mg/l.
8)	Sulphates	Not to exceed	1000 mg/l.

(iv) **Trade Effluent Disposal:** The treated effluent shall be reused/recycle in the process completely. There shall not be any discharge outside the factory premises.

(v) **Sewage Effluent Treatment:** The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.

- (1) Suspended Solids Not to exceed 100 mg/l.  
 (2) BOD 3 days 27° C. Not to exceed 100 mg/l.

(vi) **Sewage Effluent Disposal:** The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.

(vii) **Non-Hazardous Solid Wastes:**

Sr. No.	Type Of Waste	Quantity	Treatment	Disposal
1	PVC foil scrap	6500.00 sq.m/month		By sale
2	MDF cut pieces	500.00 sq.m/month		By sale
3	Particle board cut pieces	500.00 sq.m/month		by sale
4	Fire wood ash	2.50 MT/month		by sale to brick manufacturer
5	Saw Dust	14.00 MT/Month		by sale

(viii) **Other conditions:** The industry shall monitor effluent quality regularly.

4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and Rules there under. The daily water consumption for the following categories is as under:

Domestic	40.0 CMD
Industrial processing generating Bio-Degradable waste water	0.15 CMD
Industrial processing generating Non-Bio-Degradable waste water	--- CMD
Industrial Boiler/Cooling etc.	15.0 CMD
Any other and gardening.	..... CMD

The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.

5. **CONDITIONS UNDER AIR ACT :**

(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

**A) Control Equipment:**

- 1) Bag filter type Dust collector system provided to CNC, Edgebinding Cutting machine and dust collector provided to Thermic fluid heater and all other sources of dust emission shall be operated and maintained properly so as to achieve consented standards.
- 2) There shall not be any secondary (fugitive) emission.

**B) Standards for Emissions of Air Pollutants:**

- (i) SPM/TPM Not to exceed 150 mg/Nm<sup>3</sup>  
 SO<sub>2</sub> Not to exceed .....

(ii) **The applicant shall observe the following fuel pattern:-**

Sr.No. Type of Fuel Quantity

Sr. No.	Type Of Fuel	Quantity	UOM
1	Wood	8.00	MT/day

2	HSD	20	kg/hr
---	-----	----	-------

(iii) The applicant shall erect the chimney(s) of the following specifications:-

Sr. No.	Chimney Attached To	Height in Mtrs.
1	Thermic Fluid Heater	30.00
2	DG Set (2x 250 KVA)	4.50*
3	DG Set (1x 82.5 KVA)	2.50*

\*Above roof top of the building in which it is installed.

- (iv) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted /displayed to facilitate identification.
- (v) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB(A) during day time and 70 dB(A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- (vi) **Other Conditions:**
- 1) The industry should not cause any nuisance in surrounding area.
  - 2) The industry should monitor stack emissions and ambient air quality regularly.

#### 6. CONDITIONS UNDER HAZARDOUS WASTE (MH & TM) RULES, 2008:

(i) The applicant shall handle hazardous waste as specified below:-

Sr. No.	Type Of Waste	Quantity	UOM	Disposal
1	34.3 Chemical sludge from waste water treatment	300	Kg/Month	CHWTSDF Butibori
2	23.1 Waste Residue	20	Kg/Month	

(ii) The authorization is here by granted to operate a facility for collection, storage, transport & disposal of hazardous waste.

7. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.

#### 8. General conditions:

- (i) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30<sup>th</sup> September every year on available open plot area, no. of trees surviving as on 31<sup>st</sup> March of the year and no. of trees planted by September end.
- (ii) The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant and operate the same in case of power failure to maintain compliance with the terms and conditions of the consent. In the absence of same, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- (iii) **The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.** The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent/ emissions or hazardous wastes or control equipments provided for without previous written permission of the Board.

- (iv) The firm shall submit MPCB, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 before 30<sup>th</sup> September every year.
- (v) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained. The applicant shall also submit a comparative statement of designed power and chemical consumptions vis-a vis actual power and chemical consumption along with Environmental statement.
- (vi) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- (vii) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- (viii) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- (ix) The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
9. This Board reserves the right to amend or add any conditions in this consent and the same shall be binding on the Applicant.
10. The applicant shall extend the existing bank guarantee of Rs. 200000/- & 50000/- for the period up to 31.10.2015 towards operation and maintenance of pollution control so as to achieve the consented standards system & also submit Bank Guarantee of Rs. 2,50,000/- towards compliance of consnet conditions within 15 days period at Regional Office, Nagpur..
11. This consent is issued with the overriding effect of the consent granted by the Board vide letter No.BO/JD(APC)/EIC No.NG-7290-12/TB-1/O/CC-762 dated 15.01.2013.
12. The total capital investment of industry is Rs.51.32/- Crore.

For and On Behalf of the  
Maharashtra Pollution Control Board,

  
(V.M.Motghare) 16/11/13  
Joint Director (Air Pollution Control)

To,  
M/s. Spacewood Furnishers Pvt. Ltd.,  
Plot No.T-47 & T-48,MIDC Hingna,  
Dist-Nagpur.

**Copy to:**

- 1) Regional Officer, MPC Board, Nagpur 2) Sub Regional Officer, MPC Board, Nagpur-II.-They are directed to obtain the extended BG as per consent condition no. 10 and submit the performance report along with the monitoring results within one month period.

- 3) CAO/Cess Branch/Master file  
Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	225000/-	787622	27 Nov 2013	Union Bank of India
2	100/-	787623	27 Nov 2013	
3	25000/-	787661	02 Dec 2013	

- 4) Cess Branch, MPCB