	MAHARASHTRA	POLLUTI	ON CONT	ROL BOARD	
/4037 Fax : 2404 Email : enqu	437/4020781 124/4035273 4532/4024068 /4023516 iry@mpcb.gov.in //mpcb.gov.in nat 1.0/ BO/CAC-Cell/E	NAHARASHTRA	Kalpataru Po Scheme Road Sion Circle, Si Mumbai - 400	I No. 8, Opp. Cine Plane on (E), 022	Sion- Matunga t Cinema, Near
Date-22/12/2 To, M/s Walchand Walchandnag Dist-Pune,	<i>014</i> nagar Industries Ltd ar, Tal-Indapur,	•			to
with Ref : 1. Ea	ent to 1 st Operate for amalgamation of exi rlier Consent granted ed 26/11/2008. nutes of CAC meeting	d vide no. R	OP/E-25/CC/	D category. /PUNE/213/3091/0	8
Dated: 15/01/2 For: Conser amalga under Sectio Section 21 Authorizatio	tion: CO1301000352 2013 In to 1 st Operate for H Imation of existing co In 26 of the Water (Pr of the Air (Preve In under Rule 5 of the Ind the consent is h Ind as detailed in the	evention & ntion & C he Hazardo	Control of F ontrol of us Wastes (ollution) Act, 1974 Pollution) Act, 1 M, H & T M) Rule to the following te	& under 981 and s 2008 is erms and
 The constant The actu Certifica 	ent is granted for a p al capital investmen te submitted by indu	eriod from (it of the inc stry).	1.08.2011 to dustry is Re	30.04.2016. s. 186.17 Crs. (As p	per C.A.
3. The Cons Sr. No.	sent is valid for the m Product / By	y-Product N	ame	Maximum Qua MT/A	atity in
1	Machinery for generation & Cem material handlin special products & Nuclear)	ent plants, ong equipn	nents and		
			(C. Hackey	mgo of effluent:	
4. Conditio	ns under Water (P&) Description	CP), 1974 Ac Permitted of dischar	quantity	Standards to be achieved	Disposal
no. 1.	Trade effluent	0.3	. A	As per Schedule –I As per Schedule –I	On land On land
2.	Domestic effluent	1428			
5. Conditi Sr. no.	ons under Air (P& CI Description of sta source	P) Act, 1981 ck / Nu	for air emiss mber of Stac	ek achiev	ed
1.	Shot Blasting Unit	01		As per Schedu As per Schedu	ale -II
2. 3.	Furnace D. G. Set (2 x 1000 B			As per Schedu	ule -II
· .					Page 1 of 10
147-7-1	الأفاقات والمراجع والمتحد والم				
Walch	andnagar Industries Ltd, SRO Pune I	I/I/R/L/82805000			

6. C	onditio	ns about Non Hazar	dous Wastes:		
	Sr.	Type Of Waste	Quantity & UoM	Treatment	Disposal
	no.		82.89 T/Y		By Sale.
	1	Wooden Scrap			By Sale.
	2	Plastic Scrap	1 T/Y		By Sale.
	3	Rubber Scrap	2 T/Y		By Sale.
	4	Polythene Paper	1.5 T/Y		
		MS Scrap	1134.980 T/Y		By Sale.
	5		25.480 T/Y		By Sale.
	6	SS Scrap	20.400 1/1	<u></u>	

Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and 7. disposal of hazardous waste:

Sr.	m OCHLete	Catego	Quantity	UOM	Treatmen	Disposal
No	Type Of Waste	Vallego				Authorized
1	Used /spent oil	5.1	15.26	KL/Yr		re-processor
	-				<u> </u>	CHWTSDF
2	Process dust	13.1	2.00	T/Yr	<u> </u>	200
$\frac{2}{3}$	Discarded	33.3	50.00	Nos./Yr		CHWTSDF
J	containers / barrels					
	/ liners			·		CHWTSDF
4	Chemical sludge	34.3	4.00	T/Yr		CHWISDI
7	from waste water					
	treatment				<u> </u>	CHWTSDF
2	Cotton waste	5.2	3.00	T/Yr		
5			500.00	Kg/Yr		CHWTSDF
6	Paint Waste	21.1	L000.00	<u>, re</u> ,	1	
			1. A.		1.	- ata this a

- X, 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. Industry shall submit Board Resolution from Company Board within one month, towards carrying out expansion of the unit without obtaining C to E from MPC Board and thus violated the provisions of Environmental Laws and in future, they will not do such violations.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

For and on behalf of the Maharashtra Pollution Control Board Kumar Mital, IAS) (Rajeev Member Secretary

Copy to:

- 1. Regional Officer -Pune and Sub-Regional Officer-Pune-I, MPCB, Pune They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Walchandnagar Industries Ltd, SRO Pune I/I/R/L/82805000

Page 2 of 10

Sr. No.	ived Consent fee of - Amount(Rs.)	DD. No.	Date	Drawn On	
		046171	20/07/2011	Bank of India	
1	Rs. 50000	046171	14/03/2011	Bank of India	
2	Rs. 75000	045740 046492	15/11/2011	Bank of India	
3	Rs. 25000	061496	5/12/2011	Bank of India	
4	Rs. 25000	047035	28/07/2012	Bank of India	
5	Rs. 900000	047035	28/07/2012	Bank of India	
6	Rs. 345448	734534	5/11/2014	Bank of India	
7 8	Rs. 547304 Rs. 476784	734540	26.11.2014	Bank of India	
				SCHOOL SCORE	
					Page 3 o
	Walchandnagar Industries Ltd, S	R0 Pune I/1/R/L/826	305000		Page 3 o

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 10 CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	рН	6.0 - 8.5
02	Oil & Grease	10
03	BOD (3 days 27oC)	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Sulphate	1000

C) The treated effluent shall be disposed on land of for gardening - 0.3 CMD In no case effluent shall find its way outside factory premises.

- 2) A.] As per your consent application, you have provided 04 nos. of sewage treatment system with the total design capacity of 608 CMD.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
 (1) Suspended Solida Not to evened 100 mg/l

(1) Suspended Solids.	🔨 Not to
-----------------------	----------

(2) BOD 3 days 27 of. Not to excee

exceed	100	mg/l.
exceed	100	mg/l.

Page 4 of 10

C] The treated sewage effluent shall be disposed on land for gardening/irrigation- 1428 CMD

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no	o. Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	120.00
2.	Domestic purpose	1770
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	00
4.	Gardening	140

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/Environmental Clearance / CREP guidelines.

Walchandnagar Industries Ltd, SRO Pune 1/1/R/L/82805000

Page 5 of 10

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantit y & UoM	S %	SO2 Kg/D ay
1	Furnace 1	-	14.0	LDO	38 Ltrs/Hr	1.8%	32.83
2	Furnace 2		12.0	LPG	330 Ltrs/Hr	-	
3	DG Set (1000 KVA)	—	1.5 above roof	HSD	188 Ltrs/Hr	1%	90.24
4	DG Set (1000 KVA)		1.5 above roof	HSD	188 Ltrs/Hr	1%	90.24
5	Shot Blasting Unit	Bag filter/D ust Collect or	15		C.		-

- 2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

 Particulate matter
 Not to exceed
 150 mg/Nm³.
- 3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Page 6 of 10

Schedule-III Details of Bank Guarantees

Sr.	Consent	Amt of BG	Submissio	Purpose of BG	Compliance	Validity
No.	(C to E/O/R)	Imposed	n Period		Period	Date
1	C to O	Rs. 5/-	15 Days	0 & M of Pollution	30.04.2016	31.08.201
2	C to O	Lakhs Rs. 2/-	15 Days	Control System For Submission of	1 month	31.08.201
-		Lakhs	10 D u j 0	Board Resolution		
				from Company		
				Board within one month, as per		
				condition 9 of the	Marine	
	1			consent.	<u> </u>	<u> </u>
Walchd	andnagar Industri	es Ltd, SRO Pune 1/	1/R/L/82805000			Page 7 of 10

<u>Schedule-IV</u>

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 16) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Page 8 of 10

- 17) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 19) The industry should not cause any nuisance in surrounding area.
- 20) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 21) The applicant shall maintain good housekeeping.
- 22) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 23) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 24) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 25) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 26) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.
- 29) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent

Page 9 of 10

conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

30) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Mahanshirapolitikon control board

-----0000-----

age 10 of 10