

**MAHARASHTRA POLLUTION CONTROL BOARD**

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga Scheme Road No. 8, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

**Consent order No :- Formate 1.0/ BO/CAC-Cell/EIC No RD-2777-14/22nd CAC - 12569**  
**Date- 30/12/2014**

To,  
M/s Sudarshan Chemical Industries Limited, Plot No. 19-A/1+2, MIDC Mahad. District Raigad, 402309  
Subject: Renewal of Consent to Operate RED category.  
Ref: 1. Earlier Consent granted vide no. BO/JD-PAMS/EIC. NO-RD2505-13/R/CC/CAC-3323 dtd 17.04.2013  
2. Minutes of CAC meeting held on 09.12.2014

Your application: CR1407000173  
Dated: 14.06.2014

For: Renewal of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.08.2014 to 30.04.2017.
2. The actual capital investment of the industry is Rs.120.14 Crs. (As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity
1	Pigment (Phthalo Blue/Green, Organic Pigment, Inorganic Pigments, Mica Pearl)	730 MT/M
<b>By Products</b>		
1	Sulphuric acid (15-25%)	2500 MT/M
2	Phosphoric acid (12-15%)	600 MT/M
3	Chemical Gypsum (CaSO <sub>4</sub> )	600 MT/M
4	Aluminum Chloride (5-15%)	1500 MT/M
5	Recovered Pigment	25 MT/M
6	Phosphoric acid (30-35%)	200 MT/M
7	Recovered solvent	100 MT/M

**4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	4072	As per Schedule -I	180 CMD is recycled in process and remaining to CETP
2.	Domestic effluent	141	As per Schedule -I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler (2 nos)	1	As per Schedule -II
2.	Process vents (5 nos)	5	As per Schedule -II
3.	DG set (1000 KVA)	1	As per Schedule -II
4.	Incinerator	1	As per Schedule -II
5.	Hot air generator (4950 kg/hr)	1	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Mica waste	1800 MT/M		CHWTSDF/Sale
2	Paper/ Canteen Waste	3600kg /Annum		Composting
3	Rubber hand gloves, PVC shoes, Tarpolien, paper bags	1000 Kg/yr		Recycle/ Sale after decontamination
4	Broken discarded glass	500 Kg/Yr		Sale after decontamination
5	Boiler Soot / Incinerator Ash (Ash generated from burning of papers in incinerator)	500 Kg/Yr		Sale/RECYCLE/Return to Vendor, CHWTSDF
6	Insulating Matreial	1000 Kg/yr		Sale /Recycle/Return to vendor, CHWTSDF
7	Excess Biomass from ETP	200 Kg/Yr		Used as Bio Fertilizer/compost

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	Type Of Waste	Category	Quantit	UOM	Treatment	Disposal
1	Used/Spent Oil	5.1	1000	Ltr/A		Sale to authorized party having actual user registration from MoEF/CPCB or sent to CHWTSDF
2	Contaminated oil soaked cotton	5.2	250	Kg/A		CHWTSDF
3	Discarded Asbestos	15.2	1.20	MT/A		CHWTSDF
4	Spent Solvent	20.2	50	Ltr/A		Sale to authorized party having actual user registration from MoEF/CPCB or sent to CHWTSDF
5	Discarded containers/liners	33.3	4500	Nos /A		Sale/recycler/CHWT SDF
6	Chemical Containing	33.1	0.10	MT/A		CHWTSDF

	residue					
7	Filter and filter Material	35.1	1	MT/A		MWML, Taloja
8	Spent Carbon	35.3	200	MT/A		MWML, Taloja
9	Chemical Sludge from WWT	34.4	500	MT/A		MW Sale authorized party having actual user registration from MoEF/CPCB sent to CHWTSDF M Taloja

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall submit report on performance evolution of ETP by 31.03.2015 and submit BG of Rs 2 lakhs for the compliance of the same.
11. Industry shall not operate incinerator without prior permission of the Board.

For and on behalf of the  
Maharashtra Pollution Control Board

(Rajeev Kumar Mital, IAS)  
Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	543371	989780	30.05.2014	SBI Bank
2	50000	581727	01.07.2014	SBI Bank

The balance fees Rs. 60070/- with the Board will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer -Raigad and Sub-Regional Officer-Mahad, MPCB: They are directed to ensure the compliance of the consent conditions. The BG for the conditions no. 1,2, 3,4,5, 8,9,11 of the ID dated 16.05.2014 shall be returned back as they have complied the same. 50% of the BG for the condition no 6 of the ID dated 16.05.2014 shall be forfeited as the work of APC system is not completed but it is in progress and shall top-up with time period of three months to comply condition.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

## Schedule-I

### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided the combined Effluent Treatment Plant (ETP) with the design capacity of 4 MLD for treatment of trade and domestic effluent.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pH	6.0-8.5
02	Suspended Solids	100
03	BOD (3 days 27°C)	100
04	COD	250
05	Oil & Grease	10
06	Mercury (as Hg)	0.01
07	Chromium (Hexavalent)	0.10
08	Total Chromium	2
09	Copper (as Cu)	3
10	Zinc (as Zn)	5
11	Nickel (as Ni)	3
12	Cadmium (as Cd)	2
13	Chloride	600
14	Sulphate	1000
15	Bio-assay Test (with 1:8 dilution of effluent)	90 % survival of Test animals after 96 hours.

C) 180 CMD of treated effluent shall be recycled for the preparation of lime solution and remaining shall be discharged to the CETP

2) A] As per your consent application, the domestic effluent is treated in ETP.

B] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or/and extension or addition thereto.

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	245
2.	Domestic purpose	172
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4635
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0
5.	Gardening	41

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO <sub>2</sub> Kg/Day
1	Boiler (7.5 T & 10T)	Multi cyclone dust collector & Bag Filter	36	Coal / Briquette / FO	34MT/D / 54 MT/D / 14 MT/D	0.5 / 0.06/ 4.5	340/ 64.8/ 1260
2	HCL Scrubber	Scrubber	20	NA	NA	NA	NA
3	Calciner/Blender-Mica Plant	Wet scrubbing system	3	NA	NA	NA	NA
4	Chlorine scrubber	Cl <sub>2</sub> leak detector	20	NA	NA	NA	NA
5	Dryer Mica	Wet scrubbing system	18	NA	NA	NA	NA
6	Scrubber Mica Reactor	Wet scrubbing system	16	NA	NA	NA	NA
7	DG set ( 1000 KVA)	Acoustic enclosure	6.6	Diesel	2.5 KL/M	1	1.66
8	Hot air generator (4950 Kg/hr)	stack	23	LDO	1 MT/D	1.8	36
9	Incinerator (for paper burning)	Stack	32	Paper	NA	NA	NA

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
HCL	Not to exceed	35 mg/Nm <sup>3</sup>
Cl <sub>2</sub>	Not to exceed	3 ppm
NH <sub>3</sub>	Not to exceed	50 ppm

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

**Schedule-III  
Details of Bank Guarantees**

**History of BG**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Amount of BG to be forfeited from BG imposed	Purpose of BG Forfeiture
1	ID dated 16.05.2014 (to be forfeited)	Rs 2 lakh	Rs 1 lakh	The work of provision of APC system i.e wet scrubbers, bag house to 7 TPH boiler is in progress and is not completed within stipulated time period.

**Proposed BGs**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission on Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 5 lakhs	Submitted *	O & M of PCS	30.04.2017	30.08.2017
2	C to R	Rs 2 lakh	Within 15 days from the date of issue of consent	Industry shall submit report on performance evolution of ETP	31.03.2015	30.07.2015
3	ID dated 16.05.2014	Rs 2 lakh (Top-up). Hence total BG shall be 3 lakh (1 + 2)	Within 15 days from the date of issue of consent	You shall provide adequate air pollution control system. I.e. wet scrubber, bag house to the 7 TPH boiler within period of three months.	31.03.2015	30.07.2015
4	ID dated 16.05.2014	Rs 2 lakh	Submitted	You shall provide adequate air pollution control system i.e. dust collector/bag house to the incinerator. Within period of three months.	28.02.2015	13.06.2015
5	ID dated 16.05.2014	Rs 1 lakh	Submitted	You shall provide scientific storage area for by products within period of three month. And till provision of the same, necessary arrangement shall be made so as to prevent any seepages/leach ate from the storage area.	28.02.2015	13.06.2015

**\*The BG of Rs 5 lakhs obtained towards O & M of ETP shall be extended for a period upto 30.08.2017.**

#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S.2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 10) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 11) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 12) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 14) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 15) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 16) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the



- pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 17) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
  - 18) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
  - 19) Conditions for D.G. Set
    - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
    - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
    - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
    - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
    - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
    - f) D.G. Set shall be operated only in case of power failure.
    - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
    - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
  - 20) The industry should not cause any nuisance in surrounding area.
  - 21) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
  - 22) The applicant shall maintain good housekeeping.
  - 23) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end.
  - 24) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
  - 25) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
  - 26) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
  - 27) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
  - 28) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

---000---