MAHARASHTRA POLLUTION CONTROL BOARD

 Phone
 :
 4010437/4020781 /4037124/4035273

 Fax
 :
 24044532/4024068 /4023516

 Email
 :
 enquiry@mpcb.gov.in

 Visit At
 :
 <u>http://mpcb.gov.in</u>



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Cinema, Near Sion Circle, Sion (E), Mumbai - 400 022

To,

M/s Bharat Gears Ltd, Gut no.232/2,232/3,232/13,236/2 Belachamala Road,A/p Lonand, Tal:Khandala,Dist:Satara.

Subject : Consent to Operate RED/ LSI category.

- : 1. Earlier Consent granted vide no. BO/JD(APC)/TB-4/EIC No. PN-18713-
 - 13/O/- CC-1518 dated 15.02.2014 valid upto 30.09.2014.
- 2. Minutes of Consent Committee meeting held on 12.12.2014.

Your application : CO1410000199 Dated: 27 Oct 2014

Under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II,III and IV, annexed to this order:

1. The consent is granted for a period from 30.09.2014 to 30.09.2019. The actual capital investment of the industry is Rs. 68.0 Crs. (As per C.A. Certificate submitted by industry)

2. The Consent is valid for the manufacture of –

Sr. No. Product / By-Product Name	Maximum Quantity in MT/A
1 Automotive Gears	184 MT/M

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	2.0	As per Schedule –I	Reuse and on
2.	Domestic effluent	14.40	As per Schedule –I	land gardening. On land for gardening

4. Conditions under Air (P& CP) Act, 1981 for air emissions:

	Description of stack / source	Number of Stack	Standards to be achieved
1.	Batch Furnace (2Nos)	2	
2	Furnace	1	As per Schedule -II
3	D.G.Set(500 KVA)	1	

Page 1

SRO Satara /I/R/L/79649000

5. Conditions under Hazardous Waste (M, H & T M) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No	Type Of Waste	Categor y	Quantit y	UOM	Treatmen t	Disposal
1	5.1 Used /spent oil	5.1	10.0	Lit/Day	-	sale to authorized
2	5.2 Wastes/residue containing oil	5.2	4.0	Kg/D	-	party sale to authorized
3	34.3 Chemical sludge from waste water treatment	12.9	1.0	Kg/D	-	party CHWTSDF

6. Conditions under Non Hazardous and disposal of non hazardous waste: NATURE, QUANTITY AND METHOD OF DISPOSAL OF NON-HAZARDOUS SOLID WASTE

Sr. No.	Type of Waste	Disposed Quantity (Tones/Yr)	Disposal Method and its destination
1	Metal Scrap	150 MT/M	Sale

- 7. This Board reserves the right to review, amend, suspend, revoke etc. this Consent and the same shall be binding on the industry.
- 8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

Receive	d Consent fee of		For and On Be Maharashtra Polluti (Rajeev Kumar M Member Secre	ion Control Board,
Sr. No.	Amount(Rs.)	DD. No.	Date	
1	5,00100.00	003568	05/09/214	Drawn On IDBI Bank
2. Chief		MPCB Mumbel	nsem conditions.	CB, Satara- They are

SRO Satara /I/R/L/79649000

Page 2

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 2.0 CMD.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
	I. Compulsory Parameters	Limiting Concentration in mg/l, except
01	pH	for pH
02	Suspended Solids	5.5 to 9.0
03	BOD (3 days 27oC)	100
04		100
05		250
06	Oil & Grease Total Dissolved Solids	10
07		2100
08	Chloride	600
	Sulphates	1000

C) The treated effluent 2.0 CMD shall be reused in process up to maximum extent and remaining disposed on land for gardening.

A) As per your consent application, you have provided the sewage treatment system with the design capacity of 14.40 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) (2)	Suspended Solids. BOD 3 days 27oC.	Not to exceed Not to exceed		mg/l.
	The transformer	Het to exected	100	mg/l.

C] The treated sewage effluent shall be disposed on land for gardening

3] The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension

- 4] The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5] The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr.	Purpose for water consumed	
no		Water consumption
1	Domestic purpose	quantity (CMD)
2	Processing whereby water gets polluted a	18.0
		2.0
3	Industrial Cooling	
4	Agriculture/Gardening	5.0
~		6.0

The Applicant shall provide Specific Water Pollution control system as per the 61 conditions of EP Act, 1986 and rule made there under from time to time.

Page 3

SRO Satara /I/R/L/79649000

2)

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to erect / erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity/ UoM	S %	SO ₂ Kg/Day
1.	Batch Furnace 2	Stack	12.0	LPG	2000 Kg/D		
2.	DG set - 500 KVA	Stack	5.0 Above				14.2
5	Furnace	Stack	roof 12	HSD	30 Ltrs/Hrs		

*Above the roof level of the bldg/shed in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

	tter	Not to exceed	150	mg/Nm ³ .	
SO	2	Not to exceed	14.2	Kg/ Day	

- 3. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act,1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary)

Page 4

SRO Satara /I/R/L/79649000

Schedule-III Details of Bank Guarantees

Sr. No	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	consent to operate	Rs.5/- Lakhs	Within 15 days	Towards operation and maintenance of pollution control system so as to achieve consent standards		31.01.2020.

Page 5

SRO Satara/I/R/L/79649000

Lara/I/R/L/79649000

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry (Product

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent regarding pollution levels.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)
- 7) An inspection book shall be opened and made available to the Board's officers during
- 8) The applicant shall make an application for renewal of the consent at least 60 days before

9) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).

- 10) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H &TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 11) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to
- see the day to day compliance of consent condition towards Environment Protection. 12) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 13) Neither storm water nor discharge from other premises shall be allowed to mix with the
- 14) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be

Page 6

SRO Satara/I/R/L/79649000

- 15) Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 16) The industry should not cause any nuisance in surrounding area.
- 17) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 18) The applicant shall maintain good housekeeping.
- 19) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 20) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 21) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 22) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 23) The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dated. 16.11.2009 as amended.

-----0000-----SRO Satara/I/R/L/79649000 Page 7