

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : enquiry@mpcb.gov.in  
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema, Near  
Sion Circle, Sion (E),  
Mumbai - 400 022

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:- PN-20980-14/CAC/CAC-0161

Date- ~~12/2014~~ 06/01/2015

To,

Bharat Forge Ltd.

S. No. 72/76, Mundhwa, Dist:- Pune

Subject: Renewal of Consent under RED category.

Ref : 1. Earlier Consent granted vide no. BO/JD (APC)/TB-4/EIC No.PN-17453-13/O/CAC-8891 dt.22.10.2013

2. Your application is approved in CAC meeting held on 28.11.2014

Your application: CR1403000531

Dated: 28/03/2013

For: Renewal of Consent

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period from 01.05.2014 to 30.06.2016

The actual capital investment of the industry is Rs. 2230.75 Crs. (As per C. A. Certificate submitted by industry)

2. The Consent is valid for the manufacture of-

Sr. No.	Product / By-Product Name	Maximum Quantity	UOM
1	Forged Steel	3,00,000	MT/A
2	Coupling	600	MT/A
3	Finished machined crank shafts	6,00,000	Nos/A
4	Aluminum Road Wheels	3,960	Nos/A
5	Front Axel assembly and components	5,00,000	Nos/A
6	Finished Machine Axel Shafts	1,20,000	Nos/A
7	Weel Head & Components thereof	5,000	Nos/A

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	1065	As per Schedule -I	Recycle 100%
2.	Domestic effluent	683.90	As per Schedule -I	50 % reused in process & 50% on land for gardening

4. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1	Section-Forge Shop- 400 B/S	1	As per Schedule -II
2	New Heat Treat-I -CF-10 D	1	As per Schedule -II
3	New Heat Treat-I NF-1	1	As per Schedule -II
4	Old Heat Treatment- BHF-2	1	As per Schedule -II
5	New Heat Treat-I NF-2	1	As per Schedule -II
6	New Heat Treat-I NF-3	1	As per Schedule -II
7	New Heat Treat-I NF-4	1	As per Schedule -II
8	Section-Forge Shop- 25002 ( B, C, D)	1	As per Schedule -II
9	New Heat Treat-I -NF-5	1	As per Schedule -II
10	New Heat Treat-I- NF-20	1	As per Schedule -II
11	New Heat Treat-I -NF-7	1	As per Schedule -II
12	Eumco Shop- 1 no.	1	As per Schedule -II
13	New Heat Treat-I -NF-8	1	As per Schedule -II
14	New Heat Treat-I -NF-9	1	As per Schedule -II
15	New Heat Treat-I -NF-10	1	As per Schedule -II
16	Old Heat Treatment- BHF-3	1	As per Schedule -II
17	New Heat Treat-I NF-11	1	As per Schedule -II
18	New Heat Treat-I NF-12	1	As per Schedule -II
19	New Heat Treat-I NF-13	1	As per Schedule -II
20	New Heat Treat-I NF-21	1	As per Schedule -II
21	New Heat Treat-I NF-22	1	As per Schedule -II
22	Section-Forge Shop- 7.5" Up A & Up B	1	As per Schedule -II
23	New Heat Treat-I NF-23	1	As per Schedule -II
24	New Heat Treat-I- CF-4	1	As per Schedule -II
25	New Heat Treat-I NF-24	1	As per Schedule -II
26	New Heat Treat-II- CF-11 & CF-12	1	As per Schedule -II
27	New Heat Treat III CF-13, CF-14 & BHF-13	1	As per Schedule -II
28	Heavy Forge-I- HFD (1,2,12,3, 4, 5, 6)	1	As per Schedule -II
29	Old Heat Treatment- BHF-4	1	As per Schedule -II
30	Heavy Forge-I- HFD (7, 8, 9,10)	1	As per Schedule -II
31	Heavy Forge-I- HFD (11,13)	1	As per Schedule -II
32	Heavy Forge -II HFD- (1, 2,3, 4)	1	As per Schedule -II
33	Heavy Forge -II HFD - (5, 6, 7)	1	As per Schedule -II
34	Heavy Forge -II HFD - (8, 9)	1	As per Schedule -II
35	Section-Forge Shop- 25001 (A, B, C)	1	As per Schedule -II
36	Section- ten ton Shop- T. T. No. B & C	1	As per Schedule -II
37	FMD-I	1	As per Schedule -II
38	FMD-II	1	As per Schedule -II
39	FMD-III	1	As per Schedule -II
40	Old Heat Treatment- CF-6	1	As per Schedule -II
41	Old Heat Treatment- BHF-5	1	As per Schedule -II

*Jevale*  
3-1-15

42	Old Heat Treatment- CF 7	1	As per Schedule -II
43	Old Heat Treatment- CF-2	1	As per Schedule -II
44	Old Heat Treatment- BHF-1	1	As per Schedule -II
45	Old Heat Treatment- BHF-6	1	As per Schedule -II
46	New Heat Treat-I -CF-5	1	As per Schedule -II
47	Old Heat Treatment- BHF-11	1	As per Schedule -II
48	BHF-12 & Iso Anneline-2	1	As per Schedule -II
49	Die Shop Bogiee furnace- 1 No.	1	As per Schedule -II
50	New Heat Treat-I- CF-9	1	As per Schedule -II
51	New Heat Treat-I -CF-10 A	1	As per Schedule -II
52	New Heat Treat-I -CF-10 B	1	As per Schedule -II
53	New Heat Treat-I- CF-10 C	1	As per Schedule -II
54	FMD-I-100 KVA LKM	1	As per Schedule -II
55	FMD-I-1000 KVA PZS 1	1	As per Schedule -II
56	FMD-II-200 KVA	1	As per Schedule -II
57	FMD-III-650 KVA	1	As per Schedule -II
58	HFD-I-70 KVA	1	As per Schedule -II
59	HFD-II-750 KVA	1	As per Schedule -II
60	Generator House (CDFC) 1250 KVA	1	As per Schedule -II
61	CMD OFFICE 380 KVA	1	As per Schedule -II
62	SIEMPLEKAMP 5 KVA	1	As per Schedule -II
63	LPG YARD 125 KVA	1	As per Schedule -II
64	FMD-III-250 KVA	1	As per Schedule -II
65	Generator House (MCD-I)-1250 KVA	1	As per Schedule -II
67	MCD-II-1500 KVA	1	As per Schedule -II
68	Dst coltr -Disa A2L	1	As per Schedule -II
68	PCC shop dst cltr	1	As per Schedule -II
69	dust coltr - Disa IQC	1	As per Schedule -II
70	dust coltr - MCDI	1	As per Schedule -II
71	Dust coltr-BMD A2 line	1	As per Schedule -II
72	Small Forge Line	1	As per Schedule -II
73	96 table dust cltr	1	As per Schedule -II
74	New Fab Line	1	As per Schedule -II

5. **Conditions about Non Hazardous Wastes:**

Sr. no.	Type Of Waste	Quantity	UoM	Treatment	Disposal
1	MS Scraps/Scale/Bur Scraps	400	MT/Day	Nil	By Sale

6. **Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:**

Sr. no.	Type Of Waste	Category	Quantity	UoM	Treatment	Disposal
1	Sludge & filter contaminated with oil	3.3	2	MT/Yr	-	CHWTSDF
2	Used/Spent Oil	5.1	300	MT/Y	-	Sold to authorized

*Deval*

3-1-15

						reprocessor
3	Waste/Residues containing oil	5.2	400	MT/Y	-	CHWTSDF
4	Discarded Containers/Barels/Liners	33.3	15000	Nos/Y	-	Sold to authorized reprocessor
5	Acid Residues	12.1	4	MT/Yr	-	CHWTSDF
6	Waste & Residues	21.1	4	MT/Yr	-	CHWTSDF
7	Chemical Sludge from waste water treatment plant	34.3	75	MT/Y	-	CHWTSDF
8	Electrical & Electronic waste		10	MT/Yr	-	Sold to authorized reprocessor

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. Industry shall submit performance evaluation of STP unit within 6 months.
9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the  
Maharashtra Pollution Control Board

*Devale 3-1-15*  
(D. T. Devale)

Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1	Rs. 44,61,614/-	136903	26/02/2014	HDFC Bank
2	Rs. 52,05,100/-	139865	18/12/2014	HDFC Bank

Copy to:

1. Regional Officer - Pune and Sub-Regional Officer-Pune-I, MPCB Pune. They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

**Schedule-I**

**Terms & conditions for compliance of Water Pollution Control:**

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 1500 CMD.  
B] The treated effluent 1065 CMD shall be 100 % Recycled & reused in process. In any case, the effluent shall not find its way on land.
- 2) A.] As per your consent application, you have provided the sewage treatment system with the design capacity of 750 CMD.  
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l.
(2)	BOD 3 days 27oC.	Not to exceed	30	mg/l.
(3)	COD.	Not to exceed	100	mg/l.

C] The treated sewage shall be Reused 50 % in process & 50 % used on land of 10 acres for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1200
2.	Domestic purpose	854.8
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	300
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	--

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

*Devale*  
3-1-15

**Schedule-II**

**Terms & conditions for compliance of Air Pollution Control:**

- As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity	UoM	S %	SO <sub>2</sub> Kg/Day
1	Section-Forge Shop- 400 B/S	NA	34	FO(Total)	50	KLD	1.8	4.5
2	New Heat Treat-I -CF-10 D	NA	17	SKO/LPG				
3	New Heat Treat-I NF-1	NA	12.7	LPG(Total)	50	MT/D		
4	Old Heat Treatment-BHF-2	NA	14	LPG				
5	New Heat Treat-I NF-2	NA	12.7	LPG				
6	New Heat Treat-I NF-3	NA	12.7	LDO(Total)	50	KLD	1.8	1.8
7	New Heat Treat-I NF-4	NA	12.7	LDO				
8	Section-Forge Shop- 25002 ( B,C,D)	NA	35	FO/LPG				
9	New Heat Treat-I -NF-5	NA	12.7	LDO				
10	New Heat Treat-I- NF-20	NA	12.7	LPG				
11	New Heat Treat-I -NF-7	NA	12.7	LPG				
12	Eumco Shop- 1 no.	NA	17	FO				
13	New Heat Treat-I -NF-8	NA	12.7	LPG/LDO				
14	New Heat Treat-I -NF-9	NA	12.7	LPG/LDO				
15	New Heat Treat-I -NF-10	NA	12.7	LPG/LDO				
16	Old Heat Treatment-BHF-3	NA	14	LPG/LDO				
17	New Heat Treat-I NF-11	NA	12.7	LPG/LDO				

18	New Heat Treat-I NF-12	NA	12.7	LPG/LDO				
19	New Heat Treat-I NF-13	NA	12.7	LPG/LDO				
20	New Heat Treat-I NF-21	NA	12.7	LPG				
21	New Heat Treat-I NF-22	NA	12.7					
22	Section-Forge Shop- 7.5" Up A & Up B	NA	33	LPG				
23	New Heat Treat-I NF-23,	NA	12.7	FO				
24	New Heat Treat-I CF-4,	NA	17	LPG				
25	New Heat Treat-I NJNJ4	NA	12.7	SKO	60	KLD		3
26	New Heat Treat 11^ CF- T1 & CF-12	NA	30	LPG				
27	New Heat Treat III CF- 13, CF- 14 & BHF^IS	NA	30	SKO/LPG				
28	Heavy Forge-I- 'HFD (1,2,12,3, 4, 5, 6)	NA	37	SKO/LPG				
29	Old Heat Treatment- BHF-4	NA	12	SKO/LPG				
30	Heavy Forge-I- 'HFD (7, 8, 9,10)	NA	30	SKO/LPG				
31	Heavy Forge-I- 'HFD (11,13)	NA	30	SKO/LPG				
32	Heavy Forge-I- 'HFD (1, 2,3, 4)	NA	52	SKO/LPG				
33	Heavy Forge-I- 'HFD (5, 6, 7)	NA	52	SKO/LPG				
34	Section-Forge Shop- 25001 (A, B, C)	NA	52	SKO				
35	Section- ten ton Shop- T. T. No. I to 3	NA	30	SKO				
36	FMD-I	NA	34	FO				
37	FMD-II	NA	34	FO				

38	FMD-III	NA	32	SKO/LPG				
39	Old Heat Treatment- CF-6	NA	36	SKO/LPG				
40	Old Heat Treatment- BHF-5	NA	20	SKO/LPG				
41	Old Heat Treatment- CF-7	NA	12	SKO/LPG				
42	Old Heat Treatment- CF-2	NA	17	LPG				
43	FMD-I	NA	17	LPG/SKO				
44	Old Heat Treatment- BHF-1	NA	14	LDO				
45	Old Heat Treatment- BHF-6	NA	12	LDO				
46	New Heat Treat-I -CF-5	NA	15	LPG				
47	Old Heat Treatment- BHF-11	NA	12	SKO/LRG				
48	BHF-12 & Iso Anneline-2	NA	30	SKO/LPG				
49	Die Shop Bogie furnace- 1 No.	NA	12	SKO/LPG				
50	New Heat Treat-I- CF-9	NA	20	SKO/LPG				
51	New Heat Treat-I -CF-10 A	NA	17	SKO/LPG				
52	New Heat Treat-I -CF-10 B	NA	17	SKO/LPG				
53	New Heat Treat-I- CF-10 C	NA	17	SKO/LPG				
54	FMD-I- 100KVA LKM	NA	9	SKO/LPG				
55	FMD-I- 1000 KVA PZS1	NA	9	HSD	5	KLD	0.2 5	0.10
56	FMD-II-200 KVA	NA	9	HSD				
57	FMD-III-650 KVA	NA	9	HSD				
58	HFD-I-70 KVA	NA	9	HSD				



	HFD-II-750 KVA	NA	52	HSD				
59	Generator House (CDFC) 1250 KVA	NA	19	HSD				
60	CMD OFFICE 380 KVA	NA	9	HSD				
61	SIEMPLEKAM P 5 KVA	NA	9	HSD				
62	LPG YARD 125 KVA	NA	9	HSD				
63	FMD-III-250 KVA	NA	9	HSD				
64	Generator House (MCD- I)-1250 KVA	NA	19	HSD				
65	MCD-II- 1500 KVA	NA	15	HSD				
67	Dust Collector- Disa A2L	Filter Bag System	9	HSD				
68	PCC shop Dust Collector	Filter Bag System	9	NA				
68	Dust Collector - Disa IQC	Filter Bag System	9	NA				
69	Dust Collector - MCDI	Filter Bag System	8	NA				
70	Dust coltr- BMD A2 line	Filter Bag System	9	NA				
71	Dust Collector- Small Forge Line	Filter Bag System	9	NA				
72	96 table Dust Collector	Filter Bag System	9	NA				
73	Dust Collector- New Fab Line	Filter Bag System	9	NA				

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)

*Devale*  
3-1-15

3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

SPM/TPM	Not to exceed	150 mg/Nm <sup>3</sup> .
Acid Mist	Not to exceed	35 mg/Nm <sup>3</sup>

4. Fume extraction system followed by dust collection system of sufficient capacity shall be provided at all dust generating locations and shall be operated properly & continuously.
5. There shall not be any secondary (fugitive) emissions.
6. The Applicant shall obtain necessary prior permission, for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.
7. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

*Devede*  
3-1-15

**Schedule-III  
Details of Bank Guarantees**

Sr. No.	Consent	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (existing to be extended)	5/- Lakh	15 day	Operation & Maintenance of Pollution Control System	30.06.2016	31.10.2016
2	C to R	2 Lakh	15 days	For submission of performance evaluation of STP unit.	6 months	31.10.2016

*Devale*

3-1-15

Maharashtra Pollution Control Board

#### Schedule-IV

##### General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30<sup>th</sup> June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website([www.mpcb.gov.in](http://www.mpcb.gov.in)).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

*Devale*  
3-1-15

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31<sup>st</sup> March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-----0000-----

*J. Devale*  
3-1-15