

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068
/4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor,
Sion- Matunga Scheme Road No. 8,
Opp. Cine Planet Cinema,
Near Sion Circle,
Sion (E), Mumbai - 400022

Consent order No :- Formate I.0/BO/CAC-Cell/ EIC NoKP-14840-14 /CAC- 962
Date :- 28/01/2015

To,
M/s. AVH Pvt. Ltd.
Plot No. A-52, Halkarni MIDC,
Ta. Chandgad, Dist. Kolhapur.

Subject: Consent to 1st Operate under RED category.

Ref: 1. Earlier Consent to Establish granted vide no. BO/JD PAMS/RO-KP/EIC-KP-9907-12/E/ CAC-564 dtd 16.08.2012.

2. Your application approved in CAC meeting held on 21.01.2015.

Your application:- CO1402000137

Dated: 17.02.2014

For: Consent to 1st Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:


1. The consent is granted for a period from the date of issue of consent upto 31.08.2015.
2. The actual capital investment of the industry is Rs.137.03 Crore.(As per C.A. Certificate submitted by industry)
3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	Maximum Quantity in MT/A
1.	Pitch	82,500
2.	Light oil	22,500
3.	Naphthalene	15,000
4.	Heavy Oils	22,500
	By-Product	
5.	Sodium Phenolate	8,000
6.	Ammonia Liquor	60

The capacity of coal tar distillation plant is 1,50,000 MTPA.

9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
10. Industry shall submit their action plan to carry out Volatile Organic Compounds (VOC) monitoring at source as well as ambient along with the equipment details on or before 28.02.2015.
11. The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF/GoM vide No. SEAC-2010/CR-687/TC-2 dtd 20.03.2012.
12. Industry shall comply rules of the Manufacture, Storage, Import and Handling of Hazardous Chemical, 1989 and amended.
13. Industry shall operate efficiently the system provided for control of VOC emission from mixing tanks and other processing equipment

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. P. Anbalagan, IAS)
Member Secretary

Received Consent fee of-

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	Rs. 8,22,220/-	002263	31/01/2014	Axis Bank
2.	Rs. 100/-	002262	31/01/2014	Axis Bank

Note:- Industry has balance consent fee with the Board is Rs. 6,47,351/- which will be consider during next renewal of consent.

Copy to:

1. Regional Officer -Kolhapur and Sub-Regional Officer- Kolhapur, MPCB, They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	75	As per Schedule-I	100 % recycle to achieve Zero discharge
2.	Domestic effluent	18	As per Schedule-I	On land for gardening

5. Conditions under Air (P & CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler, furnace	4	As per Schedule -II
2.	Process vents	3	As per Schedule -II
3.	DG set	1	As per Schedule -II
4.	Thermic fluid heater	1	As per Schedule -II


6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1.	Paper Waste	200 Kg/A	---	By Sale to authorized vendor
2.	Damaged Plastic Bags	200 Kg/A	---	Sale to authorized re-processor
3.	Metal Scrap	10 MT/A	---	By Sale to authorized vendor
4.	ETP Biological Sludge	60 Kg/Day	---	Used as a manure for gardening inside the plant premises.

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Oil Sludge Emulsion	1.3	120	Kg/M	---	CHWTSDF
2	Chemical Sludge from waste water Treatment	34.3	5.0	Kg/M	---	CHWTSDF

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent, if condition stipulated are not implemented to the satisfaction of the Board or for that matter, for any other administrative reason and the same shall be binding on the industry.



Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided the Effluent Treatment Plant (ETP) with the design capacity of 360 CMD consisting of primary, secondary and tertiary treatment to achieve zero discharge.
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01.	pH	6.5-8.5
02.	Suspended Solids	100
03.	BOD (3 days 27°C)	30
04.	COD	250
05.	Oil and grease	10
06.	Total dissolved solids	2100
07.	Chloride	600
08.	Sulphate	1000
09.	Phenol	5
10.	Fluoride (as F)	15

- C] Industry shall recycle 100 % treated effluent in process to achieve zero discharge. In no case, treated effluent shall be utilized on land for gardening, not find its way to water body directly or indirectly.
- 2) A] As per your consent application, you have provided septic tanks and soak pits for treatment of domestic effluent.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.
- | | | |
|-----------------------|---------------|-----------|
| (1) Suspended Solids. | Not to exceed | 50 mg/l |
| (2) BOD 3 days 27°C | Not to exceed | 30 mg/l |
| (3) COD | Not to exceed | 100 mg/l. |
- C] The treated sewage shall be disposed on land for gardening after confirming the above standards. There shall not be any discharge directly/indirectly outside the factory premises.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or


establish any treatment and disposal system or/and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	650
2.	Domestic purpose	20
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	40
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0
5.	Agriculture	10

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.



Schedule-II
Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S % w/w	SO ₂ Kg/Day
1	Coal Tar Tube furnace	Stack	35	Creosote oil	405 Kg/Hr	0.5	92.7
2	Naphthalene Tube Furnace	Stack	35	Creosote oil	160 Kg/Hr	0.5	38.64
3	Modified Pitch Furnace	Stack	30	Creosote oil	105 Kg/Hr	0.5	25.20
4	Boiler	Stack	48	Creosote oil	675 Kg/Hr	0.5	162
5	Thermic Fluid Heater	Stack	35	Creosote oil	225 Kg/Hr	0.5	54
6	DG Stack (2306 KVA)	Stack	30	Creosote oil	375 Kg/Hr	0.5	90
7	Scrubber Provided to pitch forming area	K - 7601 Scrubber	23	NA	NA	NA	NA
8	Scrubber Provided to modified pitch area	K - 9302 Scrubber	23	NA	NA	NA	NA
9	Scrubber Provided to Intermediate tank farm area.	K - 7104 Scrubber	23	NA	NA	NA	NA

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:


Particulate matter	Not to exceed	150 mg/Nm ³
SO ₂ Process	Not to exceed	50 ppm
HCl	Not to exceed	35 mg/Nm ³
Chlorine	Not to exceed	3 ppm

[Handwritten Signature]

4. Standards for Emissions of VOC Pollutants:

Sr.No	Compounds	Maximum emission limit (mg/Nm ³), dry basis
1	MA,PA,Phenol	20
2	Ethyl benzene (EB), Styrene, Toulene, Xylene, Aromatics, EG, PG	100
3	Non-methane HC (Paraffin), Acetone, olefins	150

5. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement-alteration well before its life come to an end or erection of new pollution control equipment.
6. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt. of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to O	Rs 5 lakhs	Within 15 days from the date of issue of consent	O & M of Pollution Control System	31.08.2015	31.12.2015
2	C to O	Rs 10 lakhs	Within 15 days from the date of issue of consent	Industry shall achieve the Zero discharge	31.08.2015	31.12.2015

[Handwritten Signature]

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly from MoEF approved laboratory.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.**
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 12) The industry should comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazardous Wastes (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 13) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control

system. A register showing consumption of chemicals used for treatment shall be maintained.

17) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 26) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

