	MAHAD	ASHTRA POL				
		AND DA DAT				
Phone	: 4010437/4020781	INTINA PUL	LUTION	CONTD	OL DO IN	
			- Kalnat		JL BOARD	
Fax	24044532/4024068	//022540	Scher	le Road Na	3rd & 4th floor, Sion-	Mat
Email	· Ellourv(a)mpoh any	/4023516 MAHARA	SHTRA Sion C	ircle, Sion (E	3rd & 4th floor, Sion- 8, Opp. Cine Planet Cine E),	ma.
Visit At	http://mpal	and and a second s	Mumh-	100 000		,
Concer	t i i i i i i i i i i i i i i i i i i i			400 022		
Data	at order No: - BO/EI	IC No. AD-15755	14/04 0			
Dule-	2/02/2015		14/CAC-CEL	L/CAC-	IGRC	
10, M/ D					1040	
WI/S. Ba	ajaj Auto Limited					
Plot No	A1, MIDC, Waluj, A	Urangahad				
0.1.	5,	aranganaa.				
Subject	: Consent to Establi : 1. Minutes of CAC 1	sh for source				
Ref	: 1. Minutes of CAC	meeting hall	ion of Ware	house un	der RED	
**	: 1. Minutes of CAC	meeting neld on	21.01.2015		act field category.	
rour ap	plication. CE141000	0000				
- noul. 2	1.00 2014					
For: Con	nsent to Establish fo ection 250f the Wate)r const				
under Se	ection 25of the Wate	er (Promotion	of Warehou	se	n) Act, 1974 & under	
Section	21 of 11	- (rrevention &	Control of	CD II	n) Act 1074 0	
Authoriz	ation under Rule	of the II	Control of	Pollutio	n) Act, 1974 & under on) Act, 1981 and T M) Rules 2008 is	
consider	ed and the consent	ic hand	ous Wastes	(M. H &	T M Pul	
condition	and as detailed in	the art gran	ited subject	t to the f	on) Act, 1981 and T M) Rules 2008 is ollowing terms and	
	in the second se	I the schedule I,	II ,III & IV	annexed	to this and	
1. The co	onsent is granted for ver is earlier.	2			to this order:	
whiche	ver is earlier	a period up to	Commissioni	ng of the	unit on D'	
2. The p	roposed capital in-			a or one	unit or Five years	
Certifi	cate submitted L	vestment of the	induced .			
1			muustry 18	Rs. 81 90	Com 14	
is Rs.1	996.92 Crs)	ndustry) (Existi	ing Capital	Rs.81.99 Investma	unit or Five years Crs. (As per C.A.	
	- 015.)	X	10-	Rs.81.99 Investme	Crs. (As per C.A. nt of the industry	
	- 015.)	X	10-	Rs.81.99 Investme	Crs. (As per C.A. nt of the industry	
3. The Co	nsent is valid for th	X	10-	Rs.81.99 Investme	Crs. (As per C.A. nt of the industry	
3. The Co	996.92 Crs.) nsent is valid for th No. Product / By-P	X	of –		nt of the industry	
3. The Co	onsent is valid for th No. Product / By-P	e manufacture o roduct Name	of -		A Quantity in Nos/	
3. The Co Sr. 1	onsent is valid for th No. Product / By-P Spare part war	e manufacture o roduct Name	of -		nt of the industry	
3. The Co Sr. 1	nsent is valid for th	e manufacture o roduct Name	of -		A Quantity in Nos/	
3. The Co Sr. 1 1	nsent is valid for th No. Product / By-P Spare part ward distribution,	e manufacture e roduct Name ehouse manager	of -	Maximum	nt of the industry a Quantity in Nos / year	
3. The Co Sr. 1 1	nsent is valid for th No. Product / By-P Spare part ward distribution,	e manufacture e roduct Name ehouse manager	of -	Maximum	nt of the industry a Quantity in Nos / year	
 The Co Sr. 1 Condition Sr. 	nsent is valid for th No. Product / By-P Spare part ward distribution,	e manufacture o roduct Name ehouse manager &CP), 1974 Act f	of – nent and	Maximum Te of efflue	nt of the industry a Quantity in Nos / year	
3. The Co Sr. 1 1	onsent is valid for th No. Product / By-P Spare part war	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted	of – ment and <u>for discharg</u> Stand	Maximum Te of efflue ards to	Quantity in Nos / year	
3. The Co Sr. 1 1 4. Condition Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of	of – nent and <u>for discharg</u> Stand be act	Maximum Te of efflue	nt of the industry a Quantity in Nos / year	
 The Co Sr. 1 Condition Sr. no. 1. 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description Trade effluent	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM	of – nent and <u>for discharg</u> Stand be act	Maximum Te of efflue ards to	Quantity in Nos / year	
3. The Co Sr. 1 1 4. Condition Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description Trade effluent	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil	of – nent and <u>for discharg</u> Stand be act	Maximum Te of efflue ards to	Quantity in Nos / year	
 The Co Sr. 1 Condition Sr. no. 1. 2. 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Po Description Trade effluent Domestic effluent	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00	of – nent and <u>for discharg</u> Stand be ach ID)	Maximum Te of efflue lards to hieved NA S per	ent:	
 The Co Sr. 1 Condition Sr. no. 1. 2. 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Po Description Trade effluent Domestic effluent	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00	of – nent and <u>for discharg</u> Stand be ach ID)	Maximum Te of efflue lards to hieved NA S per	ent: Disposal On land for	
 The Co Sr. 1 Condition Condition 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description Trade effluent Domestic effluent ns under Air (P& C	e manufacture o roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00	of – nent and <u>for discharg</u> Stand be ach ID)	Maximum Te of efflue lards to hieved NA S per	ent:	
 The Co Sr. 1 Condition Condition 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description Trade effluent	e manufacture o roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00	of – ment and for discharg Stand be ach ID) A Sche air emission	Maximum Te of efflue lards to hieved NA s per edule –I hs:	ent: On land for gardening	
3. The Co Sr. 1 4. Conditio 5r. no. 1. 2. . Conditio Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Po Description Trade effluent Domestic effluent ns under Air (P& C) Description of stack	e manufacture o roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00	of – nent and for discharg Stand be ach ID) A Sche air emission Number of	Maximum Te of efflue ards to hieved NA s per edule –I hs: f Standa	ent: On land for gardening	
 The Co Sr. 1 Condition 1. 2. Condition Sr. 10. 	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Po Description Trade effluent Domestic effluent ns under Air (P& C) Description of stack	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source	of – ment and for discharg Stand be ach ID) A Sche air emission	Maximum Te of efflue lards to hieved NA s per edule –I hs:	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 1. 2. . Condition Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Po Description Trade effluent Domestic effluent ns under Air (P& C) Description of stack	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source	of – nent and for discharg Stand be ach ID) A Sche air emission Number of	Maximum Te of efflue ards to hieved NA s per edule –I hs: f Standa	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 1. 2. . Condition Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, ons under Water (Pa Description Trade effluent Domestic effluent ns under Air (P& C) Description of stack N.A. ns about Non Hazar	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source	of – nent and for discharg Stand be ach ID) A Sche air emission Number of	Maximum Te of efflue ards to hieved NA s per edule –I hs: f Standa	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. . Condition Sr. no. Condition Sr. no.	onsent is valid for th No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent ns under Air (P& C) Description of stack N.A. ns about Non Hazar Type Of Waste	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source	of – ment and for discharg Stand be ach ID) A Sche air emission Number of Stack	Maximum Te of efflue ards to hieved NA s per edule –I hs: f Standa achieve	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. 5. Condition Sr. no. 5. Condition Sr. no. 1. 2.	onsent is valid for th No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent ns under Air (P& C) Description of stack N.A. Type Of Waste N.A.	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – ment and for discharg Stand be ach ID) A Sche air emission Number of Stack Treatme	Maximum The of efflue lards to hieved NA s per edule -I hs: f Standa achieve	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. 5. Condition Sr. no. 5. Condition Sr. no. 1. 2.	onsent is valid for th No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent ns under Air (P& C) Description of stack N.A. Type Of Waste N.A.	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – ment and for discharg Stand be ach ID) A Sche air emission Number of Stack Treatme	Maximum The of efflue lards to hieved NA s per edule -I hs: f Standa achieve	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. 5. Condition Sr. no. 5. Condition Sr. no. 1. 2.	onsent is valid for th No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent ns under Air (P& C) Description of stack N.A. Type Of Waste N.A.	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – ment and for discharg Stand be ach ID) A Sche air emission Number of Stack Treatme	Maximum The of efflue lards to hieved NA s per edule -I hs: f Standa achieve	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 1. 2. Condition Sr. no. Sr. no. Sr. no. Sr. no. Sr. no. Condition Sr. no.	Ansent is valid for the No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent Description of stack N.A. Description of stack N.A. Sunder Hazardous f hazardous waste:	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – ment and for discharg Stand be ach ID) A Sche air emission Number of Stack Treatme	Maximum The of efflue lards to hieved NA s per edule -I hs: f Standa achieve	ent: On land for gardening	
 3. The Co Sr. 1 4. Condition Sr. no. 1. 2. Condition Sr. no. Condition Sr. no. Sr. no. Condition Sr. no. N Condition Sr. no. N 	Ansent is valid for the No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent Description of stack N.A. Description of stack N.A. Sunder Hazardous f hazardous waste:	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – nent and or discharg Stand be ach ID) A Sche air emission Number of Stack Treatme TM) Rules,	Maximum Te of efflue ards to hieved NA s per edule -I hs: f Standa achieved nt N.A. 2008 for t	A Quantity in Nos / year ent: Disposal On land for gardening urds to be ed Disposal Disposal treatment and	
 3. The Co Sr. 1 4. Condition 1. 2. Condition Sr. no. Condition Sr. no. Sr. no. Condition Sr. Ty No. 	Ansent is valid for the No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent Description of stack N.A. Description of stack N.A. Sunder Hazardous f hazardous waste:	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a k / source dous Wastes: Quantity & UoM	of – nent and or discharg Stand be ach ID) A Sche air emission Number of Stack Treatme TM) Rules,	Maximum The of efflue lards to hieved NA s per edule -I hs: f Standa achieve	ent: On land for gardening	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. . Condition Sr. no. Condition Sr. no.	ensent is valid for th No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent ns under Air (P& C) Description of stack N.A. ns about Non Hazar Type Of Waste N.A. s under Hazardous f hazardous waste: pe Of Waste	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a x / source dous Wastes: Quantity & UoM s Waste (MH & 7 egory Quantit L	of – nent and or discharg Stand be ach ID) A Sche air emission Number of Stack Treatme TM) Rules,	Maximum Te of efflue ards to hieved NA s per edule -I hs: f Standa achieved nt N.A. 2008 for t	A Quantity in Nos / year ent: Disposal On land for gardening urds to be ed Disposal Disposal treatment and	
3. The Co Sr. 1 4. Condition 4. Condition 1. 2. . Condition Sr. no. Condition Sr. no.	Ansent is valid for the No. Product / By-P Spare part ward distribution, Ons under Water (Pa Description Trade effluent Domestic effluent Domestic effluent Description of stack N.A. Description of stack N.A. Sunder Hazardous f hazardous waste:	e manufacture (roduct Name ehouse manager &CP), 1974 Act f Permitted quantity of discharge (CM Nil 45.00 P) Act, 1981 for a x / source dous Wastes: Quantity & UoM s Waste (MH & 7 egory Quantit L	of – nent and or discharg Stand be ach ID) A Sche air emission Number of Stack Treatme TM) Rules,	Maximum Te of efflue ards to hieved NA s per edule -I hs: f Standa achieved nt N.A. 2008 for t	A Quantity in Nos / year ent: Disposal On land for gardening urds to be ed Disposal Disposal treatment and	

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. Industry shall comply the EIA notification, 2006 amended on 22.12.2014.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Pollution Control Board (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of -					
Sr. No.	and the second se	DD. No.	Date	Drawn On / In favour of	
1	125000/-	092354	26.08.2014	ICICI Bank	
2	100/-	006237	04.02.2015	Axis Bank Ltd	

Copy to:

- 1. Regional Officer -Aurangabad and Sub-Regional Officer- Aurangabad MPCB, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Manashtrapolin

Bajaj Auto Ltd., SRO Aurangabad I/I/R/L/06923000

Page 2 of 5

Terms & conditions for compliance of Water Pollution Control:

1) A.] As per your consent application, you have proposed to provide the sewage treatment system with the design capacity of 50 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP A nd Rules made there

(1)	Suspended Solida	chever is stringent.	EP ACt,	1986 an
	BOD 2 dame 27	Notte	50 30 100	mg/l. mg/l. mg/l.

- C] The treated sewage shall be disposed on land for gardening/plantation only. There shall not be any discharge outside the factory premises.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards

4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Daily Water Consumption for the following	
	categories is as under	Water consumption
1.	Domestic	quantity (CMD)
2.	Industrial Processing	100
3.	Industrial Cooling	
	B	

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

N

Bajaj Auto Ltd., SRO Aurangabad I/I/R/L/06923000

Page 3 of 5

Schedule-II & III Not applicable hence not included

General Conditions: 1)

2)

Schedule-IV

The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in

- The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ 3)
- The industry shall comply with the notification issued by MoEF for utilization of fly ash from coal or lignite based thermal power plants dated 14th September, 1999 and as (4)
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- The applicant shall provide an alternate electric power source sufficient to operate all 5) pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year, the 6) Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection)
- The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision 7)contain HW(MH&TM) recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and 8) submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM)
- Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year. An inspection book shall be opened and made available to the Board's officers during 9)
- The applicant shall obtain Consent to Operate from Maharashtra Pollution 10) Control Board before actual commencement of the Unit/ Activity
- Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 11)and Environmental Protection Act,1986 and industry specific standard under EP Rules
- 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>). The industry shall constitute an Environmental cell with qualified staff/personnel/agency 12)
- to see the day to day compliance of consent condition towards Environment Protection. 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the n

Bajaj Auto Ltd., SRO Aurangabad I/I/R/L/06923000

Page 4 of 5