Phone		0437/4020781		Kalpataru P	oint, 3rd &	4th floor, Sion- M
ax		37124/4035273 44532/4024068 /4023516		Scheme Roa Sion Circle, S		o. Cine Planet Cinem
Email		uiry@mpcb.gov.in	the second s	/lumbai - 40		
/isit At		<u>)://mpcb.gov.in</u>				
Conser Data	nt orde 13 02	r No Formate1.0/ BO/CA	C-Cell/ ÉIC N	o PN-2255	9-14/23rd C	AC/1769
Duie-	(3)04	20(3				
D-4/1,N	MIDC K	sives Technologies Ind Kurkumbh,Tal, ist-Pune.	lia Pvt Ltd,			
Subjec Ref		sent to Establish under our application approv			d on 21.01	.2015.
	applica :1/8/201	tion: CE1410000005			1.	
		.4 t to Establish			ALC ALC	
consid	lered a	n under Rule 5 of the and the consent is her nd as detailed in the so	reby granted	subject (o the foll	owing terms an
wh 2. Th Un	iicheve e prop idertak	ent is granted for a per r is earlier. bosed capital investn ing submitted by indu ent is valid for the man Product Name	nent of the stry) nufacture of -	industry -	is Rs.254	
wh 2. Th Un 3. Th	licheve le prop Idertak le Cons Sr.	r is earlier. bosed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a	nent of the stry) nufacture of - nd	industry -	is Rs.254	4.0Crs. (As per ity in MT/A
wh 2. Th Un 3. Th 4. Co	nicheve ne prop ndertak ne Cons Sr. No. 1 ndition	r is earlier. bosed capital investm ing submitted by indu ent is valid for the man Product Name	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge	industry Maxim	is Rs.254 um Quanti 110000 ge of efflue ards to	4.0Crs. (As per ity in MT/A)
wh 2. Th Un 3. Th 4. Co	nicheve ne prop ndertak ne Cons Sr. No. 1 ondition Sr. I no.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment product hs under Water (P&CP Description	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD)	industry Maximu r discharg Standa be ach	is Rs.254 um Quanti 110000 ge of efflue ards to nieved	4.0Crs. (As per ity in MT/A) ent: Disposal
wh 2. Th Un 3. Th 4. Co	nicheve ne prop ndertak ne Cons Sr. No. 1 ondition Sr. I no.	r is earlier. bosed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment product Nater	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge	industry Maximu r discharg Standa be ach	is Rs.254 um Quanti 110000 ge of efflue ards to	4.0Crs. (As per ity in MT/A) ent:
wh 2. Th Un 3. Th	nicheve ne prop ndertak ne Cons Sr. No. 1 ondition Sr. I no. 1.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment product hs under Water (P&CP Description	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD)	industry Maximu r discharg Standa be ach As per -I	is Rs.254 um Quanti 110000 ge of efflue ards to nieved	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for
wh 2. Th Un 3. Th	nicheve ne prop ndertak ne Cons Sr. No. 1 ondition Sr. I no. 1.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment product Nater (P&CP Description	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95	industry Maximu r discharg Standa be ach As per -I	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge.
wh 2. Th Un 3. Th 4. Co	icheve e prop dertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. 1	r is earlier. posed capital investment ing submitted by indu- ent is valid for the many Product Name Adhesives,Sealants a surface treatment pro- hs under Water (P&CP Description Frade effluent Domestic effluent	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55	industry Maximu r discharg Stand be ach As per -I As per -I	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for
wh 2. Th Un 3. Th 4. Co	icheve e prop dertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. 1	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment product Nater (P&CP Description	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55	industry Maximu r discharg Stand be ach As per -I As per -I	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for gardening
wh 2. Th Un 3. Th 4. Co	icheve e prop idertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. 1	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment pro- hs under Water (P&CP) Description Frade effluent Domestic effluent Description of stack source	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55 55 Act, 1981 for a / Number	industry Maximu r discharg Standa be ach As per -I As per -I ir emissio	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule ons: Standard achieved	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for gardening
wh 2. Th Un 3. Th 4. Co	icheve e prop dertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. I ondition Sr. no. 1.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment pro- hs under Water (P&CP) Description Frade effluent Domestic effluent ns under Air (P& CP) A Description of stack source Hot oil heater	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55 55 Act, 1981 for a / Number 1	industry Maximu r discharg Standa be ach As per -I As per -I ir emissio	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule ons: Standard achieved As per Scl	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for gardening Is to be hedule -II
wh 2. Th Un 3. Th 4. Co	icheve e prop dertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. I ondition Sr. I no. 1. 2.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment pro- ns under Water (P&CP) Description Frade effluent Domestic effluent ns under Air (P& CP) A Description of stack source Hot oil heater Process stack	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55 55 Act, 1981 for a / Number 1 2	industry Maximu r discharg Standa be ach As per -I As per -I ir emissio	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule ons: Standard achieved As per Scl As per Scl	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for gardening ls to be hedule -II hedule -II
wh 2. Th Un 3. Th 4. Co	icheve e prop dertak e Cons Sr. No. 1 ondition Sr. I no. 1. 2. I ondition Sr. no. 1.	r is earlier. posed capital investming submitted by induent is valid for the man Product Name Adhesives,Sealants a surface treatment pro- hs under Water (P&CP) Description Frade effluent Domestic effluent ns under Air (P& CP) A Description of stack source Hot oil heater	nent of the stry) nufacture of - nd oducts), 1974 Act for Permitted quantity of discharge (CMD) 95 55 55 Act, 1981 for a / Number 1	industry Maximu r discharg Standa be ach As per -I As per -I ir emissio	is Rs.254 um Quanti 110000 ge of efflue ards to nieved Schedule Schedule ons: Standard achieved As per Scl	4.0Crs. (As per ity in MT/A) ent: Disposal 100 % recycle to achieve zero discharge. On land for gardening Is to be hedule -II hedule -II hedule -II

M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000

Page 1 of 9

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Fe Scrap	100 Kg/M		Sale
2	Non-Fe Scrap	500 Kg/M		Sale
3	Wood,Paper,plastic,glass	1000 Kg/M		Sale
4	Glass wool	10 Kg/M		Sale

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

C N	The construction			9 <u>4</u>		
Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatmen	Disposal
1	Waste/spent oil	5.1	5	CIVIT/A		Sale to authorized party approved by MPCB
2	ETP sludge	34.3	50	MT/A		CHWTSDF
3	Waste/residue containing oil	5.2	50	MT/A		CHWTSDF
4	Discarded container/barrels/ liners	33.3	800	MT/A		Sale to authorized party approved by MPCB
5	PVC Filtrate	21.1	148	MT/A		CHWTSDF

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto.
- 11. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006-JA.II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.

M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000

Page 2 of 9

	ing inside or ou eived Consent f			For and on beha rashtra Pollution (Dr. P. Anbalaga Member Secre	Control Boa
Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On	
NO.	508100/-	291757	23/7/2014	DCB Bank	
2. Chi	eted to ensure t ef Accounts Offi	che compliance cer, MPCB, Mu	of the consen mbai.	and the second	They are
3. CC/	CAC desk- for re	cord & website	updation pu	rposes.	

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to install the Effluent Treatment Plant (ETP) with the design capacity of 100CMD.
 - B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No	.Parameters	Standards prescribed by Board (If any)
		Limiting Concentration in mg/l, except for pH
01	pН	6.0-8.5
02	Oil & Grease	10
03	BOD (3 days 27°C)	100
04	Total Dissolved Solids	2100
05	Suspended Solids	100
06	COD	250
07	Chloride	600
08	Sulphate	1000
09	Phosphates	5

- C) The treated effluent shall be 100% recycled in the process to achieve zero discharge. In no case effluent shall find its way for gardening/outside factory premises.
- 2) A.] As per your consent application, you have proposed to install the sewage treatment system with the design capacity of 60CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Susper	nded Solids. f	Not to exceed	i	9U	mg/1.
(2) BOD	3 days 27°C. 1	Not to exceed		30	mg/l.
(1) Susper (2) BOD (3) COD	1	Not to exceed		100	mg/l.

- C] The treated sewage shall be disposed on land for gardening.
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000

Page 4 of 9

- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0
2.	Domestic purpose	69
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	138
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000

Page 5 of 9

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Thermic fluid heater	Stack	30	F.O.	180 Kg/hr	4.5	388.8
2	Hot water generator	stack	30	F.O	95 Kg/hr	4.5	205.2
3	Process Stack-2 nos	Scrubber	15 each	N.A	N.A	N,A	⊳N.A
4	D.G.Set (1000 KVA)	Stack	30	HSD	850 Lit/hr		408

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines.
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

	1. No.		
Particulate	Not to exceed	150	mg/Nm ³ .
matter			
HCL	Not to exceed	35	mg/Nm ³
	in the second		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s Henkel Adhesives Technologies Pvt Ltd SROPuneI/I/R/L/06955000

Page 6 of 9

Schedule-III **Details of Bank Guarantees**

No.	(C to E/O/R)	E/O/R) Imposed		C to BG on Period D/R) Imposed			Complian ce Period	Validity Date
1	C to E	Rs 10 lakh	Within 15 days from the date of issue of consent	Industry shall not take any effective steps before obtaining EC	31.12.2019	30.04.2020		
			consent	M				

Schedule-IV

<u>General Conditions</u>:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 9) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
- 11) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

M/s Henkel Adhering Technologies But Lide BOD	$\left[\right]$	1	P	1/	
M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000			4		Page 8 of 9
	<u> </u>				1 460 0 0 0

- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 16) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

-0000-

M/s Henkel Adhesives Technologies Pvt Ltd SROPunel/I/R/L/06955000

Page 9 of 9