MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781

/4037124/4035273

Fax

Phone:

24044532/4024068 /4023516

Email

enquiry@mpcb.gov.in

Visit At:

http://mpcb.gov.in

Consent No: Format 1.0/ BO/CAC-Cell/EIC No:-PN-22951-14/CAC/CC-3139

MAHARASHTRA

Kalpataru Point, 3rd & 4th floor, Sion- Matunga

Scheme Road No. 8, Opp. Cine Planet Cinema, Near

Sion Circle, Sion (E),

Mumbai - 400 022

Date- 18/01/2015

M/s. Solapur Super Thermal Power Project., A/p Fatatewadi, Hotgi Railway station & Aherwadi, Tal South Solapur, Dist Solapur

Subject: Revalidation of Consent to Establish under RED category.

: 1. Minutes of CAC meeting held on 24.02.2015

Your application: CE1410000596

Dated: 23.09.2014

For: Revalidation of Consent to Establish

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent is granted for a period upto Commissioning of the project or five years whichever is earlier.
- 2. The proposed capital investment of the industry is Rs.7556.86 Crs. (As per C. A. Certificate submitted by industry)

3. The Consent is valid for the manufacture of -

Sr. No.	Product Name	/ I	By-Product	Maximum Quantity in	MT/A
1	Electricity	Gener	ation	2 X 660 MW	

Conditions under Water (P&CP), 1974 Act for disch

Sr. no.	Безстірнон	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
2.		66024	As per Schedule -I	dust suppression, road spraying, Recycle and on land of 125 acres for gardening irrigation
4.	Domestic effluent	3600	As per Schedule –I	Land

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr.	Description of stack /	Number of Ct. 1	T
no.	source	Number of Stack	Standards to be
1	Boiler		achieved
1.	Doner	1.	As per Schedule -II

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 1of 9

6. Conditions about Non Hazardous Wastes:

		zuruous wasu	23.	
Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Fly Ash			Shall be sent to cement / brick manufacturers dispose as per
2	Bottom Ash			Govt. of India guidelines notification Vide no. SO 763(E) dated 14.09.1999 and amended thereto

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr.	Type Of Waste		Quantity	UOM	Tuontee	D: (1)
No.			· ····································		Treatment	Disposal
	Used / Spent Oil	5.1				By sale to authorized
						re-
	· · · · · · · · · · · · · · · · · · ·					processors

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. The applicant should not take any effective steps for implementation of the project before obtaining Environmental Clearance as per EIA Notification 2006 and amendments thereto. As per Para 2 of EIA notification dated-14/09/2006, the effective steps include starting of any construction work or preparation of land by the project management. However as clarified by the MoEF vide office memorandum no. J-1103/41/2006 [A:II(I); Dated-19/8/2010, fencing of the site to protect it from getting encroached & construction of temporary shed(s) for the guard(s) & acquisition of land shall not be treated as an effective steps.
- 10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

For and on behalf of the Maharashtra Polluțion Control Board

> (Dr. P Anbalagan, IAS) Member Secretary

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
Conv	1,51,14,000/-	424254	19-09-2014	SBI Bank

- 1. Regional Officer -Pune and Sub-Regional Officer-Solapur, MPCB, Solapur -They are directed to ensure the compliance of the consent conditions
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 2of 9

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have proposed to install the Effluent Treatment Plant (ETP) with the design capacity 15 not mentioned.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)				
	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH				
01	рН	5.5-9.0				
02	Oil & Grease	10				
03	BOD (3 days 27oC)	30				
04	Total Dissolved Solids	2100				
05	COD	250				

The industrial effluent arising from various sections of Power Plant shall be given such treatment either collective or individually as the site conditions permits that the final quality of effluent shall have following character standards

I.	Condenser Cooling Water		
1)	рН	Between	6.5 to 8.5
2)	Temperature	Not to exceed	5 Degree C. Higher than the intake water Temp.
3)	Free Available Chlorine	Not to Exceed	0.5 mg/l
II.	Boiler Blow Down		0.0 116/1
1)	SS	Not to Exceed	100 mg/l
2)	Oil and Grease	Not to Exceed	20 mg/l
3)	Copper (Total)	Not to Exceed	1.0 mg/l
4)	Iron (Total)	Not to Exceed	1.0 mg/l
III.	Cooling Tower Blow Down		
1)	Free Available Chlorine	Not to Exceed	0.5 mg/l
2)	Zinc	Not to Exceed	1.0 mg/l
3)	Chromium (Total)	Not to Exceed	0.2 mg/l
4)	Phosphate	Not to Exceed	5.0 mg/l
IV.	Ash Pond Effluent		
1)	Hd	Between	6.5 to 8.5
2)	SS	Not to Exceed	100 mg/l
3)	Oil and Grease	Not to Exceed	20 mg/l
V.	DM Plant Effluent		
1)	рН	Between	5.5 to 9.0
2)	BOD days 27 Deg. C	Not to Exceed	30 mg/l
3)	COD	Not to Exceed	250 mg/l
4)	SS	Not to Exceed	100 mg/l
5)	Oil and Grease	Not to Exceed	10 mg/l
6)	TDS	Not to Exceed	2100 mg/l

Page 3of 9

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

- C) The treated effluent shall be disposed for dust suppression, cooling, sprinkling on road, ash quenching and remaining on land of 125 acres for gardening irrigation
- 2) A.] As per your consent application, you have proposed to install the sewage treatment systems with the design capacity of not mentioned.
 - B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1) Suspended Solids.

Not to exceed

0 mg/l.

(2) BOD 3 days 27oC.

Not to exceed

30 mg/l.

(3) COD.

Not to exceed

100 mg/l.

- C] The treated sewage shall be disposed on land of 125 acres for gardening/irrigation
- 3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	125520
2.	Domestic purpose	3690
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	

6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Heigh t in Mtrs.	Type Fuel	of	Quantity & UoM	S %	SO ₂ Kg/Day
1	Boiler 1	ESP	275	Coal		23520 MT/D	0.5%	235200

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments)
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standa

Particulate	Not to exceed	50 mg/Nm ³ .
matter		

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in wholeon in part is necessary).
- 6. Control Equipments:
- a) Electrostatic Precipitator of sufficient capacity shall be provided to Boiler and any other sources of particulate matter shall be operate and maintain so as to ensure that TPM emission do not exceed 50 mg/Nm³
- b) Dust collection system and automatic water sprinkler system shall be provided to Coal Handling Plant.
- c) Dust collector of sufficient capacity shall be provided to coal crusher and any other sources of SPM.
- d) There shall not be any fugitive emission from coal storage yard.
- e) The industry shall make necessary provisions for installing FGD with 90 % efficiency in its design and layout ad sufficient floor space so that it can be installed in future, as & when directed by Board.

Schedule-III Details of Bank Guarantees

Sr. No.	Consent (C to	Amt of BG Imposed	Submission	Purpose of BG	Compliance	Validity
	E/O/R)	Imposed	Period		Period	Date
1	C to E	10/- Lakhs	15 Days	To not to take any		
			-	effective steps for	1	
				implementation of the		
				project before obtaining		
				Environmental		
1		1		Clearance as per EIA		
				Notification 2006 and		
-		j		amendments thereto. As		
		}		per Para 2 of EIA		}
				notification dated-		
- 1				14/09/2006, the		
		1		effective steps include		
		1		starting of any		
				construction work or		
				preparation of land by		
		ļ		the project		
-				management. However		
		}		as clarified by the MoEF		
	1			vide office		
				memorandum no. J-		
				1103/41/2006-IA.II(I);		
		4		Dated-		
				19/8/2010,fencing of		
	-		•	the site to protect it		
			<i>●</i>	rom getting encroached		
				& construction of		
				temporary shed(s) for		
	1			the guard(s) &		
		*	a	ecquisition of land shall		
		•		not be treated as an		
1				effective steps.		- 11

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 6of 9

Schedule-IV

General Conditions:

- The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker if applicable.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- 9) /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.
 Industry shall strictly comply with the Woter (P&CP) And 1974 to Page 1974.
- 13) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 14) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 15) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 7of 9

- The applicant shall install a separate meter showing the consumption of energy for 17) operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 18) Conditions for D.G. Set

Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by a) treating the room acoustically.

- Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ b) acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- Industry should make efforts to bring down noise level due to DG set, outside industrial c) premises, within ambient noise requirements by proper sitting and control measures.

Installation of DG Set must be strictly in compliance with recommendations of DG Set d)

A proper routine and preventive maintenance procedure for DG set should be set and e) followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use

D.G. Set shall be operated only in case of power failure. f)

- The applicant should not cause any nuisance in the surrounding area due to operation of g) D.G. Set.
- The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding h) noise limit for generator sets run with diesel

The industry should not cause any nuisance in surrounding area. 19)

The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and

21) The applicant shall maintain good housekeeping.

The applicant shall bring minimum 33% of the available open land under green coverage/ 22) plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.

The non-hazardous solid waste arising in the factory premises, sweepings, etc. be 23) disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste. 24)

- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries' obligation 26) towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to 27) the MPCB.
- The industry shall achieve the National Ambient Air Quality standards prescribed vide 28) Government of India, Notification dt. 16.11.2009 as amended. 29)
- The industry shall comply with the notification issued by MoEF for utilization of fly ash from coal or lignite based thermal power plants dated 14th September, 1999 and as amended on 3rd November, 2009.

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 8of 9

Industry shall provide dry fly ash handling & collection system and utilize the fly ash as per the fly ash notification of the Govt. of India 31)

Transportation of coal & fly ash shall be by closed system, Conveyor system wherever

possible.

The applicant shall install online continuous monitoring system for process stack 32) emission analysis & same shall be directly connected to MPCB website http://mpcb.gov.in as well as to the respective Regional Office within 3 months period and operate the same regularly.

The applicant shall install three continuous automatic ambient air and micrometeorological monitoring station at location indicated by State Board to be set up and operate at its own cost measure SO2, NOx and particulate matter. These CAAQMS shall also have necessary provision of networking to the Air Quality Monitoring network

----0000-----

Solapur Super Thermal Power Project, SRO Solapur/I/R/L/07575000

Page 9of 9