Phone : Fax : Email : Visit At	/4 24 ei	MAHARAS 010437/4020781 037124/4035273 4044532/4024068 /4 nquiry@mpcb.gov.in http://mpcb.gov.in	Manage and Michight Street Area and Are	Kalpata Schem Sion Ci	ru Point,	3rd & 4th floor, Sion- Matunga b. 8, Opp. Cine Planet Cinema, Near (E),
Consen	t ord	ler No: - BO/CAC	C-Cell/EIC No:-AM-	6072-14/CA	AC/313	8 Date-18 03 2015
Plot No	• T-0	ndustries Ltd., 2, MIDC Nandga Amravati	aon Peth, (Textile	e Park)		
			sh in RED catego approved in CAC		held on (02.02.2015.
Dated: For: C Pollutio & T M) followin	07.1(onse on) on) Rul ng t	ent to Establish Act, 1974 & u Act, 1981 and Au les 2008 is cons	under Section 2 nder Section 21 uthorization und idered and the c	of the . er Rule 5 consent is	Air (Pro of the H hereby	Prevention & Control of evention & Control of lazardous Wastes (M, H granted subject to the chedule I, II ,III & IV
which 2. The	chev pro	er is earlier. posed capital i	investment of th	SO)		g of the unit or 5 years s. 186.92 Crs. (As per
und	erta	king submitted	by industry)			
3. The	Con Sr.		the manufacture	e of –		
	No	· Product / 1	By-Product Name	e	Maz	ximum Quantity
	1	Yarn Dyeing	XV			10 MT/Month
	2		Fabric Weaving &			lakh Mtrs/Month
L	3	<u> Cotton Fabri</u>	c Processing and	Dying	22	2.50 lakh Mtrs./Month
4. Con	ditie	ons under Water	r (P&CP), 1974 Ac	ct for disc	harge of	f effluent:
		man of the CI	Permitted		ndards	
	5r. 10.	Description	quantity of		o be	Disposal
		П. J СП	, discharge (CMI		ieved	CETD
	L.	Trade effluent	1125	As pe Scher	er dule –I	CETP
•			29	As pe		On land for
	2.	Domestic			dule –I	gardening/plantation
		Domestic effluent		Sche		gardening/plantation
2		effluent				gardening/plantation
2		effluent ons under Air (F Description	P& CP) Act, 1981 of stack /N	for air em	issions:	Standards to be
5. Con	ditic Sr. no.	effluent ons under Air (H Description sour	P& CP) Act, 1981 of stack /N	for air em lumber of	issions:	Standards to be achieved
5. Con	ditio Sr. no. 1.	effluent ons under Air (F Description sour Boiler	P& CP) Act, 1981 of stack /N	for air em Tumber of 01	issions:	Standards to be achieved As per Schedule –II
5. Con	ditio Sr. no. 1. 2.	effluent ons under Air (H Description sour Boiler Thermo-pack	P& CP) Act, 1981 of stack /N	for air em Jumber of 01 01	issions:	Standards to be achieved As per Schedule –II As per Schedule –II
5. Con	ditio Sr. no. 1.	effluent ons under Air (F Description sour Boiler	P& CP) Act, 1981 of stack /N	for air em Tumber of 01	issions:	Standards to be achieved As per Schedule –II
5. Con	ditio Sr. no. 1. 2. 3.	effluent ons under Air (H Description sour Boiler Thermo-pack D. G. Set	P& CP) Act, 1981 of stack /N	for air em Tumber of 01 01 01	issions:	Standards to be achieved As per Schedule –II As per Schedule –II

2

Page 1 of 8

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1.	Empty Drums			Sale to
2.	Waste Yarn & Fabrics			authorized re- processor
3	Coal Ash	10 Ton/day		Sale to brick manufactures

7. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	
1	Used Spent Oil	5.1	20	Lit/M		Sale to Authorized Re-processor
2	ETP Sludge	34.3	500	Kg/day		CHWTSDF,

- 8. The Board reserves the right to review, amend, suspend, revoke etc. of this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. Consent to 1st Operate will be considered after commissioning of their ETP comprising of primary secondary & tertiary treatment & also after commissioning of CETP proposed in MIDC.
- 11. If CETP is not commissioned, C to 1st Operate of the industry will be considered only if the industry installs Reverse Osmosis for 100% recycle & reuse in process followed by Multiple Effective Evaporator so as to achieve zero discharge.

For and on behalf of the Maharashtra Pollution Control Board

Anbalagan, IAS) (Dr. P.

Member Secretary

Received Consent fee of -

Sr. Amount (Rs.)	DD. No.	Date	Drawn On
1 Rs.3,73,840/-	491507	27.09.2014	State Bank of India
2 Rs. 100/-	957855	04.10.2014	State Bank of India

Copy to:

- 1. Regional Officer Amravati and Sub-Regional Officer- Amravati –I, They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Mumbai.
- 3. CC/CAC desk- for record & website updation purposes.

M/s. VHM Industries Ltd., SRO Amravati 1/1/R/L/07422000

Page 2 of 8

<u>Schedule-I</u>

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have proposed to provide the Effluent Treatment Plant with the design capacity 1200 CMD
- 2) B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board (If any)
Sr. no.	I. Compulsory Parameters	Limiting Concentration in mg/l, except for pH
01	pН	5.5 to 9.0
02	BOD	100
03	COD	250
04	SS	100
05	0 & G	10
06	Total chromium as Cr	2.0
07	Sulphide as S	2:0
08	Residual Chlorine	1.0
09	Phenolic compounds as C6H5OH	1.0

- C] The treated effluent shall be sent to CETP after confirming the above standards for further treatment and disposal on HRTS developed by MIDC. In no case effluent shall find its way for gardening/outside factory premises.
- 3) A] As per your consent application, you have proposed to provide the sewage treatment system with the design capacity 30 CMD.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

(1)	Suspended Solids.	Not to exceed	50	mg/l.
		Not to exceed	30	mg/l.
(2) (3)	COD	Not to exceed	100	mg/l.

C] The treated sewage shall be used for gardening/plantation purpose after confirming the above standards. In no case effluent shall find its way for gardening/outside factory premises.

D] In case the treatment system is combined for trade effluent and sewage then the standards and disposal path prescribed at sr. no.1 B & C of schedule I shall be applicable.

4) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.

M/s. VHM Industries Ltd., SRO Amravati I/I/R/L/07422000

Page 3 of 8

- 5) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 6) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 and as amended, by installing water meters, filing water cess returns in Form-I and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	349
2.	Domestic purpose	80
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	1255
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	NI

7) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

M/s. VHM Industries Ltd., SRO Amravati I/I/R/L/07422000

Page 4 of 8

<u>Schedule-II</u>

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO2 Kg/Day
1	Boiler	MDC with bag filters	30	Coal		Pa	
2	Thermopac k	C			3289	À.	
3	Boiler	MDC with bag filters	30		Kg/hr		
4	Thermopac k	Ū			100		
5	DG set (1000 KVA)		12	Diesel	210 Lit/hr		

- 2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipments).
- 3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate	Not to exceed	150 mg/Nm ³ .
matter	INUL OF EXCEED	
	A A A A A A A A A A A A A A A A A A A	

- 4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s. VHM Industries Ltd., SRO Amravati I/I/R/L/07422000

Page 5 of 8

Schedule-III Details of Bank Guarantees

Proposed BG

sr. N.	Consent (C to E/O/R)	Amt of BG Imposed	Submissio n Period	Purpose of BG	Complianc e Period	Validity Date
	CtoE	Rs. 10 Lakh	15 days	Towards compliance of consent conditions	COU	31.01.2017
	1			Nfm		
			n an			
			2000 - 20			
			3. 3.			

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) If the MIDC pipeline is broken/ overflowing chamber, in such cases industry shall not discharge their treated effluent into MIDC drain, it shall be sent to CETP by tanker.
- 3) Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 4) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, §-2, etc. and these shall be painted/ displayed to facilitate identification.
- 5) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 6) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 7) The firm shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 8) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW(MH&TM) Rules 2008, which can be recycled
- /processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 9) The industry should comply with the Hazardous Waste (M,H & TM) Rules, 2008 and submit the Annual Returns as per Rule 5(6) & 22(2) of Hazarsous Waste (M,H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
- 10) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 11) The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent (in case of Renewal of consent).
- 12) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(<u>www.mpcb.gov.in</u>).
- qualified cell with constitute an Environmental shall industry 13) The staff/personnel/agency to see the day to day compliance of consent condition towards **Environment Protection.**
- 14) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 15) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

M/s. VHM Industries Ltd., SRO Amravati I/I/R/L/07422000

∿ Page 7 of 8

- 16) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 17) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 18) The industry should not cause any nuisance in surrounding area.
- 19) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 20) The applicant shall maintain good housekeeping.
- 21) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a statement on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end, with the Environment Statement.
- 22) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 23) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 24) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 25) The industry shall submit quarterly statement in respect of industries' obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
- 26) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 27) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dt. 16.11.2009 as amended.

-0000-Page 8 of 8 M/s. VHM Industries Ltd., SRO Amravati I/I/R/L/07422000